according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name ARIA® 50 SG

Other means of identification

Product code 50000506

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

<u>Supplier Address</u> FMC Corporation

2929 Walnut Street Philadelphia PA 19104

USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR

1910.1200)

Eye irritation : Category 2A

GHS label elements

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Hazard pictograms :

 $\langle ! \rangle$

Signal Word : WARNING

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

Other hazards

This product is moderately toxic to bees and other pollinating insects exposed to direct treatment, or to residues in/on blooming crops or weeds. Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
flonicamid (ISO)	158062-67-0	50
Residues, petroleum, catalytic re-	68425-94-5	>= 1 - < 5
former fractionator, sulfonated, poly-		
mers with formaldehyde, sodium salts	;	

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention immediately if irritation develops and

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of toxic and irritat-

ing vapors.

Specific extinguishing meth-

ods

Use a water spray to cool fully closed containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Evacuate personnel to safe areas.

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

tive equipment and emergency procedures

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak.

Ensure adequate ventilation.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use.

Pick up and transfer to properly labeled containers without

creating dust.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tig

Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Particulates type

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : Do not breathe dust.

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : granules

Color : brown

Odor : ammoniacal

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Odor Threshold : No data available

pH : 8.3 (72 °F / 22 °C)

Melting point/range : 315.5 °F / 157.5 °C

Boiling point/boiling range : No data available

Flash point : $> 572 \,^{\circ}\text{F} / > 300 \,^{\circ}\text{C}$

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : 0.543 g/cm3

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : insoluble

Solvent: Methanol

insoluble

Solvent: hexane

Partition coefficient: n-

octanol/water

: log Pow: 0.3 (85.6 °F / 29.8 °C)

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : Not applicable

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid dust formation.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.36 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The component/mixture is minimally toxic after

single contact with skin.

Components:

flonicamid (ISO):

Acute oral toxicity : LD50 (Rat, male): 884 mg/kg

LD50 (Rat, female): 1,768 mg/kg

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Acute inhalation toxicity : LC50 (Rat): > 4.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant Result : slight or no skin irritation.

Remarks : May cause skin irritation in susceptible persons.

Components:

flonicamid (ISO):

Species : Rabbit

Result : No skin irritation

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Remarks : No data available

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit
Result : Eye irritation
Assessment : Irritating to eyes.

Components:

flonicamid (ISO):

Species : Rabbit

Result : slight irritation

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Result : Eye irritation

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species : Guinea pig

Result : Does not cause skin sensitization.

Components:

flonicamid (ISO):

Test Type : Buehler Test Species : Guinea pig

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: Micronucleus test

Result: negative

Components:

flonicamid (ISO):

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assess-

A slight increased incidence in tumors was observed in one

ment species, but not in other species

Components:

flonicamid (ISO):

Species : Mouse, male

Application Route : Oral Exposure time : 78 weeks

NOAEL : 10 mg/kg bw/day

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Method : OPPTS 870.4200

Result : positive

Species : Mouse, female

Application Route : Oral Exposure time : 78 weeks

NOAEL : 11.8 mg/kg bw/day Method : OPPTS 870.4200

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 104 weeks
Result : positive

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Effects on fertility : Species: Rat, female

Result: equivocal

Components:

flonicamid (ISO):

Effects on fertility : Test Type: Multi-generation study

Species: Rat

General Toxicity Parent: NOAEL: 18 mg/kg bw/day

Fertility: NOAEL: 109 mg/kg bw/day Symptoms: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

General Toxicity Maternal: NOAEL: 7.5 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: 2.5 mg/kg bw/day

Result: positive

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Target Organs : Respiratory organs

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

flonicamid (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

flonicamid (ISO):

Species : Mouse, male

NOAEL : 15.3 mg/kg bw/day

LOAEL : 153.9 mg/kg bw/day

Application Route : Oral Exposure time : 90 day

Method : OECD Test Guideline 408

Target Organs : Liver

Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male

NOAEL : 60 mg/kg bw/day

LOAEL : 119.4 mg/kg bw/day

Application Route : Oral Exposure time : 90 day

Method : OPPTS 870.3100

Target Organs : Kidney

Remarks : Based on available data, the classification criteria are not met.

Species : Dog, male and female NOAEL : 20 mg/kg bw/day

Application Route : Oral Exposure time : 90 day

Method : OECD Test Guideline 409

Aspiration toxicity

Based on available data, the classification criteria are not met.

Neurological effects

Components:

flonicamid (ISO):

No neurotoxicity observed in animal studies.

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 141.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 126.13 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 194.13

mg/l

Exposure time: 72 h

Toxicity to soil dwelling or-

ganisms

(Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): 0.04487 mg/kg

Exposure time: 24 h

LD50 (Apis mellifera (bees)): 0.03186 mg/kg

Exposure time: 48 h

LD50 (Coturnix japonica (Japanese quail)): 1,055.9 mg/kg

Components:

flonicamid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 120

mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Toxicity to algae/aquatic

plants

EC50 (algae): > 119 mg/l

End point: Growth inhibition

Exposure time: 96 h

EC50 (Lemna sp.): > 119 mg/l

Exposure time: 7 d Test Type: static test

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 10 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 3.1 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (worms): > 1,000 mg/kg

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg

LC50 (Colinus virginianus (Bobwhite quail)): > 5,000 mg/kg

Remarks: Dietary

LC50 (Anas platyrhynchos (Mallard duck)): > 5,000 mg/kg

Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): 1,591 - 2,621

mg/kg

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Persistence and degradability

Components:

flonicamid (ISO):

Biodegradability : Result: Readily biodegradable.

Stability in water : Remarks: resistant to hydrolysis

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Components:

flonicamid (ISO):

Partition coefficient: n-

octanol/water

log Pow: 0.3

Mobility in soil

Components:

flonicamid (ISO):

Distribution among environ-

mental compartments

Remarks: Mobile in soils

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

No data available

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

Not regulated as a dangerous good

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

D-Glucose, 4-O-β-D-galactopyranosyl-, monohydrate 64044-51-5 flonicamid (ISO) 158062-67-0 Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : All substances contained in this product are listed on the Ca-

nadian Domestic Substances List (DSL) or the Non-Domestic

Substances List (NDSL) or are not required to be listed.

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version 1.6	Revision Date: 06/17/2024		OS Number: 1000506	Date of last issue: - Date of first issue: 08/09/2018
ENCS		:	Not in compliance	e with the inventory
ISHL		:	Not in compliance	e with the inventory
KECI		:	: Not in compliance with the inventory	
PICCS		:	Not in compliance	e with the inventory
IECSC		:	Not in compliance	e with the inventory

TSCA list

NZIoC

TECI

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

: Not in compliance with the inventory

: Not in compliance with the inventory

CAUTION

Harmful if swallowed, Harmful if absorbed through the skin., Harmful if inhaled, Causes eye irritation, Avoid contact with skin, eyes and clothing., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Remove and wash contaminated clothing before reuse.

SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

NFPA 704:

Flammability Health 2 1 Instability

Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Sub-

according to the OSHA Hazard Communication Standard



ARIA® 50 SG

Version Revision Date: SDS Number: Date of last issue: -

1.6 06/17/2024 50000506 Date of first issue: 08/09/2018

stance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

 $\ensuremath{\mathsf{FMC}}$ and the $\ensuremath{\mathsf{FMC}}$ Logo are trademarks of $\ensuremath{\mathsf{FMC}}$ Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet