

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** PELTON®

#### Other means of identification

**Product code** 50001177

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : A fertilizer with micronutrients for use in agriculture and horti-  
culture

Recommended restrictions : Use as recommended by the label.  
on use

#### 1.3 Details of the supplier of the safety data sheet

##### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Agro Limited  
Rectors Lane, Pentre  
Flintshire  
CH5 2DH  
United Kingdom

Telephone: + 44 1244 537370  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version 1.6	Revision Date: 28.02.2024	SDS Number: 50001177	Date of last issue: 28.03.2022 Date of first issue: 18.11.2019
----------------	------------------------------	-------------------------	---

Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Danger

Hazard statements :  
H314 Causes severe skin burns and eye damage.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P391 Collect spillage.

Hazardous components which must be listed on the label:  
phosphoric acid

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version 1.6      Revision Date: 28.02.2024      SDS Number: 50001177      Date of last issue: 28.03.2022  
Date of first issue: 18.11.2019

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
phosphoric acid	7664-38-2 231-633-2 015-011-00-6	Skin Corr. 1B; H314  specific concentra- tion limit Skin Corr. 1B; H314 ≥ 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %	≥ 25 - < 30
ZINC PHOSPHATE	7779-90-0		≥ 1 - ≤ 10
phosphoric acid	7664-38-2 231-633-2 015-011-00-6	Skin Corr. 1B; H314  specific concentra- tion limit Skin Corr. 1B; H314 ≥ 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %	≥ 25 - < 30
trizinc bis(orthophosphate)	7779-90-0 231-944-3 030-011-00-6	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	≥ 2.5 - < 10

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                            |   |
|----------------------------|---|
| General advice             | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes.   |
| If inhaled                 | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.   |
| In case of skin contact    | : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.<br>Wash contaminated clothing before re-use.<br><br>Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes. |
| In case of eye contact     | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed               | : Clean mouth with water and drink afterwards plenty of water.<br>Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.  |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |       |  |
|-------|--|
| Risks | : Causes serious eye damage.<br>Causes severe burns. |
|-------|--|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases. metal fumes

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labelled containers.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Fertilizers

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version 1.6      Revision Date: 28.02.2024      SDS Number: 50001177      Date of last issue: 28.03.2022  
Date of first issue: 18.11.2019

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
phosphoric acid	7664-38-2	TWA	1 mg/m <sup>3</sup>	GB EH40
		STEL	2 mg/m <sup>3</sup>	GB EH40
		TWA	1 mg/m <sup>3</sup>	2000/39/EC
	Further information: Indicative			
		STEL	2 mg/m <sup>3</sup>	2000/39/EC
	Further information: Indicative			

##### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
potassium dihydrogenorthophosphate	Workers	Inhalation	Long-term systemic effects	14.82 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	6.35 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	70 mg/kg

##### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
magnesium hydroxide	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Fresh water sediment	0.082 mg/kg dry weight (d.w.)
	Marine sediment	0.0082 mg/kg dry weight (d.w.)
	Soil	0.0191 mg/kg dry weight (d.w.)
	Oral	66.67 mg/kg dry weight (d.w.)

#### 8.2 Exposure controls

##### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Face-shield

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version 1.6	Revision Date: 28.02.2024	SDS Number: 50001177	Date of last issue: 28.03.2022 Date of first issue: 18.11.2019
----------------	------------------------------	-------------------------	---

Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Protective measures	:	Plan first aid action before beginning work with this product.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	Faint odour
Odour Threshold	:	No data available
pH	:	1.5 - 2.5 Concentration: 100 %
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.47 - 1.49
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version 1.6	Revision Date: 28.02.2024	SDS Number: 50001177	Date of last issue: 28.03.2022 Date of first issue: 18.11.2019
----------------	------------------------------	-------------------------	---

---

Auto-ignition temperature : No data available

Decomposition temperature : No data available

### Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : Non-oxidizing

## 9.2 Other information

Molecular weight : Not applicable

Metal corrosion rate : No data available

Self-ignition : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures  
Avoid formation of aerosol.  
Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Toxic fumes

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Not classified due to lack of data.

##### Components:

##### phosphoric acid:

Acute oral toxicity : LD50 (Rat, female): > 300 - < 2,000 mg/kg  
Method: OECD Test Guideline 423

##### ZINC PHOSPHATE:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

##### phosphoric acid:

Acute oral toxicity : LD50 (Rat, female): > 300 - < 2,000 mg/kg  
Method: OECD Test Guideline 423

##### trizinc bis(orthophosphate):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): > 5.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Based on data from similar materials  
no mortality

##### Skin corrosion/irritation

Causes severe burns.

##### Product:

Remarks : Extremely corrosive and destructive to tissue.  
No data is available on the product itself.

Remarks : Extremely corrosive and destructive to tissue.

##### Components:

##### phosphoric acid:

Species : Rabbit  
Assessment : Corrosive  
Result : Corrosive after 3 minutes to 1 hour of exposure

##### phosphoric acid:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

Species	:	Rabbit
Assessment	:	Corrosive
Result	:	Corrosive after 3 minutes to 1 hour of exposure

### trizinc bis(orthophosphate):

Species	:	Rabbit
Exposure time	:	5 d
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks	:	May cause irreversible eye damage. No data is available on the product itself.
---------	---	---

Remarks	:	May cause irreversible eye damage.
---------	---	------------------------------------

#### Components:

##### phosphoric acid:

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity

##### phosphoric acid:

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity

### trizinc bis(orthophosphate):

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Product:

Remarks	:	No data is available on the product itself.
---------	---	---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

---

### Components:

#### **trizinc bis(orthophosphate):**

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

#### **Germ cell mutagenicity**

Not classified due to lack of data.

### Components:

#### **phosphoric acid:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative

#### **phosphoric acid:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative

#### **trizinc bis(orthophosphate):**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Mouse (male and female) Application Route: Intraperitoneal injection Exposure time: 30 h Result: negative Remarks: Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

### **Carcinogenicity**

Not classified due to lack of data.

### **Reproductive toxicity**

Not classified due to lack of data.

### **Components:**

#### **phosphoric acid:**

Effects on fertility	:	Test Type: reproductive and developmental toxicity study Species: Rat, male and female Application Route: Ingestion General Toxicity - Parent: NOAEL: 500 mg/kg body weight General Toxicity F1: NOAEL: 500 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion General Toxicity Maternal: NOAEL: 370 mg/kg body weight Developmental Toxicity: NOAEL: 370 mg/kg body weight Result: negative Remarks: Based on data from similar materials

#### **phosphoric acid:**

Effects on fertility	:	Test Type: reproductive and developmental toxicity study Species: Rat, male and female Application Route: Ingestion General Toxicity - Parent: NOAEL: 500 mg/kg body weight General Toxicity F1: NOAEL: 500 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion General Toxicity Maternal: NOAEL: 370 mg/kg body weight Developmental Toxicity: NOAEL: 370 mg/kg body weight Result: negative Remarks: Based on data from similar materials

### **STOT - single exposure**

Not classified due to lack of data.

### **STOT - repeated exposure**

Not classified due to lack of data.

### **Repeated dose toxicity**

### **Components:**

#### **phosphoric acid:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

Species	: Rat, male and female
NOAEL	: 250 mg/kg
Application Route	: Oral - gavage
Exposure time	: 42 - 54 d
Method	: OECD Test Guideline 422

### phosphoric acid:

Species	: Rat, male and female
NOAEL	: 250 mg/kg
Application Route	: Oral - gavage
Exposure time	: 42 - 54 d
Method	: OECD Test Guideline 422

### Aspiration toxicity

Not classified due to lack of data.

### Further information

#### Product:

Remarks	: No data available
---------	---------------------

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 4.06 mg/l Exposure time: 96 h Remarks: Estimated value
------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 91.6 mg/l Exposure time: 48 h Remarks: Estimated value
---	---

Toxicity to algae/aquatic plants	: IC50 (Pseudokirchneriella subcapitata (algae)): 6.8 mg/l Exposure time: 72 h Remarks: Estimated value
----------------------------------	---

#### Components:

### phosphoric acid:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l
------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---

Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
----------------------------------	--

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

---

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### phosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
plants Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### trizinc bis(orthophosphate):

Toxicity to fish : LC50 (Thymallus arcticus): 0.112 mg/l  
Exposure time: 96 h  
Test Type: static test  
Remarks: Based on data from similar materials

LC50 (Oncorhynchus kisutch (coho salmon)): 0.727 mg/l  
Exposure time: 96 h  
Test Type: static test  
Remarks: Based on data from similar materials

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.169 mg/l  
Exposure time: 96 h  
Test Type: static test  
Remarks: Based on data from similar materials

LC50 : 0.439 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 0.330 mg/l  
Exposure time: 96 h  
Test Type: static test

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 0.147 mg/l  
Remarks: Based on data from similar materials

EC50 (Daphnia magna (Water flea)): > 1.08 mg/l  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.019 mg/l  
Remarks: Based on data from similar materials

IC50 (Selenastrum capricornutum (green algae)): 0.136 mg/l  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC10 (activated sludge): 0.1 mg/l  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: 0.044 mg/l  
Exposure time: 72 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.031 mg/l  
Exposure time: 50 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

#### Components:

##### **phosphoric acid:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

##### **phosphoric acid:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

### Components:

#### **trizinc bis(orthophosphate):**

Bioaccumulation : Exposure time: 21 d  
Bioconcentration factor (BCF): 60,960  
Remarks: Based on data from similar materials

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

### Components:

#### **phosphoric acid:**

Additional ecological information : Harmful effects on aquatic organisms also due to pH shift.

#### **phosphoric acid:**

Additional ecological information : Harmful effects on aquatic organisms also due to pH shift.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

Send to a licensed waste management company.

### SECTION 14: Transport information

#### 14.1 UN number

ADN	:	UN 1760
ADR	:	UN 1760
RID	:	UN 1760
IMDG	:	UN 1760
IATA	:	UN 1760

#### 14.2 UN proper shipping name

ADN	:	CORROSIVE LIQUID, N.O.S. (Orthophosphoric acid, ZINC PHOSPHATE) (Orthophosphoric acid)
ADR	:	CORROSIVE LIQUID, N.O.S. (Orthophosphoric acid, ZINC PHOSPHATE) (Orthophosphoric acid)
RID	:	CORROSIVE LIQUID, N.O.S. (Orthophosphoric acid, ZINC PHOSPHATE) (Orthophosphoric acid)
IMDG	:	CORROSIVE LIQUID, N.O.S. (Orthophosphoric acid, ZINC PHOSPHATE) ( )
IATA	:	Corrosive liquid, n.o.s. (Orthophosphoric acid, ZINC PHOSPHATE) (Orthophosphoric acid)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	8
ADR	:	8
RID	:	8
IMDG	:	8
IATA	:	8

#### 14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	C9
Hazard Identification Number	:	80
Labels	:	8
ADR		

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

Packing group : III  
Classification Code : C9  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)

### RID

Packing group : II  
Classification Code : C9  
Hazard Identification Number : 80  
Labels : 8

### IMDG

Packing group : III  
Labels : 8  
EmS Code : F-A, S-B

### IATA (Cargo)

Packing instruction (cargo aircraft) : 856  
Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosive

### IATA (Passenger)

Packing instruction (passenger aircraft) : 852  
Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosive

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	E2 E1	ENVIRONMENTAL HAZARDS

#### The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

## SECTION 16: Other information

### Full text of H-Statements

H314	: Causes severe skin burns and eye damage.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Skin Corr.	: Skin corrosion
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## PELTON®

Version	Revision Date:	SDS Number:	Date of last issue: 28.03.2022
1.6	28.02.2024	50001177	Date of first issue: 18.11.2019

SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Chronic 2	H411

#### Classification procedure:

Calculation method
Calculation method
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

GB / 6N