

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Steward® EC Insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Level 2, 12 Julius Avenue,
North Ryde NSW 2113
Australia

Telephone : +6161029887900

Telefax : +61610298870911

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
1800 033 111 (Ixm)

Medical emergency:
1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Specific target organ toxicity - : Category 2 (Central nervous system)
single exposure

Specific target organ toxicity - : Category 1 (Blood, Nervous system, Heart)
repeated exposure



GHS label elements

SAFETY DATA SHEET



Steward® EC Insecticide

Version 1.1 Revision Date: 20.01.2023 SDS Number: 50000122 Date of last issue: -
Date of first issue: 03.01.2018

- Hazard pictograms :  
- Signal word : Danger
- Hazard statements : H227 Combustible liquid.
H302 Harmful if swallowed.
H371 May cause damage to organs (Central nervous system).
H372 Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.
- Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
P403 Store in a well-ventilated place.
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
indoxacarb (ISO)	173584-44-6	15.84
calcium dodecylbenzenesulphonate	26264-06-2	>= 3 -< 10
Fatty acids, soya, Me esters	68919-53-9	< 10
2-ethylhexan-1-ol	104-76-7	< 10
Fatty acids, C6-10, Me esters	68937-83-7	< 10

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Rinse mouth with water.
Never give anything by mouth to an unconscious person.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Keep respiratory tract clear.
Obtain medical attention. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed.
May cause an allergic skin reaction.
May cause damage to organs.
Causes damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---------------------------------------|---|
| Suitable extinguishing media | : Dry chemical
Carbon dioxide (CO ₂)
Water spray
Regular foam |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during fire-fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Thermal decomposition can lead to release of irritating gases and vapours.
Chlorinated compounds |

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Fluorinated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Hydrogen chloride
Hydrogen fluoride
Sulphur oxides

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Hazchem Code : •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Collect as much of the spill as possible with a suitable absorbent material.
Never return spills in original containers for re-use.
Pick up and transfer to properly labelled containers.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.

Normal measures for preventive fire protection.

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

- | | |
|--|---|
| Advice on safe handling | :
Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations. |
| Hygiene measures | :
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.

Handle in accordance with good industrial hygiene and safety practice.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
Keep working clothes separately.
Wash hands before breaks and immediately after handling the product. |
| Conditions for safe storage | :
Keep tightly closed in a dry, cool and well-ventilated place.
Observe label precautions.
Keep container closed when not in use.
Keep locked up or in an area accessible only to qualified or authorised persons.
Keep in properly labelled containers.
No smoking.
Electrical installations / working materials must comply with the technological safety standards. |
| Recommended storage temperature | : > 0 °C |
| Further information on storage stability | : Do not freeze. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | |
|------------------------|---|
| Respiratory protection | : In the case of dust or aerosol formation use respirator with an approved filter. |
| Hand protection | |
| Material | : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.
- Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : amber, light yellow
- Odour : faint burn smell
- Odour Threshold : No data available
- pH : 6.6 (20 °C)
Concentration: 10 g/l
(1% solution in water)
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : 69 °C
- Evaporation rate : Not available for this mixture.

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Flammability (liquids)	:	Not highly flammable
Self-ignition	:	255 °C
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not available for this mixture.
Relative vapour density	:	Not available for this mixture.
Relative density	:	0.9494 (20 °C)
Density	:	0.947 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	15 mg/l emulsifiable (25 °C)
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	5.6 mPa.s (25 °C)
Viscosity, kinematic	:	4.68 mm ² /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Metal corrosion rate	:	Not corrosive to metals
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures Avoid formation of aerosol. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Hazardous decomposition products : Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat, female): 977 mg/kg
Method: OECD Test Guideline 425
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Components:

indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg
Remarks: nervous system effects such as
Hypoactivity
Tremors
Incoordination
Abnormal tearing
mortality
Motor Activity effects

LD50 (Rat): 407 mg/kg
Remarks: central nervous system effects
Hypoactivity

Acute inhalation toxicity : LC50 (Rat): 4.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat): > 5.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Fatty acids, soya, Me esters:

Acute oral toxicity : LD50 (Rat): 5,000 - 15,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,000 - 20,000 mg/kg

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Fatty acids, C6-10, Me esters:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

Components:

indoxacarb (ISO):

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

calcium dodecylbenzenesulphonate:

Species : Rabbit

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Fatty acids, soya, Me esters:

Result	:	slight irritation
--------	---	-------------------

2-ethylhexan-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Fatty acids, C6-10, Me esters:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

Components:

indoxacarb (ISO):

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Fatty acids, soya, Me esters:

Result	:	Irritation to eyes, reversing within 7 days
--------	---	---

2-ethylhexan-1-ol:

Species	:	Rabbit
---------	---	--------

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Fatty acids, C6-10, Me esters:

Species	:	Rabbit
Result	:	slight irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Components:

indoxacarb (ISO):

Species	:	Guinea pig
Result	:	May cause sensitisation by skin contact.

calcium dodecylbenzenesulphonate:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

Fatty acids, soya, Me esters:

Result	:	Does not cause skin sensitisation.
--------	---	------------------------------------

Fatty acids, C6-10, Me esters:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vivo	:	Test Type: Micronucleus test
----------------------	---	------------------------------

Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity - Assessment : Test on bacterial cultures did not show mutagenic effects., Animal testing did not show any mutagenic effects.

Components:**indoxacarb (ISO):**

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic effects., In vivo tests did not show mutagenic effects, Not mutagenic in Ames Test

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Fatty acids, C6-10, Me esters:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects
Assessment

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects.
ment

Components:

indoxacarb (ISO):

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects.
ment

Did not show carcinogenic effects in animal experiments.

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-
ment cinogen

Fatty acids, soya, Me esters:

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-
ment cinogen

2-ethylhexan-1-ol:

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - As- : Weight of evidence does not support classification for repro-
sessment ductive toxicity

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Components:

indoxacarb (ISO):

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility., No toxicity to reproduction
Animal testing did not show any effects on foetal development.

No toxicity to reproduction

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

STOT - single exposure

May cause damage to organs (Central nervous system).

Product:

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

Components:

indoxacarb (ISO):

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Components:

indoxacarb (ISO):

Target Organs : Blood, Nervous system, Heart
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

indoxacarb (ISO):

Species : Rat
NOAEL : 0.6 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Blood, Nervous system

Species : Rat
Application Route : Inhalation
Remarks : Incoordination
mortality
Red blood cell destruction causing abnormal decrease in number of red blood cells (anemia)

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg
LOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 28 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

2-ethylhexan-1-ol:

Species	:	Rat
	:	250 mg/kg
Application Route	:	Oral
Exposure time	:	13 weeks
Method	:	OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks	:	No data available
---------	---	-------------------

Components:

indoxacarb (ISO):

Remarks	:	Acute effects on nervous system: drowsiness, tremors, paralysis. Chronic, additionally: Cyanosis
---------	---	---

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 7.0 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.67 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
---	---	--

Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 16 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
----------------------------------	---	--

Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Components:**indoxacarb (ISO):**

- | | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.6 mg/l
Exposure time: 48 h |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l
Exposure time: 90 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.09 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 202
GLP: yes |
| Toxicity to soil dwelling organisms | : | LC50 (Eisenia fetida (earthworms)): > 1,250 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes |
| Toxicity to terrestrial organisms | : | LD50 (Apis mellifera (bees)): 0.216 µg/bee
End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): 152 mg/kg

LD50 (Apis mellifera (bees)): 0.094 µg/bee
End point: Acute contact toxicity

LD50 (Colinus virginianus (Bobwhite quail)): 98 mg/kg |

calcium dodecylbenzenesulphonate:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials |

SAFETY DATA SHEET



Steward® EC Insecticide

Version 1.1	Revision Date: 20.01.2023	SDS Number: 50000122	Date of last issue: - Date of first issue: 03.01.2018
----------------	------------------------------	-------------------------	--

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.65 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): 1.18 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,356 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223

Fatty acids, soya, Me esters:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 800 - 5,243 mg/l
Exposure time: 48 h

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17.1 - 28.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3.2 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11.5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16.6 mg/l
Exposure time: 72 h

Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Fatty acids, C6-10, Me esters:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 95 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Gammarus fasciatus (freshwater shrimp)): 14.7 mg/l
Remarks: Based on data from similar materials

Persistence and degradability**Components:****indoxacarb (ISO):**

Biodegradability : Result: Not readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Fatty acids, C6-10, Me esters:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:**indoxacarb (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 77.3
Exposure time: 21 d
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 0.57 (20 °C)

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9 (25 °C)

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65
Remarks: Low mobility in soil

Other adverse effects

Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Components:

indoxacarb (ISO):

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | |
|------------------------|---|
| Waste from residues | :
Dispose of as hazardous waste in compliance with local and national regulations.
Dispose of wastes in an approved waste disposal facility.
Waste must be classified and labelled prior to recycling or disposal.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Send to a licensed waste management company. |
| Contaminated packaging | :
Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Dispose of contents/ container to an approved waste disposal plant.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

	N.O.S. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: •3Z
Remarks	: Environmentally hazardous substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6
Scheduling of Medicines and
Poisons

APVMA Number: 59573

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

METHYL (S)-7-CHLORO-2,3,4A,5-TETRAHYDRO-2-
{(METHOXYCARBONYL)[4-
(TRIFLUOROMETHOXY)PHENYL]CARBAMOYL}INDENO[1,
2-E][1,3,4]OXADIAZINE-4A-CARBOXYLATE
Fatty acids, C8-10, Me esters

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

Fatty acids, C6-10, Me esters

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 20.01.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



Steward® EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	20.01.2023	50000122	Date of first issue: 03.01.2018

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N