

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Pethoxamid 400 g/l + Clomazone 24 g/l EC

Other means of identification

Product code 50000677

Unique Formula Identifier (UFI) : R5TY-P2R3-XN49-1CDV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harbøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

pethoxamid (ISO)
calcium dodecylbenzenesulphonate
clomazone (ISO)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1 Revision Date: 20.06.2025 SDS Number: 50000677 Date of last issue: 20.06.2025
Date of first issue: 20.06.2025

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pethoxamid (ISO)	106700-29-2 616-145-00-3	Acute Tox. 4; H302 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute oral toxicity: 980 mg/kg	>= 30 - < 50
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4;	>= 2,5 - < 3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1 Revision Date: 20.06.2025 SDS Number: 50000677 Date of last issue: 20.06.2025
Date of first issue: 20.06.2025

		H413 Acute toxicity estimate Acute oral toxicity: 1.300 mg/kg	
(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt	119432-41-6	Aquatic Chronic 3; H412	>= 1 - < 2,5
clomazone (ISO)	81777-89-1 613-340-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity estimate Acute oral toxicity: 768 mg/kg Acute inhalation toxicity (dust/mist): 4,85 mg/l	>= 1 - < 2,5
2-ethylhexan-1-ol	104-76-7 203-234-3	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Acute toxicity estimate Acute inhalation toxicity (dust/mist): 4,3 mg/l	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.

- | | | |
|----------------------------|---|---|
| Protection of first-aiders | : | Avoid inhalation, ingestion and contact with skin and eyes. |
| If inhaled | : | Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact | : | If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : | Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|-------|---|--|
| Risks | : | Harmful if swallowed.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation. |
|-------|---|--|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|---|
| Treatment | : | Treat symptomatically.
Immediate medical attention is required in case of ingestion. |
|-----------|---|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|------------------------------|---|---|
| Suitable extinguishing media | : | Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing | : | Do not spread spilled material with high-pressure water |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

media
streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Hydrogen cyanide
Hydrogen chloride
Nitrogen oxides (NOx)
Carbon oxides
Sulphur oxides
Chlorinated compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|---|---|--|
| Advice on safe handling | : | Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. |
| Advice on protection against fire and explosion | : | Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition. |
| Hygiene measures | : | Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|--|
| Requirements for storage areas and containers | : | Prevent unauthorized access. No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. |
| Further information on storage conditions | : | The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1 Revision Date: 20.06.2025 SDS Number: 50000677 Date of last issue: 20.06.2025
Date of first issue: 20.06.2025

The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethyl sulfoxide	67-68-5	GV	50 ppm 160 mg/m ³	DK OEL
	Further information: Guiding list of organic solvents.			
		S	100 ppm 320 mg/m ³	DK OEL
	Further information: Guiding list of organic solvents.			
2-ethylhexan-1-ol	104-76-7	TWA	1 ppm 5,4 mg/m ³	2017/164/EU
	Further information: Indicative			
		GV	1 ppm 5,4 mg/m ³	DK OEL
		S	2 ppm 10,8 mg/m ³	DK OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
pethoxamid (ISO)			Systemic effects	0,02 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
pethoxamid (ISO)		0,29 µg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

- | | | |
|--------------------------|---|--|
| Hand protection | : | |
| Material | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Skin and body protection | : | Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection | : | In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. |
| Protective measures | : | Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | | |
|--|---|---|
| Physical state | : | liquid |
| Colour | : | brown |
| Odour | : | slight, fruity |
| Melting point/freezing point | : | not determined |
| Boiling point/boiling range | : | not determined |
| Upper explosion limit / Upper flammability limit | : | Not available for this mixture. |
| Lower explosion limit / Lower flammability limit | : | Not available for this mixture. |
| Flash point | : | 75 °C
Method: Seta closed cup |
| Decomposition temperature | : | not determined |
| pH | : | 3,6
Concentration: 1 %
In a 1% aqueous dispersion
2
(undiluted) |
| Viscosity | : | |
| Viscosity, kinematic | : | 12,6 mm ² /s (21 °C)
6,5 mm ² /s (39,5 °C) |
| Solubility(ies) | : | |
| Water solubility | : | No data available |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n- | : | Not available for this mixture. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

octanol/water
Vapour pressure : Not available for this mixture.
Relative density : 1,035 (20 °C)
Relative vapour density : Not available for this mixture.
Particle characteristics
Particle size : Not applicable

9.2 Other information

Flammability (liquids) : ignitable, Based on available information, the classification criteria for flammability hazard are not met.
Self-ignition : 222 °C
Miscibility with water : dispersible

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.
Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Heating of the product will produce harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg
Method: OECD Test Guideline 420

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

Components:

pethoxamid (ISO):

Acute oral toxicity : Acute toxicity estimate: 980 mg/kg

LD50 (Rat, male): 983 mg/kg
Method: US EPA Test Guideline OPP 81-1
Symptoms: Tremors, Breathing difficulties
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 4,16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: US EPA Test Guideline OPP 81-3
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.
no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

clomazone (ISO):

Acute oral toxicity : Acute toxicity estimate: 768 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LD50 (Rat, female): 768 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2.000 mg/kg
Method: OECD Test Guideline 423
Target Organs: Liver
Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.564 mg/kg
Symptoms: ataxia

Acute inhalation toxicity : Acute toxicity estimate: 4,85 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LC50 (Rat): > 5,02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

LC50 (Rat, female): 4,23 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Product:

Method	: OECD Test Guideline 404
Result	: Skin irritation

Components:

pethoxamid (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: US EPA Test Guideline OPP 81-5
Result	: slight irritation

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

clomazone (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: slight or no skin irritation.

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Remarks	: May cause mild irritation. Minimal effects that do not meet the threshold for classification.

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Method	:	OECD Test Guideline 405
Result	:	Eye irritation

Components:

pethoxamid (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-4
Result	:	slight irritation

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Species	:	Bovine cornea
Result	:	slight irritation

clomazone (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	Slight or no eye irritation
GLP	:	yes

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Minimal effects that do not meet the threshold for classification.

2-ethylhexan-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment	:	The product is a skin sensitiser, sub-category 1B.
Method	:	OECD Test Guideline 429
Result	:	May cause sensitisation by skin contact.

Components:

pethoxamid (ISO):

Result	:	The product is a skin sensitiser, sub-category 1A.
--------	---	--

calcium dodecylbenzenesulphonate:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

clomazone (ISO):

Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.
Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	US EPA Test Guideline OPP 81-6
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

pethoxamid (ISO):

Genotoxicity in vivo	:	Test Type: Micronucleus test
		Species: Mouse
		Result: negative
		Test Type: In Vivo Rat Liver DNA Repair Test
		Species: Rat
		Application Route: Oral
		Result: negative

calcium dodecylbenzenesulphonate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Method: OECD Test Guideline 482
Result: negative

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat
Method: OECD Test Guideline 473
Result: negative

2-ethylhexan-1-ol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

pethoxamid (ISO):

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
LOAEL	: 17 mg/kg bw/day
Result	: negative

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

clomazone (ISO):

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative
Species	: Mouse
Method	: OECD Test Guideline 453
Result	: negative

2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

Reproductive toxicity

Not classified based on available information.

Components:

pethoxamid (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat
General Toxicity - Parent: NOAEL: 14 mg/kg bw/day
Fertility: NOAEL: 112 mg/kg bw/day
Result: negative

Effects on foetal development : Test Type: Developmental toxicity study
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 75 mg/kg bw/day
Developmental Toxicity: NOAEL: 75 mg/kg bw/day
Symptoms: Maternal effects
Result: negative

Test Type: Developmental toxicity study
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day
Developmental Toxicity: NOEL: 50 mg/kg bw/day
Symptoms: Maternal effects
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

clomazone (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

Effects on fertility	: Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Symptoms: Maternal effects Result: negative Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Symptoms: Maternal effects Result: negative

2-ethylhexan-1-ol:

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Method: OECD Test Guideline 414 Result: negative
-------------------------------	--

STOT - single exposure

Not classified based on available information.

Components:

pethoxamid (ISO):

Assessment	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
------------	--

2-ethylhexan-1-ol:

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

STOT - repeated exposure

Not classified based on available information.

Components:

pethoxamid (ISO):

Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	--

Repeated dose toxicity

Components:

pethoxamid (ISO):

Species	: Rat
---------	-------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

LOAEL : 36.2 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 Days
Method : OECD Test Guideline 408
Remarks : Effects are of limited toxicological significance.

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

clomazone (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 days
Symptoms : increased liver weight

Species : Rat
LOAEL : 400 mg/kg
Exposure time : 90 d
Method : OECD Test Guideline 408
Symptoms : Liver effects

2-ethylhexan-1-ol:

Species : Rat
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Components:

pethoxamid (ISO):

No aspiration toxicity classification

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Neurological effects

Components:

pethoxamid (ISO):

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

Components:

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

SECTION 12: Ecological information

12.1 Toxicity

Product:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 2,79 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 28,6 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Desmodesmus subspicatus (green algae)): 67 mg/l
Exposure time: 72 h

ErC50 (Navicula pelliculosa (Diatom)): 29,2 mg/l
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,0205 mg/l
Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0,000075 mg/l
Exposure time: 7 d |
| Toxicity to soil dwelling organisms | : | LC50: 1.026 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms) |
| Toxicity to terrestrial organisms | : | LD50: >484
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)

LD50: >474
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 754 mg/kg
Species: Colinus virginianus (Bobwhite quail) |

Ecotoxicology Assessment

- | | | |
|--------------------------|---|---|
| Acute aquatic toxicity | : | Very toxic to aquatic life. |
| Chronic aquatic toxicity | : | Very toxic to aquatic life with long lasting effects. |

Components:

pethoxamid (ISO):

- | | | |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203 |
|------------------|---|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

		NOEC (Oncorhynchus mykiss (rainbow trout)): 1,7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 6,6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 23 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
		NOEC (Daphnia magna (Water flea)): 17 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): 0,00195 mg/l Exposure time: 72 h
		ErC50 (Lemna gibba (duckweed)): 0,0172 mg/l End point: Growth rate Exposure time: 14 d
		ErC50 (Lemna minor (duckweed)): 0,018 mg/l Exposure time: 14 d GLP: yes
		ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,004 mg/l Exposure time: 72 h Test Type: static test
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0,0012 mg/l Exposure time: 120 h Test Type: static test
		EC50 (Anabaena flos-aquae (cyanobacterium)): 9,4 mg/l Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,0924 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 2,8 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: 527 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 200 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 200 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)

LD50: 1.578 mg/kg
Species: Colinus virginianus (Bobwhite quail)

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

NOEC: 1,18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg
Exposure time: 14 d
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Toxicity to fish : LC50 (Fish): 33 mg/l
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 24 mg/l
Exposure time: 48 h
Test Type: flow-through test
Analytical monitoring: yes
Method: EPA-660/3-75-009

Toxicity to soil dwelling organisms : NOEC: > 1 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

NOEC: > 0,36 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Exposure time: 28 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2,150 mg/kg
Exposure time: 21 d
Species: Colinus virginianus (Bobwhite quail)

LC50: > 5 mg/kg
Exposure time: 8 d
Species: Anas platyrhynchos (Mallard duck)

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6,3 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40,8 mg/l
Exposure time: 48 h

EC50 (Daphnia (water flea)): 5,2 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12,7 mg/l
Exposure time: 48 h
Test Type: static test

EC50 (Mysidopsis bahia (opossum shrimp)): 9,8 mg/l
Exposure time: 48 h

LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l
Exposure time: 72 h

ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l
Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l
Exposure time: 7 d

NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l
End point: Growth rate

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

Exposure time: 120 h

NOEC (algae): 0,05 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l
Exposure time: 7 d

EC50 (algae): 0,136 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 2,3 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test

NOEC: 2,29 mg/l
Exposure time: 57 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2,2 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0,032 mg/l
Exposure time: 28 d
Species: Americamysis bahia (mysid shrimp)
Test Type: flow-through test

NOEC: 1,25 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: static test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 156 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.510 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LC50: > 5620 ppm
Species: Anas platyrhynchos (Mallard duck)
Remarks: Dietary

LD50: > 2000
Species: Coturnix japonica (Japanese quail)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

NOEC: 94 mg/kg
End point: Reproduction Test
Species: *Colinus virginianus*

LC50: > 85.29
Species: *Apis mellifera* (bees)

LC50: > 100
Species: *Apis mellifera* (bees)
Remarks: Contact

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (*Desmodesmus subspicatus* (green algae)): 3,2 mg/l
Exposure time: 72 h

EC50 (*Desmodesmus subspicatus* (green algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (*Anabaena flos-aquae* (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

pethoxamid (ISO):

Biodegradability : Remarks: Not readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Biodegradability : Result: Not biodegradable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

pethoxamid (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,96 (20 °C)
pH: 5

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2,61 - 2,69 (20 - 21 °C)
pH: 4 - 10
Method: Regulation (EC) No. 440/2008, Annex, A.8

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

12.4 Mobility in soil

Product:

Distribution among environ- : Remarks: No data is available on the product itself.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version 1.1	Revision Date: 20.06.2025	SDS Number: 50000677	Date of last issue: 20.06.2025 Date of first issue: 20.06.2025
----------------	------------------------------	-------------------------	---

mental compartments

Components:

pethoxamid (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil :

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2,47
Remarks: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Clomazone)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

(Pethoxamide, Clomazone)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pethoxamide, Clomazone)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pethoxamide, Clomazone)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Pethoxamide, Clomazone)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75, 3 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 19,42 %

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2-chloro-N-(2-ethoxyethyl)-N-(2-methyl-1-phenylprop-1-enyl)acetamide clomazone (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
DK OEL	:	Denmark. Occupational Exposure Limits
2017/164/EU / TWA	:	Limit Value - eight hours
DK OEL / S	:	Exposure period of 15 minutes
DK OEL / GV	:	Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Acute Tox. 4	H302
Skin Irrit. 2	H315
Skin Sens. 1	H317
Eye Irrit. 2	H319
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

DK / 6N

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pethoxamid 400 g/l + Clomazone 24 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: 20.06.2025
1.1	20.06.2025	50000677	Date of first issue: 20.06.2025
