SAFETY DATA SHEET

TALSTAR® SFR MUP INSECTICIDE/MITICIDE

SDS #: 6009-A **Revision date:** 2016-05-26

Format: NA

Version 1.03



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name TALSTAR® SFR MUP INSECTICIDE/MITICIDE

Other means of identification

Product Code(s) 6009-A

Synonyms BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name);

2-methylbiphenyl-3-ylmethyl

(Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

(IUPAC name)

Active Ingredient(s) Bifenthrin

Chemical Family Pyrethroid Pesticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Carcinogenicity	Category 2

SDS #: 6009-A

Revision date: 2016-05-26

Version 1.03

Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H351 - Suspected of causing cancer

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 + P364 - Take off all contaminated clothing and wash it before reuse

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Bifenthrin	82657-04-3	13
Diisopropyl biphenyl	69009-90-1	50-70
Petroleum distillates, hydrotreated light	64742-47-8	5-10

SDS #: 6009-A **Revision date: 2016-05-26**

Version 1.03

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move person to fresh air. If person is not breathing, contact emergency medical services,

then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control

center or doctor for further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice. Do not give any

liquid to the person Do not induce vomiting unless told to do so by a poison control center

or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed Central nervous system effects.

Indication of immediate medical attention and special treatment needed, if necessary

Probable mucosal damage may contraindicate the use of gastric lavage. May pose an

aspiration pneumonia hazard.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use CO₂, dry chemical, or foam.

Specific Hazards Arising from the

Chemical

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for Containment Use a wet sweeping compound or water to prevent dust formation. Dike to prevent runoff.

Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and

soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled

prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. Handling

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

TALSTAR® SFR MUP INSECTICIDE/MITICIDE

SDS #: 6009-A

Revision date: 2016-05-26

Version 1.03

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates,	TWA: 200 mg/m ³	-	-	-
hydrotreated light	Skin			
(64742-47-8)				

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering mask.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Amber Liquid
Physical State Liquid
Color Amber

Odor Aromatic hydrocarbon
Odor threshold No information available

pH 5.8 @ 25°C Melting point/freezing point Not applicable

Boiling Point/Range

Flash point

Function Rate

Flammability (solid, gas)

No information available

> 100 °C / > 212 °F PMCC

No information available

No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Density 8.37 lb/gal
Specific gravity 1.005 @ 20 °C
Water solubility Immiscible

Solubility in other solvents No information available

TALSTAR® SFR MUP INSECTICIDE/MITICIDE

SDS #: 6009-A

Revision date: 2016-05-26

Version 1.03

Partition coefficient No information available No information available **Autoignition temperature Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen chloride, Hydrogen fluoride,

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 377 mg/kg (rat)

LD50 Dermal > 2002 2000 mg/kg (rat) **LC50 Inhalation** > 7.12 mg/L 4 hr (rat)

Serious eye damage/eye irritation

Skin corrosion/irritation

Mildly irritating (rabbit). Severely irritating (rabbit).

Sensitization Non-sensitizing.

Information on toxicological effects

Symptoms Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including

convulsions, tremors and bloody nasal discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Bifenthrin: Long-term exposure caused neurotoxicity (tremors and impaired gait) in the early

exposure in animal studies, but tremors disappeared with continued exposure.

Mutagenicity Bifenthrin: Not genotoxic in laboratory studies.

Carcinogenicity Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder

tumors (lesion) in male mice.

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

Reproductive toxicity Bifenthrin: No toxicity to reproduction in animal studies. Contains ingredients that are

suspected reproductive hazards.

Developmental toxicityBifenthrin: Not teratogenic in animal studies.

STOT - single exposure Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effectsBifenthrin: Central Nervous System.

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

Aspiration hazard No information available.

SDS #: 6009-A

Revision date: 2016-05-26

Version 1.03

12. ECOLOGICAL INFORMATION

Ecotoxicity

Bifenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	μg/L
	72 h EC50	Algae	0.822	mg/L
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
	21 d NOEC	Crustacea	0.0013	μg/L

Persistence and degradability Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation Bifenthrin: The substance has a potential for bioconcentration.

Mobility Bifenthrin: Immobile. Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Contaminated PackagingContainers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOTThis material is not a hazardous material as defined by U.S. Department of Transportation

at 49 CFR Parts 100 through 185.

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group

Marine Pollutant Bifenthrin.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin), 9 PG III, Marine

Pollutant

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin) 9 PG III, Marine

Pollutant

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Bifenthrin

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin), 9 PG III, Marine

Pollutant

SDS #: 6009-A **Revision date**: 2016-05-26

Version 1.03

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	13	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER

Corrosive. Causes skin burns. May be fatal if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin	X		
82657-04-3			

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Bifenthrin				Χ	Χ	X		

TALSTAR® SFR MUP INSECTICIDE/MITICIDE

SDS #: 6009-A

Revision date: 2016-05-26

Version 1.03

82657-04-3								
Diisopropyl biphenyl	Х	X	X	X	X			
69009-90-1								
Petroleum distillates,	Х	Χ	Χ		Х	X	X	X
hydrotreated light								
64742-47-8								

Mexico - Grade

Serious risk, Grade 3

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Bifenthrin	100 2500 kg/yr	100 kg/yr

WHMIS Hazard Class

D1B - Toxic materials, D2A - Very toxic materials

D2B - Toxic materials





16. OTHER INFORMATION	

NFPA	Health Hazards 3	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 3*	Flammability 1	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

Revision date: 2016-05-26 **Reason for revision:** Format Change

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet