

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AFFINITY™ 40 DF

Other means of identification : KUAIMIELING 40 DF
AURORA 40 DF
AFFINITY™ 40 DF
AIM 40WG
SHARK™ H20

Manufacturer or supplier's details

Company : FMC India Private Limited

Address : TCG Financial Centre, 2nd Floor, C-53,
Bandra Kurla Complex,
Bandra (E), Mumbai, Maharashtra-400098
India

E-mail address : SDS-Info@fmc.com

Emergency telephone : 022 6704 5504/5404
000-800-100-7141 (CHEMTREC)

Medical Emergency Number : 022 6704 5504/5404

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version 1.0 Revision Date: 29.04.2024 SDS Number: 50000493 Date of last issue: -
Date of first issue: 29.04.2024

Hazard pictograms



Signal Word

: Warning

Hazard Statements

: H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
carfentrazone-ethyl (ISO)	128639-02-1	≥ 30 - < 50
D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	≥ 1 - < 2.5

4. FIRST AID MEASURES

General advice

: Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled

: Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact

: If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

- Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Chlorine compounds
Fluorine compounds
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Ensure adequate ventilation.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Avoid formation of respirable particles.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version 1.0 Revision Date: 29.04.2024 SDS Number: 50000493 Date of last issue: -
Date of first issue: 29.04.2024

be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Hygiene measures : General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not breathe dust or spray mist.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Color	: Off-white/tan
Odor	: Latex smell
Odor Threshold	: not determined
pH	: 8.63 (23.9 °C) Concentration: 1 %
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Flash point	: not determined
Evaporation rate	: not determined
Flammability (solid, gas)	: Not highly flammable
Self-ignition	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapor pressure	: Not available for this mixture.
Relative vapor density	: not determined
Density	: 0.716 g/cm ³ Pour density 0.735 g/cm ³ Tap density

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Solubility(ies)	
Water solubility	: dispersible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Autoignition temperature	: No data available
Decomposition temperature	: not determined
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: Avoid extreme temperatures. Avoid dust formation. Heat, flames and sparks. Protect from frost, heat and sunlight. Heating of the product will produce harmful and irritant vapours.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation
--	--------------

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50(Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50(Rat, male and female): > 5.18 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality Highest attainable concentration.
Acute dermal toxicity	: LD50(Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

Components:

carfentrazone-ethyl (ISO):

Acute oral toxicity	: LD50 (Rat, female): 5,143 mg/kg Method: FIFRA 81.01 Symptoms: Tremors GLP: yes
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.09 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: EPA OPP 81 - 3 Symptoms: Tremors, chromodacryorrhea, nasal discharge GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality
Acute dermal toxicity	: LD50 (Rat, male and female): > 4,000 mg/kg Method: US EPA Test Guideline OPP 81-2 Assessment: The component/mixture is minimally toxic after single contact with skin. Remarks: no mortality

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Acute oral toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 423
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	slight irritation

Components:

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	No skin irritation

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	EPA OPP 81-4
Result	:	slight irritation
GLP	:	yes

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye
Remarks	:	Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

Components:

carfentrazone-ethyl (ISO):

Test Type	: Local lymph node assay (LLNA)
Species	: Guinea pig
Method	: US EPA Test Guideline OPP 81-6
Result	: Does not cause skin sensitization.

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse (male and female) Result: negative
Germ cell mutagenicity - Assessment	: No genotoxic potential.

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Species : Rat, male and female
Application Route : Oral
Exposure time : 104 weeks
NOAEL : 3 - 9 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Effects on fertility : Test Type: Multi-generation study
Species: Rat, male and female
Application Route: Ingestion
Fertility: NOEL: 4,000 ppm
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOEL: 100 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 600 mg/kg bw/day
Result: negative

Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOEL: 150 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: > 300 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Effects on fertility : Test Type: one-generation reproductive toxicity
Species: Rat, male and female
Application Route: Oral
Dose: 0, 100, 300, 1000 mg/kg bw
General Toxicity Parent: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat, females
Application Route: Oral
Dose: 0, 100, 300, 1000 mg/kg bw
General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

carfentrazone-ethyl (ISO):

Species : Mouse, male and female
NOAEL : 1000 ppm
LOAEL : 4000 ppm
Application Route : Oral
Exposure time : 90 days
Target Organs : Blood

Species : Dog, male and female
NOEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 90 days
Target Organs : Blood

Species : Dog, male and female
NOEL : 50 mg/kg
NOAEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 12 months
GLP : yes
Target Organs : Blood

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Species : Rat, male and female
NOAEL : 1000 mg/kg bw/day
Application Route : Oral
Exposure time : 90d
Dose : 0, 250, 500, 1000 mg/kg bw
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Components:

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to algae/aquatic plants	: NOEC (algae): 0.0063 mg/l Exposure time: 72 h ErC50 (algae): 0.067 mg/l Exposure time: 72 h NOEC (Lemna gibba (gibbous duckweed)): 0.00158 µg/l Exposure time: 7 d Method: OECD Test Guideline 221 EC50 (Lemna gibba (gibbous duckweed)): 0.030 µg/l Exposure time: 7 d Method: OECD Test Guideline 221
Toxicity to soil dwelling organisms	: NOEC: 45.9 mg/kg Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222 LC50: > 45.9 mg/kg Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222
Toxicity to terrestrial organisms	: LD50: > 200 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Components:

carfentrazone-ethyl (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.55 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 9.8 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.012 mg/l
Exposure time: 72 h
- NOEC (algae): 0.001 mg/l
Exposure time: 96 h
- EC50 (Lemna gibba (gibbous duckweed)): 0.0057 mg/l
Exposure time: 14 d
- EC50 (Selenastrum capricornutum (green algae)): 0.0133 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
- NOEC (Selenastrum capricornutum (green algae)): 0.00933 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
GLP:
- Toxicity to fish (Chronic toxicity) : NOEC: 22 µg/l
Exposure time: 89 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC: 35 mg/l
End point: reproduction

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

ic toxicity)

Exposure time: 21 d
Species: Daphnia
Method: US EPA Test Guideline OPPTS 850.1300
Remarks: Information given is based on data obtained from similar product.

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : NOEC: 820 mg/kg
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 5,620 ppm
End point: Acute oral toxicity
Species: Anas platyrhynchos (Mallard duck)
Remarks: Dietary

LD50: 2,250 mg/kg
End point: Acute oral toxicity
Species: Colinus virginianus (Bobwhite quail)

NOEL: 1000 ppm
End point: Reproduction Test
Species: Colinus virginianus (Bobwhite quail)

LD50: > 200 µg/bee
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 200 µg/bee
End point: Acute contact toxicity
Species: Apis mellifera (bees)

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 59.3 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 21 mg/l Exposure time: 72 h Test Type: static test
Toxicity to microorganisms	: EC50 (Pseudomonas putida): > 560 mg/l Exposure time: 6 h Test Type: Growth inhibition
Toxicity to fish (Chronic toxicity)	: NOEC: 1.8 mg/l Exposure time: 28 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 204 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: LOEC: 2 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to soil dwelling organisms	: LC0: >= 654 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207 Remarks: Based on data from similar materials

Persistence and degradability

Components:

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Readily biodegradable.
Method: OECD Test Guideline 301E

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Exposure time: 28 d
Bioconcentration factor (BCF): 176

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

Method: OECD Test Guideline 305E
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.7 (20 °C)

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Partition coefficient: n-octanol/water : log Pow: 1.72 (40 °C)
pH: 6.5
Remarks: Based on data from similar materials

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carfentrazone-ethyl)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carfentrazone-ethyl)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 29.04.2024
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

SAFETY DATA SHEET

according to the Globally Harmonized System



AFFINITY™ 40 DF

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.04.2024	50000493	Date of first issue: 29.04.2024

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

IN / EN