FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

SECTION 1. IDENTIFICATION

Product identifier

Product name FIDRESA®

Other means of identification

Product code 50002544

Recommended use of the chemical and restrictions on use

Recommended use Fungicide

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC QUÍMICA DO BRASIL LTDA.

AVENIDA DR. JOSÉ BONIFÁCIO COUTINHO NOGUEIRA 150 - 1º ANDAR - JARDIM MADALENA,

CAMPINAS SP BRASIL

TEL: (19) 2042-4500 SDS-Info@fmc.com

Emergency telephone For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage : Category 1

Skin sensitization : Category 1

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
N,N-dimethyldecan-1-amide	14433-76-2	>= 30 - < 50
Fluindapyr	1383809-87-7	>= 5 - < 10
calcium dodecylbenzenesulphonate	26264-06-2	>= 1 - < 5





Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

2-ethylhexan-1-ol | 104-76-7 | >= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

Wash off with soap and water.

If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Causes serious eye damage. May cause respiratory irritation.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

: Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

FIDRESA®



Version **Revision Date:** SDS Number: Date of last issue: -

07/24/2023 Date of first issue: 07/24/2023 1.0 50002544

Hazardous combustion prod-

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Chlorine compounds Fluorine compounds

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material.

Prevent product from entering drains. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : Avoid contact with skin, eyes and clothing.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : brown

Odor : No data available

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Odor Threshold : No data available

pH : 5.6

Concentration: 10 g/l

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : $> 302 \, ^{\circ}\text{F} / 150 \, ^{\circ}\text{C}$

No data available

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 0.98 (68 °F / 20 °C)

No data available

Density : No data available

Solubility(ies)

Water solubility : Miscible

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid formation of aerosol.

Avoid extreme temperatures.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.19 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: Abnormal respiration

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Symptoms: irritant effects

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: no mortality

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

Remarks : Extremely corrosive and destructive to tissue.

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit

Result : Irreversible effects on the eye
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Routes of exposure : Skin contact Species : Mouse

Assessment : May cause sensitization by skin contact.

Method : OECD Test Guideline 429

Result : May cause sensitization by skin contact.

Remarks : Causes sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

N,N-dimethyldecan-1-amide:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Fluindapyr:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 490

Result: negative

Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: Rat (male and female)

Application Route: Oral Exposure time: 90 d Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

calcium dodecylbenzenesulphonate:

Species : Rat, male and female

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Application Route : Oral Exposure time : 720 d

NOAEL : 250 mg/kg body weight

Result : negative

Remarks : Based on data from similar materials

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

2-ethylhexan-1-ol:

Species : Rat Application Route : Oral

Exposure time : 24 month(s)
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

N,N-dimethyldecan-1-amide:

Effects on fetal development : Species: Rat

Application Route: Ingestion Dose: 50, 150, 450mg/kg/bw

General Toxicity Maternal: NOAEL: 50 - < 150 mg/kg bw/day

Teratogenicity: NOAEL: >= 450 mg/kg bw/day

Embryo-fetal toxicity.: NOAEL: 150 - < 450 mg/kg bw/day

Symptoms: Retardations., Skeletal malformations.

Method: OECD Test Guideline 414

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

Fluindapyr:

Effects on fertility : Test Type: Two-generation study

General Toxicity Parent: NOAEL: ca. 30 mg/kg bw/day

Method: OECD Test Guideline 416

GLP: yes

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Species: Rat, male and female Application Route: Ingestion

General Toxicity Parent: NOAEL: 400 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Ingestion

General Toxicity Maternal: NOAEL: 300 mg/kg body weight Developmental Toxicity: NOAEL: 600 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 414

Result: negative

STOT-single exposure

May cause respiratory irritation.

Components:

N,N-dimethyldecan-1-amide:

Assessment : May cause respiratory irritation.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

N,N-dimethyldecan-1-amide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

N,N-dimethyldecan-1-amide:

Species : Dog, male and female LOAEL : >=200 mg/kg bw/day

Application Route : Oral

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Exposure time : 13 weeks

Dose : 40, 200, 1000mg/kg bw Method : OECD Test Guideline 409

Remarks : Based on data from similar materials

Fluindapyr:

Species : Rat

NOAEL : 1,000 mg/kg
Application Route : Dermal
Exposure time : 21 d

Number of exposures : 5 d/w for 6 hr

Dose : 0,100,300,1000 mg/kg bw/day Method : OECD Test Guideline 410

GLP : yes Symptoms : Irritation

calcium dodecylbenzenesulphonate:

Species : Rat, male and female

NOAEL : 85 mg/kg LOAEL : 145 mg/kg Application Route : Oral Exposure time : 9 Months

Remarks : Based on data from similar materials

Species : Rat, male and female

: 1 mg/kg, 1 mg/l, 1 mg/kg bw/day

NOAEL : 100 mg/kg, 10 mg/l, 10 ppm

LOAEL : 200 mg/kg, 10 mg/l, 10 mg/kg bw/day

Application Route : Oral

Exposure time : 10 unit manually typed 14 h
Number of exposures : 5 unit manually typed
Subsequent observation : 10 unit manually typed

period

Method : OECD Test Guideline 422

Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days

Remarks : Based on data from similar materials

2-ethylhexan-1-ol:

Species : Rat

250 mg/kg

Application Route : Oral Exposure time : 13 weeks

Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N,N-dimethyldecan-1-amide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14.8 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 7.7 mg/l

Exposure time: 48 h Test Type: static test

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 16.06

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): 4.17

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): >= 0.71 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.866 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): 212.3 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to soil dwelling or-

ganisms

: LC50 (Eisenia fetida (earthworms)): 1,032.1 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

NOEC (Eisenia fetida (earthworms)): 562 mg/kg

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Exposure time: 14 d

Method: OECD Test Guideline 207

Fluindapyr:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.091 - 0.166

mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

LC50 (Oryzias latipes (Japanese medaka)): > 1.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

LC50 (Danio rerio (zebra fish)): > 2.7 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.36 -

0.52 mg/l

Exposure time: 96 h Test Type: static test Method: OPPTS 850.1075

GLP: yes

LC50 (Cyprinus carpio (Carp)): 0.095 - 0.12 mg/l

Exposure time: 96 h

Test Type: Static renewal test Method: OECD Test Guideline 203

GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.231 - 0.354

mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.035 - 0.051 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 0.361 - 0.476 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

LC50 (Americamysis bahia (mysid shrimp)): 0.3 - 0.38 mg/l

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Exposure time: 96 h Test Type: static test Method: OCSPP 850.1035

GLP: yes

Toxicity to algae/aquatic

plants

EyC50 (Pseudokirchneriella subcapitata (green algae)): 0.23

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.03

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

NOEC (Lemna gibba (duckweed)): 2 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

GLP: yes

EC50 (Skeletonema costatum (Diatom)): > 2 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.031 mg/l

Exposure time: 32 d

Test Type: Early-life Stage

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Americamysis bahia (mysid shrimp)): 0.062 mg/l

Exposure time: 28 d

Test Type: flow-through test Method: OPPTS 850.1350

GLP: yes

NOEC (Daphnia magna (Water flea)): 0.22 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

GLP: yes

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineraliza-

tion.

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

LD50 (Apis mellifera (bees)): > 300 µg/bee

Exposure time: 48 h

Method: OECD Test Guideline 214

GLP: yes

Remarks: Contact

LD50 (Apis mellifera (bees)): > 32.8 µg/bee

Exposure time: 48 h

Method: OECD Test Guideline 213

GLP: yes Remarks: Oral

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4.6 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 7.9

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65.4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.65 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): 1.18 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): 1,356 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 223

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17.1 - 28.2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 39 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC10 (Desmodesmus subspicatus (green algae)): 3.2 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16.6 mg/l

Exposure time: 72 h

Persistence and degradability

Components:

N,N-dimethyldecan-1-amide:

Biodegradability : Inoculum: activated sludge, non-adapted

Result: Readily biodegradable. Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

Fluindapyr:

Biodegradability : Result: Not readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

N,N-dimethyldecan-1-amide:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

4).

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Partition coefficient: n-

octanol/water

log Pow: 3.44 Method: QSAR

Fluindapyr:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 500 Method: OECD Test Guideline 305

GLP: yes

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: > 3

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 70.79

Method: QSAR

Partition coefficient: n-

octanol/water

log Pow: 4.77 (77 °F / 25 °C)

2-ethylhexan-1-ol:

Partition coefficient: n-

octanol/water

log Pow: 2.9 (77 °F / 25 °C)

Mobility in soil

Components:

N,N-dimethyldecan-1-amide:

Distribution among environmental compartments

Remarks: Slightly mobile in soils

Fluindapyr:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Prothioconazole, Fluindapir)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

964

(Prothioconazole, Fluindapir)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Prothioconazole, Fluindapir)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Prothioconazole, Fluindapir)

Class : 9 Packing group : III

Labels : CLASS 9 ERG Code : 171 Marine pollutant : yes(,)

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

2-ethylhexan-1-ol 104-76-7 >= 1 - < 5 %

FIDRESA®



Version **Revision Date:** SDS Number: Date of last issue: -

07/24/2023 50002544 Date of first issue: 07/24/2023 1.0

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

> calcium dodecylben-26264-06-2 >= 1 - < 5 %

zenesulphonate

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table

117.3:

calcium dodecylben-26264-06-2 >= 1 - < 5 %

zenesulphonate

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

calcium dodecylbenzenesulphonate 26264-06-2 2-ethylhexan-1-ol 104-76-7

Pennsylvania Right To Know

tris(2-ethylhexyl) phosphate 78-42-2 N,N-dimethyldecan-1-amide 14433-76-2 prothioconazole (ISO) 178928-70-6 Fluindapyr 1383809-87-7 70880-56-7

Oxirane, methyl-, polymer with oxirane, mono[2,4,6-tris(1-

phenylether)phenyl]ether

Poly(oxy-1,2-ethanediyl), α -[tris(1-phenylethyl)phenyl]- ω -99734-09-5

hvdroxv-

calcium dodecylbenzenesulphonate 26264-06-2 2-ethylhexan-1-ol 104-76-7

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California List of Hazardous Substances

calcium dodecylbenzenesulphonate 26264-06-2

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL This product contains the following components that are not

on the Canadian DSL nor NDSL.

1383809-87-7

prothioconazole (ISO)

FIDRESA®



Version	Revision Date:	SDS Number:	Date of last issue: -
---------	----------------	-------------	-----------------------

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

N,N-dimethyldecan-1-amide

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:

HEALTH	1	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of

FIDRESA®



Version Revision Date: SDS Number: Date of last issue: -

1.0 07/24/2023 50002544 Date of first issue: 07/24/2023

the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals, OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet