

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALTIPLANO® DAM TEC®

Other means of identification

Product code 50000843

Unique Formula Identifier (UFI) : 7D80-Q3A0-SN4F-U14K

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harbøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0 Revision Date: 30.04.2025 SDS Number: 50000843 Date of last issue: -
Date of first issue: 30.04.2025

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
napropamide	15299-99-7 239-333-3	Aquatic Chronic 1; H410	>= 30 - < 50
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2,5 - < 10
clomazone (ISO)	81777-89-1 613-340-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity estimate Acute oral toxicity: 768 mg/kg Acute inhalation toxicity (dust/mist): 4,85 mg/l	>= 2,5 - < 10
sodium 2-[methyloleoylamino]ethane-1-sulphonate	137-20-2 205-285-7	Eye Irrit. 2; H319	>= 1 - < 10
Substances with a workplace exposure limit :			
kaolin	1332-58-7 310-194-1		>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from ex-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

posure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Contact may cause slight irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Hydrogen chloride
Nitrogen oxides (NO_x)
Carbon oxides
Chlorine compounds

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Ensure adequate ventilation.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	GV (Respirable dust)	2 mg/m ³	DK OEL
		S (Respirable dust)	4 mg/m ³	DK OEL
		TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
Further information: Carcinogens or mutagens				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0 Revision Date: 30.04.2025 SDS Number: 50000843 Date of last issue: -
Date of first issue: 30.04.2025

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium sulphate	Workers	Inhalation	Long-term systemic effects	11,167 mg/m3
	Workers	Dermal	Long-term systemic effects	44,667 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,667 mg/m3
	Consumers	Dermal	Long-term systemic effects	12,8 mg/kg
	Consumers	Oral	Long-term systemic effects	6,4 mg/kg
ammonium sulphate	Workers	Inhalation	Long-term systemic effects	11,167 mg/m3
	Workers	Dermal	Long-term systemic effects	44,667 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,667 mg/m3
	Consumers	Dermal	Long-term systemic effects	12,8 mg/kg
	Consumers	Oral	Long-term systemic effects	6,4 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium sulphate	Fresh water	0,312 mg/l
	Marine water	0,0312 mg/l
	Sewage treatment plant	16,18 mg/l
	Fresh water sediment	0,063 mg/kg
	Soil	62,6 mg/kg
	Intermittent use (freshwater)	0,530 mg/l
ammonium sulphate	Fresh water	0,312 mg/l
	Marine water	0,0312 mg/l
	Sewage treatment plant	16,18 mg/l
	Fresh water sediment	0,063 mg/kg
	Soil	62,6 mg/kg
	Intermittent use (freshwater)	0,530 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

- | | |
|--------------------------|--|
| Skin and body protection | : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection | : In case of dust exposure wear suitable personal respiratory protection and protective suit. |
| Protective measures | : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|--|
| Physical state | : solid |
| Form | : granules |
| Colour | : brown |
| Odour | : Faint odour, Chemical smell |
| Odour Threshold | : not determined |
| Melting point/freezing point | : not determined |
| Boiling point/boiling range | : not determined |
| Upper explosion limit / Upper flammability limit | : not determined |
| Lower explosion limit / Lower flammability limit | : not determined |
| Flash point | : not determined |
| Auto-ignition temperature | : not determined |
| Decomposition temperature | : not determined |
| pH | : 6,03
Concentration: 1 %
In a 1% aqueous dispersion |
| Viscosity | |
| Viscosity, dynamic | : not determined |
| Viscosity, kinematic | : not determined |
| Solubility(ies) | |
| Solubility in other solvents | : Organic solvents tend to extract the active ingredients from the capsules. |
| Partition coefficient: n-octanol/water | : Not available for this mixture. |
| Vapour pressure | : Not available for this mixture. |
| Relative density | : 0,6 |
| Density | : not determined |
| Bulk density | : 0,59 g/m3
Pour density |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

	0,60 g/m ³
	Tap density
Relative vapour density	: not determined
Particle characteristics	
Particle size	: No data available
Particle Size Distribution	: No data available

9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: Non-oxidizing
Evaporation rate	: not determined
Miscibility with water	: dispersible

SECTION 10: Stability and reactivity

10.1 Reactivity

To our knowledge, the product has no special reactivities.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Heating of the product will produce harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD₅₀ Oral (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 420

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

Components:

napropamide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

clomazone (ISO):

Acute oral toxicity : Acute toxicity estimate: 768 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LD50 (Rat, female): 768 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2.000 mg/kg
Method: OECD Test Guideline 423
Target Organs: Liver

Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.564 mg/kg
Symptoms: ataxia

Acute inhalation toxicity : Acute toxicity estimate: 4,85 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LC50 (Rat): > 5,02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 403

LC50 (Rat, female): 4,23 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50: 5,07 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment : Not classified as irritant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

Method : OECD Test Guideline 404
Result : No skin irritation

Components:

napropamide:

Assessment : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks : No data available

clomazone (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight or no skin irritation.

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Remarks : May cause mild irritation.
Minimal effects that do not meet the threshold for classification.

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation

Components:

napropamide:

Assessment : No eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	:	Eye irritation
--------	---	----------------

clomazone (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	Slight or no eye irritation
GLP	:	yes

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Minimal effects that do not meet the threshold for classification.

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 7 days

kaolin:

Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment	:	Did not cause sensitisation on laboratory animals.
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Components:

napropamide:

Test Type	:	Buehler Test
Species	:	Guinea pig

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

Assessment : Not a skin sensitizer.
Result : Does not cause skin sensitisation.

clomazone (ISO):

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Species : Guinea pig
Assessment : Not a skin sensitizer.
Method : US EPA Test Guideline OPP 81-6
Result : Not a skin sensitizer.

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : negative

kaolin:

Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- Assessment : Contains no ingredient listed as a mutagen

Components:

napropamide:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

Species: Rat
Method: OECD Test Guideline 473
Result: negative

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

Components:

napropamide:

Species : Rat
Method : OECD Test Guideline 453
Result : negative

Species : Mouse
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

clomazone (ISO):

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

Method : OECD Test Guideline 453
Result : negative

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

napropamide:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

clomazone (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Symptoms: Maternal effects
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Symptoms: Maternal effects
Result: negative

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Effects on fertility : Test Type: Fertility
Species: Rat, male and female
General Toxicity - Parent: NOAEL: 1.000 mg/kg body weight
Method: OECD Test Guideline 421
Remarks: No data available

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 1.000 mg/kg body weight
Method: OECD Test Guideline 414

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

napropamide:

Species : Rat
NOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 2 years

Species : Rat
NOAEL : 50 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

clomazone (ISO):

Species	: Rat, male and female
NOEL	: 1000 ppm
Application Route	: Oral
Exposure time	: 90 days
Symptoms	: increased liver weight

Species	: Rat
LOAEL	: 400 mg/kg
Exposure time	: 90 d
Method	: OECD Test Guideline 408
Symptoms	: Liver effects

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Species	: Rat
NOAEL	: 1.000 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Method	: OECD Test Guideline 407

kaolin:

Remarks	: No data available
---------	---------------------

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Components:

napropamide:

No aspiration toxicity classification

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Components:

clomazone (ISO):

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Slight irritation may be possible.

Remarks : This product contains microencapsulated active ingredients. The toxicity of encapsulated substances is always lower than that of the substances themselves. It approaches the toxicity of the substances only in cases where grinding actions break up the capsules, thus freeing the active ingredients.

Components:

napropamide:

Remarks : May cause irritation.

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 33,6 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 37,0 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Navicula pelliculosa (Diatom)): 44,5 g/l
Exposure time: 72 h

LC50 (Lemna gibba (duckweed)): 1,13 mg/l
Exposure time: 7 d

Toxicity to soil dwelling organisms : LC50: 300 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Toxicity to terrestrial organisms : LD50: > 214.6 µg/bee
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 500 µg/bee
End point: Acute contact toxicity
Species: Apis mellifera (bees)

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

napropamide:

Toxicity to fish : LC50 (Salmo gairdneri): 6,6 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 14,3 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): ca. 4,95 mg/l
Exposure time: 72 h

ErC50 (Lemna minor (duckweed)): 0,68 mg/l
Exposure time: 14 d

NOEC (Lemna minor (duckweed)): 0,051 mg/l
Exposure time: 14 d

Toxicity to fish (Chronic toxicity) : NOEC: 1,9 mg/l
Exposure time: 28 d
Species: Salmo gairdneri

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Toxicity to soil dwelling organisms : LC50: 564 mg/kg
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LC50: > 7.200 mg/kg
Exposure time: 5 d
Species: Anas platyrhynchos (Mallard duck)
Remarks: Dietary

> 100 µg/bee
End point: Acute oral toxicity
Species: Apis mellifera (bees)

> 100 µg/bee
End point: Acute contact toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Species: Apis mellifera (bees)

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6,3 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40,8 mg/l
Exposure time: 48 h

EC50 (Daphnia (water flea)): 5,2 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

	EC50 (Daphnia magna (Water flea)): 12,7 mg/l Exposure time: 48 h Test Type: static test
	EC50 (Mysidopsis bahia (opossum shrimp)): 9,8 mg/l Exposure time: 48 h
	LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to algae/aquatic plants	: EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l Exposure time: 72 h
	ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l Exposure time: 72 h
	ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l Exposure time: 120 h
	EC50 (Lemna gibba (duckweed)): 13,9 mg/l Exposure time: 7 d
	NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l End point: Growth rate Exposure time: 120 h
	NOEC (algae): 0,05 mg/l Exposure time: 96 h
	EC50 (Lemna gibba (duckweed)): 13,9 mg/l Exposure time: 7 d
	EC50 (algae): 0,136 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC: 2,3 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout) Test Type: flow-through test
	NOEC: 2,29 mg/l Exposure time: 57 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 2,2 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
	NOEC: 0,032 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Exposure time: 28 d
Species: Americamysis bahia (mysid shrimp)
Test Type: flow-through test

NOEC: 1,25 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: static test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 156 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.510 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LC50: > 5620 ppm
Species: Anas platyrhynchos (Mallard duck)
Remarks: Dietary

LD50: > 2000
Species: Coturnix japonica (Japanese quail)

NOEC: 94 mg/kg
End point: Reproduction Test
Species: Colinus virginianus

LC50: > 85.29
Species: Apis mellifera (bees)

LC50: > 100
Species: Apis mellifera (bees)
Remarks: Contact

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1,32 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5,76 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 117 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

napropamide:

Biodegradability : Result: Biodegradable
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

Degradation occurs microbiologically.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

clomazone (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

sodium 2-[methyleoleylamino]ethane-1-sulphonate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

napropamide:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 98

Partition coefficient: n-octanol/water : log Pow: 3,3 (25 °C)

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2,61 - 2,69 (20 - 21 °C)
pH: 4 - 10
Method: Regulation (EC) No. 440/2008, Annex, A.8

sodium 2-[methyleoleylamino]ethane-1-sulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 2,9
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,36
Method: OECD Test Guideline 117
Remarks: Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Medium: Soil
Remarks: No data is available on the product itself.

Components:

napropamide:

Distribution among environmental compartments : Remarks: The product is not expected to be mobile in soils.

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2,47
Remarks: Moderately mobile in soils

sodium 2-[methyleoleylamino]ethane-1-sulphonate:

Distribution among environmental compartments : Koc: 53,4 ml/g, log Koc: 1,72
Remarks: Highly mobile in soils

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Napropamide, Clomazone)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Napropamide, Clomazone)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Napropamide, Clomazone)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Napropamide, Clomazone)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Napropamide, Clomazone)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
ADR		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version 1.0	Revision Date: 30.04.2025	SDS Number: 50000843	Date of last issue: - Date of first issue: 30.04.2025
----------------	------------------------------	-------------------------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 65
ammonium sulphate (Number on list 65)

ammonium sulphate (Number on list 65)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. napropamide N-methyltaurine TAMOL NH 7519 (BASF) CLZ (HP) 360 g/L MUP

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
DK OEL	: Denmark. Occupational Exposure Limits
2004/37/EC / TWA	: Long term exposure limit
DK OEL / S	: Exposure period of 15 minutes
DK OEL / GV	: Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIPLANO® DAM TEC®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.04.2025	50000843	Date of first issue: 30.04.2025

laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : see user defined free text

Classification of the mixture:

Aquatic Chronic 1 H410

Classification procedure:

Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

DK / 6N