according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version 1.2

Revision Date: 03/14/2025

SDS Number: 50000012

Date of last issue: 02/01/2018 Date of first issue: 02/01/2018

#### **SECTION 1. IDENTIFICATION**

**Product identifier** 

Product name ALTACOR® insect control

Other means of identification

Product code 50000012

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

**Restrictions on use**Use as recommended by the label.

Manufacturer or supplier's details

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

**USA** 

(215) 299-6000 SDS-Info@fmc.com

<u>Supplier Address</u> FMC Corporation

2929 Walnut Street Philadelphia PA 19104

USA

**Emergency telephone** 

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

**GHS** label elements

Not a hazardous substance or mixture.

Other hazards

Very toxic to aquatic life with long lasting effects.

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	35
kaolin	1332-58-7	>= 5 - < 10

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Carbon oxides Hydrogen chloride Sulfur oxides Bromine compounds

Bromine compounds
Chlorine compounds

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO

Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Avoid dust formation.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

equipment may intervene.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Never return spills in original containers for re-use.

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against : fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Normal measures for preventive fire protection.

Advice on safe handling

: For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Avoid formation of respirable particles.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse

storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ingredients with workplace control parameters

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 03/14/2025 50000012 Date of first issue: 02/01/2018 1.2

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

#### Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate

protection.

Hand protection

Material Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection Dust impervious protective suit

> Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Plan first aid action before beginning work with this product. Protective measures

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment.

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/01/2018

 1.2
 03/14/2025
 50000012
 Date of first issue: 02/01/2018

When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : General industrial hygiene practice.

Avoid contact with skin, eyes and clothing.

Provide adequate ventilation.

Do not breathe dust or spray mist.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : solid

Form : granular

Color : light brown

Odor : slight, sweet

Odor Threshold : No data available

pH : 9.4 (77 °F / 25 °C)

Concentration: 50 g/l (as aqueous dispersion)

Melting point/ range : Not available for this mixture.

Boiling point/boiling range : Not applicable

Flash point : not determined

Evaporation rate : Not applicable

Flammability (solid, gas) : Not expected to be ignitable

Self-ignition :  $> 311 \, ^{\circ}\text{F} \, / > 155 \, ^{\circ}\text{C}$ 

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Lower explosion limit / Lower

flammability limit

No data available

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

Vapor pressure : No data available

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Bulk density : 0.7 - 0.86 g/cm3

695 kg/m3 loose

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Particle size : not determined

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if used as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Avoid dust formation.

Avoid extreme temperatures. Heat, flames and sparks.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Sulfur oxides

Halogenated compounds Nitrogen oxides (NOx)

Carbon oxides

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/01/2018

 1.2
 03/14/2025
 50000012
 Date of first issue: 02/01/2018

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 6.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

### **Components:**

**Chlorantraniliprole:** 

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: ves

Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2,000 mg/kg Method: OECD Test Guideline 425

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018
1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

LC50 (Rat, male and female): > 5.0 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: GB 15670-1995

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5,000 mg/kg

Method: GB 15670-1995

GLP: yes

Remarks: no mortality

LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: no mortality

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50: 5.07 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018
1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

#### **Components:**

#### Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Information source: Internal study report

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Species : Rabbit

Method : GB 15670-1995 Result : No skin irritation

GLP : yes

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit Result : slight irritation

Method : OECD Test Guideline 405

GLP : yes

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

### **Components:**

### **Chlorantraniliprole:**

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

Remarks : Information source: Internal study report

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Species : Rabbit

Result : Slight or no eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

kaolin:

Result : No eye irritation

Method : OECD Test Guideline 405

#### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

**Product:** 

Test Type : Local lymph node test

Species : Mouse

Method : OECD Test Guideline 406

Result : Animal test did not cause sensitization by skin contact.

### **Components:**

#### Chlorantraniliprole:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)

Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### **Components:**

**Chlorantraniliprole:** 

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

#### Chlorantraniliprole:

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years

NOAEL : 805 - 1,076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Oral Exposure time : 18 month(s)

NOAEL : 158 - 1,155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

IARC Group 1: Carcinogenic to humans

kaolin 1332-58-7

(Silica dust, crystalline)

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP Known to be human carcinogen

kaolin 1332-58-7

(Silica, Crystalline (Respirable Size))

Reproductive toxicity

Based on available data, the classification criteria are not met.

**Components:** 

**Chlorantraniliprole:** 

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 Days

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Based on available data, the classification criteria are not met.

**Components:** 

**Chlorantraniliprole:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018
1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for

more information on target organs if applicable.

**Components:** 

**Chlorantraniliprole:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

**Chlorantraniliprole:** 

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 Days

Method : OECD Test Guideline 408

kaolin:

Remarks : No data available

**Aspiration toxicity** 

Based on available data, the classification criteria are not met.

**Components:** 

**Chlorantraniliprole:** 

The substance does not have properties associated with aspiration hazard potential.

**Further information** 

**Product:** 

Remarks : No data available

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

#### Components:

**Chlorantraniliprole:** 

Remarks : Information presented in this Section conforms to the require-

ments of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection

Agency (EPA), or by state Regulatory Agencies.

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 3.2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.029 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): > 5.0

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Remarks: Information refers to the main ingredient.

Toxicity to soil dwelling or-

ganisms

(Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

Exposure time: 14 d

Method: US EPA Test Guideline OPPTS 850.2100

LD50 (Apis mellifera (bees)): 285.7 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

GLP: yes

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

**Components:** 

**Chlorantraniliprole:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0116 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Hyalella azteca (Amphipod)): 0.26 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0.0067 - 0.011 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/l

Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): > 2 mg/l

End point: Biomass Exposure time: 14 d Test Type: static test

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

NOEC (Skeletonema costatum (Diatom)): > 14.6 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Navicula pelliculosa (Diatom)): > 15.1 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28

mg/l

Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

GLP: yes

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

No significant adverse effect on Carbon mineralization.

NOEC (Hypoaspis aculeifer): 100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Method: OECD Test Guideline 207

EC50 (Hypoaspis aculeifer): >100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 4.0 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.005 µg/bee

Exposure time: 48 h

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

End point: Acute contact toxicity

Remarks: Active substance dissolved in water

LD50 (Apis mellifera (bees)): > 104.1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.0274 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in water

LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

### Persistence and degradability

#### **Components:**

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version 1.2

Revision Date: 03/14/2025

SDS Number: 50000012

Date of last issue: 02/01/2018 Date of first issue: 02/01/2018

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

**Components:** 

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 14 Method: OECD Test Guideline 305

GLP: yes

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.77 (68 °F / 20 °C)

pH: 4

log Pow: 2.86 (68 °F / 20 °C)

pH: 7

log Pow: 2.80 (68 °F / 20 °C)

pH: 9

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Mobility in soil

**Components:** 

**Chlorantraniliprole:** 

Distribution among environ-

mental compartments

Koc: 362 ml/g, log Koc: 2.55 Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

Environmental hazards

Do not apply directly to water.

Drift and runoff may be hazardous to aquatic organisms in

water adjacent to treated areas.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

### **Components:**

#### **Chlorantraniliprole:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorantraniliprole)

according to the OSHA Hazard Communication Standard



### ALTACOR® insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Chlorantraniliprole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

956

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### 49 CFR Road

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Carcinogenicity

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### **US State Regulations**

#### **Massachusetts Right To Know**

kaolin 1332-58-7 Quartz (SiO2) 14808-60-7

#### Pennsylvania Right To Know

D-Glucose, 4-O-β-D-galactopyranosyl-, monohydrate 64044-51-5 Chlorantraniliprole 500008-45-7 kaolin 1332-58-7 sodium sulphate 7757-82-6

#### Maine Chemicals of High Concern

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

according to the OSHA Hazard Communication Standard



### **ALTACOR®** insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018

#### California Prop. 65

WARNING: This product can expose you to chemicals including kaolin, titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **California Permissible Exposure Limits for Chemical Contaminants**

kaolin 1332-58-7

California Regulated Carcinogens

kaolin 1332-58-7

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from

CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control

product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **FIFRA** information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

according to the OSHA Hazard Communication Standard



### ALTACOR® insect control

Version Revision Date: SDS Number: Date of last issue: 02/01/2018 1.2 03/14/2025 50000012 Date of first issue: 02/01/2018


#### **CAUTION**

Avoid contact with skin, eyes and clothing., Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Remove and wash contaminated clothing before reuse., This product is toxic to aquatic invertebrates.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

**0** No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of

according to the OSHA Hazard Communication Standard



### ALTACOR® insect control

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/01/2018

 1.2
 03/14/2025
 50000012
 Date of first issue: 02/01/2018

the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

#### Prepared by:

**FMC** Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

according to the OSHA Hazard Communication Standard



# **ALTACOR®** insect control

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/01/2018

 1.2
 03/14/2025
 50000012
 Date of first issue: 02/01/2018

End of Material Safety Data Sheet