SAFETY DATA SHEET

ZN+S

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0082-1-A

Revision date: 2018-07-19

Format: EU Version 1.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0082-1-A

Product Name ZN+S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A fertilizer with micronutrients for use in agriculture and horticulture

Restrictions on useUse as recommended by the label.

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Agro Limited

Rectors Lane Pentre Flintshire CH5 2DH United Kingdom

Tel: + 44 (0) 1244 537370 E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0)1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)


Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 (H318)
Chronic aquatic toxicity	Category 1 (H410)

2.2. Label elements

Hazard pictograms



Version 1.01

Signal Word

Danger

Hazard Statements

H318 - Causes serious eve damage

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P264 - Wash hands thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
ethane-1,2-diol	203-473-3	107-21-1	1-10	Acute Tox. 4 (H302) STOT RE 2: (H373)	01-2119456816-28- XXXX
Zinc sulfate	231-793-3	7733-02-0	10-30	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27- XXXX

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Transfer to hospital for specialist examination.

Skin Contact Immediately remove all stained or splashed clothing that is not adhering to the skin. Wash

off immediately with plenty of water for at least 15 minutes. Transfer to hospital if there are

burns or symptoms of poisoning.

Inhalation Remove person from exposure ensuring one's own safety while doing so. Call a doctor or

poison control centre immediately.

Ingestion Rinse mouth. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate

medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: Severe burns may occur. Progressive ulceration will occur if treatment is not

immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may

be difficulty swallowing.

Version 1.01

Inhalation: There may be shortness of breath with a burning sensation in the throat.

Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Stop leak if you can do it without risk. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection see section 8. Keep people away from and upwind of spill/leak.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Contain spills with earth or sand or inert absorbent.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Surface water drains within

close vicinity of the spill should be covered. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section

13 of SDS for suitable method of disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

Version 1.01

7.1. Precautions for safe handling

Handling

Avoid contact by using personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs. Store rooms or warehouses should be made of non-combustible materials with impermeable floors.

7.3. Specific end use(s)

Specific Use(s)

No data available.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
ethane-1,2-diol	TWA 20 ppm	STEL 40 ppm	TWA 20 ppm	TWA 20 ppm	-
107-21-1	TWA 52 mg/m ³	STEL 104 mg/m ³	TWA 52 mg/m ³	TWA 52 mg/m ³	
	STEL 40 ppm	STEL 30 mg/m³ STEL 40 ppm STEL 40 ppm			
	STEL 104 mg/m ³	TWA 10 mg/m ³	STEL 104 mg/m ³	STEL 104 mg/m ³	
	S*	TWA 20 ppm	P*	S*	
		TWA 52 mg/m ³			
		Skin			
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
ethane-1,2-diol	TWA 20 ppm	TWA 20 ppm	Huid*	TWA 20 ppm	TWA 10 ppm
107-21-1	TWA 52 mg/m ³	TWA 52 mg/m ³	STEL 104 mg/m ³	TWA 50 mg/m ³	TWA 26 mg/m ³
	STEL 40 ppm	STEL 40 ppm	TWA 52 mg/m ³	STEL 40 ppm	TWA 10 mg/m ³
	STEL 104 mg/m ³	STEL 104 mg/m ³	TWA 10 mg/m ³	STEL 100 mg/m ³	H*
	Pelle*	Ceiling 100 mg/m ³		iho*	
		C(A4)			
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
ethane-1,2-diol	ethane-1,2-diol H* 107-21-1 STEL 20 ppm		TWA 15 mg/m ³	TWA 20 mg/m ³	TWA 10 mg/m ³
107-21-1			STEL 50 mg/m ³	TWA 52 ppm	TWA 20 ppm
	STEL 52 mg/m ³			TWA 52 mg/m ³	TWA 52 mg/m ³
	TWA 10 ppm			S*	STEL 40 ppm
	TWA 26 mg/m ³	STEL 20 ppm		STEL 104 mg/m ³	STEL 104 mg/m ³
		STEL 52 mg/m ³		STEL 40 ppm	Skin

Derived No Effect Level (DNEL)

No information available.

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. The floor of the storage room must be impermeable to prevent the escape of liquids.

Personal protective equipment

Eye/Face Protection

Tightly fitting safety goggles. Maintain eye wash fountain and quick-drench facilities in work

Version 1.01

area.

Hand Protection Gloves (acid resistant).

Skin and Body Protection Acid-resistant protective clothing.

Respiratory Protection Not required under normal use.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance No information available

Odour Characteristic

Colour Brown

Odour threshold No information available

pH ~2.1

Melting point/freezing point
Boiling point/boiling range
Flash point
Evaporation Rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density

No information available
No information available
No information available

Specific gravity 1.33 - 1.35
Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available No information available **Explosive properties Oxidising properties** Non-oxidizing (by EC criteria)

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under recommended storage conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available. **Sensitivity to Static Discharge** No information available.

Version 1.01

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidising agents, Strong bases.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

LD50 Oral > 5000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50	
Zinc sulfate	1710 mg/kg (Rat)	>2000mg/kg (Rat)		

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
Mutagenicity
Carcinogenicity
No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Symptoms Skin contact: Severe burns may occur. Progressive ulceration will occur if treatment is not

immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may

be difficulty swallowing.

Inhalation: There may be shortness of breath with a burning sensation in the throat.

Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Aspiration hazard No information available.

Version 1.01

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity RAINBOW TROUT (Oncorhynchus mykiss): 96H LC50 = 0.778 (calculated) mg/L

DAPHNIDS (Daphnia magna): 48H EC50 = 3.93 (calculated) mg/L

ALGAE (Pseudokirchneriella subcapitata): 72H IC50 = 1.31 (calculated) mg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates
Zinc sulfate	72 h EC50: = 0.056 mg/L	96 h LC50: = 0.162 mg/L	48 h EC50: = 0.75 mg/L (Daphnia
	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss)	magna) 48 h EC50: 0.538 - 0.908
	static 72 h EC50: = 64.8 mg/L	flow-through 96 h LC50: 0.03 - 0.05	mg/L (Daphnia magna) Static
	(Chlorella vulgaris) 96 h EC50: =	mg/L (Oncorhynchus mykiss)	
	2.4 mg/L (Chlorella vulgaris)	semi-static 96 h LC50: 0.34 - 0.93	
		mg/L (Oncorhynchus mykiss) static	
		96 h LC50: 0.23 - 0.48 mg/L	
		(Pimephales promelas) 96 h LC50:	
		49.23 - 64.16 mg/L (Poecilia	
		reticulata) semi-static 96 h LC50:	
		16.85 - 27.18 mg/L (Cyprinus	
		carpio) static 96 h LC50: 3 - 4.6	
		mg/L (Lepomis macrochirus)	
		flow-through 96 h LC50: = 0.63	
		mg/L (Poecilia reticulata) 96 h	
		LC50: 0.48 - 1.72 mg/L (Poecilia	
		reticulata) static 96 h LC50: = 0.06	
		mg/L (Pimephales promelas) static	
		96 h LC50: 3.55 - 6.32 mg/L	
		(Lepomis macrochirus) static 96 h	
		LC50: 0.218 - 0.42 mg/L	
		(Pimephales promelas) flow-through	
		96 h LC50: 0.168 - 0.25 mg/L	
		(Pimephales promelas) semi-static	
		96 h LC50: = 0.15 mg/L (Cyprinus	
		carpio) semi-static	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

Mobility

Soluble in water.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Toxic to aquatic organisms

Version 1.01

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Contaminated Packaging Clean container with water. Dispose of rinse water in accordance with local and national

guidelines. Empty containers should be taken to an approved waste handling site for recycling or disposal. Containers must be disposed of in accordance with local regulations.

Refer to the product label for container disposal instructions.

EWC Waste Disposal No 02 01 08

OTHER INFORMATIONNOTE: The user's attention is drawn to the possible existence of specific European,

national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC SULPHATE)

14.3 Hazard class914.4 Packing GroupIII14.5 Marine PollutantYesEnvironmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

14.7 Transport in bulk according to The product is not transported in bulk containers.

Annex II of MARPOL and the IBC

Code

RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC SULPHATE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC SULPHATE)

 14.3 Hazard class
 9

 14.4 Packing Group
 III

 14.5 Environmental Hazard
 Yes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

14.1 UN/ID no UN3082

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC SULPHATE)

14.3 Hazard class 9
14.4 Packing Group III

Version 1.01

14.5 Environmental Hazard

Yes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
ethane-1,2-diol 107-21-1	Х	Х	X	X	X	X	X	Х
Zinc sulfate 7733-02-0	Х	Х	Х	Х	Х	Х	Х	Х

15.2. Chemical safety assessment

A chemical safety assessment is not required to be included for this product.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

Not applicable

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)

NP-0082-1-A ZN+S

SDS #: NP-0082-1-A **Revision date**: 2018-07-19

Version 1.01

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Revision date: 2018-07-19

Reason for revision: Format Change.

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet