

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** ROVRAL AQUAFLO

#### Other means of identification

**Product code** 50001641

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Can be used as herbicide only.

Recommended restrictions on use : Use as recommended by the label.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC CHEMICALS (PTY) LTD  
COMPANY REGISTRATION NUMBER: 1988/001451/07  
WEST END OFFICE PARK, BUILDING C  
CNR. WEST AVE & HALL STREET  
CENTURION, 0014

E-mail address: SDS-Info@fmc.com (E-Mail General Information)

#### 1.4 Emergency telephone

For leak, fire, spill or accident emergencies, call:  
South Africa: 0-800-983-611 (CHEMTREC)

Medical emergency:  
For any emergency or poisoning contact: Griffon Poison Information Centre (24 hrs) - +27-(0)-82-446-8946

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification (REGULATION (EC) No 1272/2008)**

Acute toxicity, Category 4 H332: Harmful if inhaled.

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Short-term (acute) aquatic hazard, Category 2 H400: Very toxic to aquatic life.

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version 2.0      Revision Date: 08.06.2022      SDS Number: 50001641      Date of last issue: -  
Date of first issue: 08.06.2022

gory 1

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H332 Harmful if inhaled.  
H351 Suspected of causing cancer.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P261 Avoid breathing mist or vapors.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
**Response:**  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P391 Collect spillage.

Hazardous ingredients which must be listed on the label:  
iprodione (ISO)

#### Additional Labeling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version 2.0      Revision Date: 08.06.2022      SDS Number: 50001641      Date of last issue: -  
Date of first issue: 08.06.2022

iprodione (ISO)	36734-19-7 253-178-9 616-054-00-9	Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 30 - < 50
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 10	>= 0.0025 - < 0.025

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Wash off with soap and water.  
If symptoms persist, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

**4.2 Most important symptoms and effects, both acute and delayed**

Risks : Harmful if inhaled.  
Suspected of causing cancer.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically.

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapors.  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Chlorine compounds

**5.3 Advice for firefighters**

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.

---

## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

Do not touch or walk through the spilled material.  
Ensure adequate ventilation.

**6.2 Environmental precautions**

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Never return spills in original containers for re-use.  
Pick up and transfer to properly labeled containers.  
Collect as much of the spill as possible with a suitable absorbent material.

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

## ROVRAL AQUAFLO



Version 2.0      Revision Date: 08.06.2022      SDS Number: 50001641      Date of last issue: -  
Date of first issue: 08.06.2022

### 7.3 Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Inhalation	Long-term local effects	10 mg/m3
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Intermittent use/release	183 mg/l
	Sea water	26 mg/l
	Sewage treatment plant	20 g/l
	Fresh water sediment	572 mg/kg
	Sea sediment	57.2 mg/kg
	Soil	50 mg/kg
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Sea water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/l
	Sea sediment	0.00499 mg/l

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

# SAFETY DATA SHEET

## ROVRAL AQUAFLO



Version 2.0	Revision Date: 08.06.2022	SDS Number: 50001641	Date of last issue: - Date of first issue: 08.06.2022
----------------	------------------------------	-------------------------	--

---

Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Protective measures	:	Plan first aid action before beginning work with this product.

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Color	:	No data available
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	5.5 (23 °C)
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.15 (20 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

Decomposition temperature : No data available

### Viscosity

Viscosity, dynamic : 60 mPa.s (23 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

### 9.2 Other information

Molecular weight : Not applicable

Self-ignition : 510 °C

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures.  
Avoid formation of aerosol.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers.

### 10.6 Hazardous decomposition products

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Harmful if inhaled.

#### Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l



# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The component/mixture is minimally toxic after single contact with skin.

### **Components:**

#### **iprodione (ISO):**

Acute oral toxicity : LD50 (Rat): 3,700 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,500 mg/kg

#### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : Acute toxicity estimate: 500.0 mg/kg  
Method: Converted acute toxicity point estimate

LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

Acute toxicity estimate: 490 mg/kg  
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Assessment : No skin irritation  
Result : No skin irritation

### **Components:**

#### **iprodione (ISO):**

Species : Rabbit  
Result : No skin irritation

#### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit

# SAFETY DATA SHEET

## ROVRAL AQUAFLO



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Assessment	:	No eye irritation
Result	:	No eye irritation

#### Components:

##### **iprodione (ISO):**

Species	:	Rabbit
Result	:	No eye irritation

##### **1,2-benzisothiazol-3(2H)-one:**

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

### Respiratory or skin sensitization

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Product:

Assessment	:	Not a skin sensitizer.
Result	:	Not a skin sensitizer.

#### Components:

##### **iprodione (ISO):**

Species	:	Guinea pig
Method	:	EPA OPP 81-6
Result	:	Does not cause skin sensitization.

##### **1,2-benzisothiazol-3(2H)-one:**

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.

Species	:	Guinea pig
---------	---	------------

# SAFETY DATA SHEET

## ROVRAL AQUAFLO



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

Method : FIFRA 81.06  
Result : May cause sensitization by skin contact.

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **iprodione (ISO):**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

##### **1,2-benzisothiazol-3(2H)-one:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

# SAFETY DATA SHEET

## ROVRAL AQUAFLO



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

### **Carcinogenicity**

Suspected of causing cancer.

#### **Components:**

##### **iprodione (ISO):**

Species	:	Rat
Result	:	positive
Symptoms	:	Testicular effects

Species	:	Mouse
Result	:	positive
Symptoms	:	malignant tumors
Target Organs	:	Liver, ovaries

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies
------------------------------	---	---

### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **iprodione (ISO):**

Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity
------------------------------------	---	--

##### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility	:	Species: Rat, male Application Route: Ingestion General Toxicity Parent: NOAEL: 18.5 mg/kg body weight General Toxicity F1: NOAEL: 48 mg/kg body weight Fertility: NOAEL: 112 mg/kg bw/day Symptoms: No effects on reproduction parameters. Method: OPPTS 870.3800 Result: negative
----------------------	---	--

Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity
------------------------------------	---	--

### **STOT-single exposure**

Not classified based on available information.

#### **Components:**

##### **iprodione (ISO):**

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
------------	---	--

### **STOT-repeated exposure**

Not classified based on available information.

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

### Components:

#### **iprodione (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **1,2-benzisothiazol-3(2H)-one:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

### Components:

#### **iprodione (ISO):**

Species : Rat, male  
NOEL : 30.8 mg/kg  
Exposure time : 90 d

Species : Rat, female  
NOEL : 35.8 mg/kg  
Exposure time : 90 d

#### **1,2-benzisothiazol-3(2H)-one:**

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Method : OECD Test Guideline 407  
Symptoms : Irritation

Species : Rat, male and female  
NOAEL : 69 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : Irritation, Reduced body weight

### **Aspiration toxicity**

Not classified based on available information.

### Components:

#### **iprodione (ISO):**

The substance does not have properties associated with aspiration hazard potential.

### **Further information**

### Product:

Remarks : No data available

## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

**SECTION 12: Ecological information**
**12.1 Toxicity****Components:****iprodione (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.25 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Scenedesmus subspicatus): > 0.5 mg/l  
plants Exposure time: 72 h

M-Factor (Acute aquatic tox- : 1  
icity)

Toxicity to daphnia and other : NOEC: 0.17 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 1  
toxicity)

Toxicity to soil dwelling or- : LC50: > 1,000 mg/kg  
ganisms Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ- : LD50: > 2,000 mg/kg  
isms Species: Colinus virginianus (Bobwhite quail)

LD50: >250  
Exposure time: 48 h  
Species: Apis mellifera (bees)  
Remarks: Contact

LD50: >25  
Exposure time: 48 h  
Species: Apis mellifera (bees)  
Remarks: Oral

**1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.9 mg/l

# SAFETY DATA SHEET

## ROVRAL AQUAFLO



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

aquatic invertebrates		Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC50 (activated sludge): 24 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209  EC50 (activated sludge): 12.8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

### 12.2 Persistence and degradability

#### Components:

##### **iprodione (ISO):**

Biodegradability	:	Result: Not readily biodegradable. Remarks: It undergoes degradation in the environment and in waste water treatment plants.
------------------	---	---

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability	:	Result: rapidly biodegradable Method: OECD Test Guideline 301C
------------------	---	---

### 12.3 Bioaccumulative potential

#### Components:

##### **iprodione (ISO):**

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 70 Remarks: Bioaccumulation is unlikely. See section 9 for octanol-water partition coefficient.
-----------------	---	---

Partition coefficient: n-octanol/water	:	log Pow: 3 (25 °C) pH: 5
--	---	-----------------------------

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

### 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6.62  
Method: OECD Test Guideline 305  
Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)  
pH: 7  
  
log Pow: 0.99 (20 °C)  
pH: 5

## 12.4 Mobility in soil

### Components:

#### iprodione (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

#### 1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9.33, log Koc: 0.97  
Method: OECD Test Guideline 121

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



# SAFETY DATA SHEET

## ROVRAL AQUAFLO



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### SECTION 14: Transport information

#### 14.1 UN number

IMDG	: UN 3082
IATA	: UN 3082

#### 14.2 UN proper shipping name

IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iprodione, 1,2-Benzisothiazol-3(2H)-one)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Iprodione, 1,2-Benzisothiazol-3(2H)-one)

#### 14.3 Transport hazard class(es)

IMDG	: 9
IATA	: 9

#### 14.4 Packing group

IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous
IATA (Passenger)	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

#### 14.5 Environmental hazards

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

---

### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  3-(3,5-DICHLOROPHENYL)-N-ISOPROPYL-2,4-DIOXOIMIDAZOLIDINE-1-CARBOXAMIDE Ethylene oxide/propylene oxide block copolymer
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical Safety Assessment

---

## SECTION 16: Other information

### Full text of H-Statements

H302 : Harmful if swallowed.

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H351	: Suspected of causing cancer.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitization

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Other information :

### Classification of the mixture:

Acute Tox. 4 H332

### Classification procedure:

Based on product data or assessment

# SAFETY DATA SHEET



## ROVRAL AQUAFLO

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	08.06.2022	50001641	Date of first issue: 08.06.2022

Carc. 2	H351	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

ZA / EN