according to the Globally Harmonized System



# **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

### 1. IDENTIFICATION

Product name : CORAGEN® 20 SC

Manufacturer or supplier's details

Company : FMC QUIMICA DO BRASIL LTDA.

Address : Av. Antonio Carlos Guillaumon,

25 Distrito Industrial III, 38001-970,

Uberaba-MG Brasil Tel: (34) 3316.8010

E-mail address : SDS-Info@fmc.com

Emergency telephone : +507-8322475

911

Medical Emergency Number : Costa Rica - National Center of Poisoning - (506) 2223-1028;

800-INTOXICA

Dominican Republic: DOMINICAN REPUBLIC - Center for Drug Information and Poisoning - (809) 562-6601 Ext. 1801 El Salvador - Rosales National Hospital - (503) 2231-9262 Guatemala - Center of Toxicological Information and Assis-

tance - (502) 2251-3560 / 2232-0735

Honduras - Hospital School - (504) 232-6105

Nicaragua - National Center of Toxicology - (505) 2289-4700

ext. 1294 cel. 8755-0983

Panama Center of Research and Information on Medications

and Toxicology (507) 523-4948

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Short-term (acute) aquatic

hazard

Category 1

**GHS label elements** 

Hazard pictograms



according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

Signal Word : WARNING

Hazard Statements : H400 Very toxic to aquatic life.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (%
		w/w)
Chlorantraniliprole	500008-45-7	>= 10 - < 20

### 4. FIRST AID MEASURES

In case of eye contact

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

If symptoms persist, call a physician. Wash contaminated clothing before re-use.

Flush eyes with water as a precaution. Remove contact lenses.

Protect unharmed eye. Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders

: Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Carbon oxides

Bromine compounds Chlorine compounds Hydrogen cyanide Hydrogen chloride

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

**6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Date of last issue: -SDS Number: Version Revision Date:

04.03.2025 50000015 Date of first issue: 04.03.2025 1.1

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

Clean contaminated surface thoroughly.

### 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Conditions for safe storage Store in a place accessible by authorized persons only.

Store in original container.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not

be present. A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### Personal protective equipment

Respiratory protection In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Long sleeved clothing.

Footwear protecting against chemicals

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.

This product should be used only by all personnel thoroughly

trained to handle it.

Do not inhale aerosol.

Wash hands before breaks and immediately after handling the

product.

When using do not smoke.
When using do not eat or drink.

Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

Contaminated work clothing should not be allowed out of the

workplace.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : semi-viscous liquid

Color : white

Odor : alcohol-like

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

Odor Threshold : not determined

pH : 7.8

Concentration: 1 % Method: CIPAC MT 75.3

Boiling point/boiling range : not determined

Flash point : > 100 °C

No flash up to boiling point.

Evaporation rate : Not available for this mixture.

Flammability (solid, gas) : The product is not flammable.

Self-ignition : not auto-flammable

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapor pressure : Not available for this mixture.

Relative vapor density : Not available for this mixture.

Relative density : 1.08 - 1.10

Density : 1.094 g/cm3 (20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : slightly soluble

Partition coefficient: n-

octanol/water

Not available for this mixture.

Autoignition temperature : No data available

Viscosity

Viscosity, dynamic : 583 mPa.s

30 rpm

Viscosity, kinematic : 367 - 734 mm2/s

30 rpm

Explosive properties : Not explosive

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

Particle size : Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid formation of aerosol.

Heat, flames and sparks.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : LD50(Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50(Rat): > 2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

no mortality

Acute dermal toxicity : LD50(Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

**Components:** 

**Chlorantraniliprole:** 

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2,000 mg/kg Method: OECD Test Guideline 425

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

LC50 (Rat, male and female): > 5.0 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: GB 15670-1995

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

according to the Globally Harmonized System



# **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

GLP: yes

Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5,000 mg/kg

Method: GB 15670-1995

GLP: yes

Remarks: no mortality

LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: no mortality

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

### **Components:**

### **Chlorantraniliprole:**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Information source: Internal study report

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Species : Rabbit

Method : GB 15670-1995 Result : No skin irritation

GLP : yes

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

### **Components:**

### **Chlorantraniliprole:**

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Remarks : Information source: Internal study report

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : Slight or no eye irritation

GLP : yes

### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

### Respiratory sensitization

Based on available data, the classification criteria are not met.

### **Product:**

Test Type : Local lymph node assay (LLNA)

Species : mice

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 429

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

### **Components:**

### **Chlorantraniliprole:**

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)

Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

according to the Globally Harmonized System



# **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

**Product:** 

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

**Components:** 

**Chlorantraniliprole:** 

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessed

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

**Components:** 

**Chlorantraniliprole:** 

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years

NOAEL : 805 - 1,076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Oral

Exposure time : 18 month(s)

NOAEL : 158 - 1,155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

11/22

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 Days

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

### STOT-single exposure

Based on available data, the classification criteria are not met.

### **Components:**

### Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Components:

### **Chlorantraniliprole:**

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

### Repeated dose toxicity

### **Components:**

### Chlorantraniliprole:

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 Days

Method : OECD Test Guideline 408

### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

### **Components:**

### **Chlorantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

#### **Further information**

**Product:** 

Remarks : No data available

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 9.9 mg/l

Exposure time: 96 h

LC50 (Danio rerio (zebra fish)): , >1.6 mg a.i./L

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 8.2 μg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 20

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to soil dwelling or-

ganisms

NOEC: 1,000 mg/kg Exposure time: 28 d

Species: Eisenia andrei (red worm) Method: OECD Test Guideline 222

LC50: > 1,000 mg/kg Exposure time: 28 d

Species: Eisenia andrei (red worm) Method: OECD Test Guideline 222

Toxicity to terrestrial organ-

isms

LD50: > 0.1141 mg/kg Exposure time: 2 d

Species: Apis mellifera (bees)

Remarks: Oral

LD50: > 0.100 mg/kg Exposure time: 2 d

Species: Apis mellifera (bees)

Remarks: Contact

LD50:  $>= 109.91 \mu g a.i./bee$ 

Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera L.

Method: OECD Test Guideline 213

NOEL: >= 109.91 µg a.i./bee

Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera L.

Method: OECD Test Guideline 213

LD50: >= 100 µg a.i./bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera L.

Method: OECD Test Guideline 214

NOEL: >= 100 µg a.i./bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera L.

Method: OECD Test Guideline 214

NOEC: 1,726 mg/kg Exposure time: 5 d

Species: Colinus virginianus (Bobwhite quail)

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

Method: US EPA Test Guideline OPP 71-2

LC50: > 1,726 mg/kg Exposure time: 5 d

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-2

### **Components:**

**Chlorantraniliprole:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0116 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Hyalella azteca (Amphipod)): 0.26 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0.0067 - 0.011 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/l

Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): > 2 mg/l

End point: Biomass Exposure time: 14 d Test Type: static test

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Skeletonema costatum (Diatom)): > 14.6 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Navicula pelliculosa (Diatom)): > 15.1 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 1.28 mg/l Exposure time: 36 d

Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0.110 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00447 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

M-Factor (Chronic aquatic

toxicity)

: 10

Toxicity to soil dwelling or-

ganisms

LC50: > 1,000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

GLP: yes

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

No significant adverse effect on Carbon mineralization.

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

NOEC: 100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Species: Hypoaspis aculeifer Method: OECD Test Guideline 207

EC50: >100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Species: Hypoaspis aculeifer Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50: > 4.0 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

Remarks: Active substance dissolved in acetone

LD50:  $> 0.005 \mu g/bee$  Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

Remarks: Active substance dissolved in water

LD50: > 104.1 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

Remarks: Active substance dissolved in acetone

LD50:  $> 0.0274 \mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

Remarks: Active substance dissolved in water

LD50: > 2,250 mg/kg

Species: Poephila guttata (zebra finch)

### Persistence and degradability

### **Components:**

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

### **Bioaccumulative potential**

**Product:** 

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Remarks: No data available

**Components:** 

**Chlorantraniliprole:** 

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 14 Method: OECD Test Guideline 305

GLP: yes

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.77 (20 °C)

pH: 4

log Pow: 2.86 (20 °C)

pH: 7

log Pow: 2.80 (20 °C)

pH: 9

Mobility in soil

**Components:** 

**Chlorantraniliprole:** 

Distribution among environ-

mental compartments

Koc: 362 ml/g, log Koc: 2.55

Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life.

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

### **Components:**

### Chlorantraniliprole:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

### 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsa-

ble containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers pro-

gram.

#### 14. TRANSPORT INFORMATION

### International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Chlorantraniliprole)

Class : 9

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

List of Precursors and Controlled Chemicals. : Not applicable

## The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

TECI: Not in compliance with the inventory


#### 16. OTHER INFORMATION

Revision Date : 04.03.2025

Date format : dd.mm.yyyy

#### **Further information**

### NFPA:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

according to the Globally Harmonized System



## **CORAGEN® 20 SC**

Version Revision Date: SDS Number: Date of last issue: -

1.1 04.03.2025 50000015 Date of first issue: 04.03.2025

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PA / EN