

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

---

### SECTION 1. IDENTIFICATION

#### Product identifier

**Product name** Carbine® 50WG Insecticide

#### Other means of identification

**Product code** 50000500

#### Recommended use of the chemical and restrictions on use

**Recommended use** Can be used as insecticide only.

**Restrictions on use** Use as recommended by the label.

#### Details of the supplier of the safety data sheet

**Manufacturer** FMC Corporation  
2929 WALNUT ST  
PHILADELPHIA PA 19104  
USA  
(215) 299-6000  
SDS-Info@fmc.com

#### Emergency telephone

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:  
U.S.A. & Canada: +1 800 / 331-3148  
All other countries: +1 651 / 632-6793 (Collect)

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Eye irritation : Category 2A

#### **GHS label elements**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version 1.0      Revision Date: 01/24/2023      SDS Number: 50000500      Date of last issue: -  
Date of first issue: 05/26/2016

Precautionary Statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.

**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
flonicamid (ISO)	158062-67-0	$\geq 50 - < 70$
Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt	81065-51-2	$\geq 5 - < 10$

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.  
If symptoms persist, call a physician.  
Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms : Causes serious eye irritation.

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

and effects, both acute and delayed

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Ammonia  
Hydrogen chloride  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods : Use a water spray to cool fully closed containers.  
Remove undamaged containers from fire area if it is safe to do so.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Do not touch or walk through the spilled material.  
If it can be safely done, stop the leak.  
Use personal protective equipment.  
Evacuate personnel to safe areas.  
Avoid dust formation.  
Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.  
Pick up and transfer to properly labeled containers without creating dust.  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Avoid formation of respirable particles.  
For personal protection see section 8.

Avoid formation of respirable particles.  
Do not breathe vapors/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Particulates type

Hand protection  
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product.
Hygiene measures	: General industrial hygiene practice. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granules
Color	: light brown
Odor	: odorless
Odor Threshold	: No data available
pH	: 8.3 - 8.8 (77 °F / 25 °C) Concentration: 10 g/l
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version 1.0	Revision Date: 01/24/2023	SDS Number: 50000500	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

---

Relative vapor density	: Not applicable
Relative density	: No data available
Density	: 33.5 - 37.2 lb/gal 0.5 - 0.7 g/cm <sup>3</sup>
Solubility(ies) Water solubility	: soluble
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Surface tension	: Not applicable
Molecular weight	: Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: Avoid extreme temperatures. Avoid dust formation.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	: LD <sub>50</sub> (Rat): > 2,000 mg/kg
---------------------	---

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

---

Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.36 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The component/mixture is minimally toxic after single contact with skin.

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Species : Rabbit  
Assessment : Not classified as irritant  
Remarks : May cause skin irritation in susceptible persons.

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Species : Rabbit  
Result : Eye irritation  
Assessment : Irritating to eyes.  
Remarks : May cause irreversible eye damage.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Product:

Result : Not a skin sensitizer.  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### flonicamid (ISO):

Genotoxicity in vitro : Test Type: Ames test

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

---

Result: negative

### **Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:**

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Mouse lymphoma assay  
Method: OECD Test Guideline 476  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **flonicamid (ISO):**

Species : Mouse, male  
Application Route : Oral  
Exposure time : 78 weeks  
NOAEL : 10 mg/kg bw/day  
Method : OPPTS 870.4200  
Result : positive

Species : Mouse, female  
Application Route : Oral  
Exposure time : 78 weeks  
NOAEL : 11.8 mg/kg bw/day  
Method : OPPTS 870.4200  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
Result : positive

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

---

### Reproductive toxicity

Not classified based on available information.

### Components:

#### flonicamid (ISO):

Effects on fertility	:	Test Type: Multi-generation study Species: Rat General Toxicity Parent: NOAEL: 18 mg/kg bw/day Fertility: NOAEL: 109 mg/kg bw/day Symptoms: No effects on fertility.
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rabbit General Toxicity Maternal: NOAEL: 7.5 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: 2.5 mg/kg bw/day Result: positive Remarks: Not classified due to data which are conclusive although insufficient for classification.

#### Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity
------------------------------------	---	--

### STOT-single exposure

Not classified based on available information.

### Components:

#### Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
------------	---	--

### STOT-repeated exposure

Not classified based on available information.

### Components:

#### flonicamid (ISO):

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

#### Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

---

### Repeated dose toxicity

#### Components:

##### **flonicamid (ISO):**

Species	: Mouse, male
NOAEL	: 15.3 mg/kg bw/day
LOAEL	: 153.9 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 day
Method	: OECD Test Guideline 408
Target Organs	: Liver
Remarks	: Based on available data, the classification criteria are not met.

Species	: Rat, male
NOAEL	: 60 mg/kg bw/day
LOAEL	: 119.4 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 day
Method	: OPPTS 870.3100
Target Organs	: Kidney
Remarks	: Based on available data, the classification criteria are not met.

Species	: Dog, male and female
NOAEL	: 20 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 day
Method	: OECD Test Guideline 409

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### **Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:**

No aspiration toxicity classification

### Neurological effects

#### Components:

##### **flonicamid (ISO):**

No neurotoxicity observed in animal studies.

### Further information

#### Product:

Remarks	: No data available
---------	---------------------

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version 1.0	Revision Date: 01/24/2023	SDS Number: 50000500	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **flonicamid (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: static test  LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l Exposure time: 96 h Test Type: static test  LC50 (Cyprinodon variegatus (sheepshead minnow)): > 120 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae/aquatic plants	:	EC50 (algae): > 119 mg/l End point: Growth inhibition Exposure time: 96 h  EC50 (Lemna sp.): > 119 mg/l Exposure time: 7 d Test Type: static test
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 10 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Crustaceans): 3.1 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	LC50 (worms): > 1,000 mg/kg
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg  LC50 (Colinus virginianus (Bobwhite quail)): > 5,000 mg/kg Remarks: Dietary  LC50 (Anas platyrhynchos (Mallard duck)): > 5,000 mg/kg Remarks: Dietary  LD50 (Anas platyrhynchos (Mallard duck)): 1,591 - 2,621 mg/kg

**Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:**

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

Toxicity to fish	:	LC50 (Fish): > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 34 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 74.4 mg/l Exposure time: 96 h Test Type: static test
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 133 mg/l Exposure time: 30 min Test Type: Respiration inhibition

### Persistence and degradability

#### Components:

##### **flonicamid (ISO):**

Biodegradability : Result: Readily biodegradable.

Stability in water : Remarks: resistant to hydrolysis

##### **Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:**

Biodegradability : Result: Not biodegradable

### Bioaccumulative potential

#### Components:

##### **flonicamid (ISO):**

Partition coefficient: n-octanol/water : log Pow: 0.3

##### **Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### Mobility in soil

#### Components:

##### **flonicamid (ISO):**

Distribution among environmental compartments : Remarks: Mobile in soils

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version 1.0	Revision Date: 01/24/2023	SDS Number: 50000500	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

flonicamid (ISO)	158062-67-0
Naphthalenesulfonic acid, methyl-, polymer with formalde-	81065-51-2
hyde, sodium salt	
Tridecanol, branched, ethoxylated	69011-36-5
Soprophor 4D384	137672-70-9

#### Maine Chemicals of High Concern

Product does not contain any listed chemicals

#### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

#### Washington Chemicals of High Concern

Product does not contain any listed chemicals

### The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version 1.0	Revision Date: 01/24/2023	SDS Number: 50000500	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

---

flonicamid (ISO)

Soprophor 4D384

Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET



## Carbine® 50WG Insecticide


Version  
1.0

Revision Date:  
01/24/2023

SDS Number:  
50000500

Date of last issue: -  
Date of first issue: 05/26/2016

### NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

### HMIS® IV:

HEALTH	/	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Con-



# SAFETY DATA SHEET



## Carbine® 50WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/24/2023	50000500	Date of first issue: 05/26/2016

---

trol Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

### Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet