

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

### Section 1: Identification

Product name : Altacor® X-Force Insecticide

Other means of identification : E2Y45 700WG (Chlorantraniliprole)

#### Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

#### Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : 6 Clayton Street, Newmarket  
Auckland AKL 1023

Telephone : +640800658080

Telefax : (09)-271-2961

Emergency telephone number : For leak, fire, spill or accident emergencies, call:  
0800 734 607 (Ixm)

Medical emergency:  
0800 764 766 (NZ Poisons Information Centre)  
0800 111174 (24 hour Medical Emergency)  
0800 387668 (Transport Emergency)

---

### Section 2: Hazard identification

#### GHS Classification

Short-term (acute) aquatic hazard : Aquatic Acute1

Long-term (chronic) aquatic hazard : Aquatic Chronic1

#### GHS label elements

Hazard pictograms :



Signal word : Warning

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

**Response:**  
P391 Collect spillage.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	>= 50 -< 70
kaolin	1332-58-7	>= 1 -< 10
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 2.5 -< 10

## Section 4: First-aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Foam  
Water spray

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapours.  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Bromine compounds  
Chlorine compounds

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : 2Z

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

---

### Section 7: Handling and storage

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version 1.0      Revision Date: 14.04.2022      SDS Number: 50002561      Date of last issue: -  
Date of first issue: 14.04.2022

- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Recommended storage temperature : < 40 °C
- Further information on storage stability : Keep in a dry place.  
No decomposition if stored and applied as directed.

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
		WES-TWA (Respirable dust)	2 mg/m <sup>3</sup>	NZ OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH

#### Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Particulates type
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version 1.0	Revision Date: 14.04.2022	SDS Number: 50002561	Date of last issue: - Date of first issue: 14.04.2022
----------------	------------------------------	-------------------------	--

Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

### Section 9: Physical and chemical properties

Appearance	: granules
Colour	: light brown
Odour	: mild
Odour Threshold	: not determined
pH	: 9.9 (1% solution in water)
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Flash point	: not determined
Flammability (solid, gas)	: Not highly flammable
Self-ignition	: 279.8 °C
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapour pressure	: not determined
Density	: not determined
Bulk density	: 0.73 g/cm <sup>3</sup> Tap density 0.71 g/cm <sup>3</sup> Pour density
Solubility(ies) Water solubility	: dispersible
Partition coefficient: n-octanol/water	: log Pow: 2.77 (20 °C) pH: 4 Active ingredient

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version 1.0	Revision Date: 14.04.2022	SDS Number: 50002561	Date of last issue: - Date of first issue: 14.04.2022
----------------	------------------------------	-------------------------	--

log Pow: 2.86 (20 °C)

pH: 7  
Active ingredient

log Pow: 2.8 (20 °C)

pH: 9  
Active ingredient

Viscosity	
Viscosity, kinematic	: not determined
Explosive properties	: Not explosive
Oxidizing properties	: The product is not oxidizing.

### Section 10: Stability and reactivity

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidizing agents Strong acids Strong bases
Hazardous decomposition products	: Stable under recommended storage conditions.

### Section 11: Toxicological information

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.13 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

**Altacor® X-Force Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

**Components:****Chlorantraniliprole:**

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402

**kaolin:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401
- LD50: > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LD50: 5.07 mg/l  
Method: OECD Test Guideline 436
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
- LD50: > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

- Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Components:****Chlorantraniliprole:**

- Species : Rabbit

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

Method : OECD Test Guideline 404  
Result : No skin irritation

### **kaolin:**

Method : OECD Test Guideline 404  
Result : No skin irritation

### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Remarks : No data available

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### **Components:**

#### **Chlorantraniliprole:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### **kaolin:**

Result : No eye irritation  
Method : OECD Test Guideline 405

### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Result : Eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Product:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Not a skin sensitizer.



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

**Components:****Chlorantraniliprole:**

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.
	: Local lymph node assay (LLNA)
	: mice
	: OECD Test Guideline 429
	: Does not cause skin sensitisation.

**kaolin:**

Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Product:**

Germ cell mutagenicity - Assessment	: Contains no ingredient listed as a mutagen
-------------------------------------	--

**Components:****Chlorantraniliprole:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian bone marrow sister chromatid exchange Species: Mouse Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
<b>kaolin:</b>	
Genotoxicity in vitro	: Test Type: Ames test Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Remarks: No data available

**Altacor® X-Force Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

**Carcinogenicity**

Not classified based on available information.

**Product:**

Carcinogenicity - Assessment : This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.  
,Weight of evidence does not support classification as a carcinogen

**Components:****Chlorantraniliprole:**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 805 - 1,076 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female  
Application Route : Oral  
Exposure time : 18 month(s)  
NOAEL : 158 - 1,155 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**Reproductive toxicity**

Not classified based on available information.

**Product:**

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

**Components:****Chlorantraniliprole:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 20,000 ppm  
General Toxicity F1: NOAEL: 20,000 ppm  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
Duration of Single Treatment: 6 - 20 d

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day  
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **kaolin:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### **STOT - single exposure**

Not classified based on available information.

#### **Product:**

Remarks : No significant adverse effects were reported

#### **Components:**

##### **Chlorantraniliprole:**

Remarks : No significant adverse effects were reported

### **kaolin:**

Remarks : No significant adverse effects were reported

### **STOT - repeated exposure**

Not classified based on available information.

#### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Components:**

### **kaolin:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

##### **Chlorantraniliprole:**

Species : Rat, male and female  
NOEL : 1188 - 1526 mg/kg  
Application Route : Oral  
Exposure time : 90 days  
Method : OECD Test Guideline 408

**Altacor® X-Force Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

**kaolin:**

Remarks : No data available

**Aspiration toxicity**

Not classified based on available information.

**Product:**

The mixture does not have properties associated with aspiration hazard potential.

**Components:****Chlorantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

**Further information****Product:**

Remarks : No data available

---

**Section 12: Ecological information****Ecotoxicity****Components:****Chlorantraniliprole:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0116 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 120 h  EC50 (Lemna gibba (duckweed)): > 2 mg/l Exposure time: 14 d  NOEC (Lemna gibba (duckweed)): 2 mg/l Exposure time: 14 d
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28 mg/l Exposure time: 36 d  NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version 1.0	Revision Date: 14.04.2022	SDS Number: 50002561	Date of last issue: - Date of first issue: 14.04.2022
----------------	------------------------------	-------------------------	--

Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg  
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): >0.005  
Exposure time: 48 h  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): >0.0274  
Exposure time: 48 h  
End point: Acute contact toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

LC50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

### kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version 1.0	Revision Date: 14.04.2022	SDS Number: 50002561	Date of last issue: - Date of first issue: 14.04.2022
----------------	------------------------------	-------------------------	--

aquatic invertebrates	Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials  EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Chlorantraniliprole:**

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life (DT50): 10 d pH: 9

##### **kaolin:**

Biodegradability	: Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
------------------	---

##### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Biodegradability	: Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---

### Bioaccumulative potential

#### Components:

##### **Chlorantraniliprole:**

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 15
Partition coefficient: n-octanol/water	: log Pow: 2.86 (20 °C) pH: 7

##### **kaolin:**

Bioaccumulation	: Remarks: Bioaccumulation is unlikely.
-----------------	---

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

Partition coefficient: n-octanol/water : Remarks: Not applicable

### Mobility in soil

#### Components:

##### **Chlorantraniliprole:**

Distribution among environmental compartments : Koc: 244 - 464  
Remarks: immobile

##### **kaolin:**

Distribution among environmental compartments : Remarks: Low mobility in soil

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## Section 14: Transport information

### International Regulations

#### **UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Chlorantraniliprole)  
Class : 9  
Subsidiary risk : ENVIRONM.  
Packing group : III  
Labels : 9 (ENVIRONM.)

#### **IATA-DGR**

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### HSNO Approval Number

not allocated

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory



# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

### RYX TECHNICAL

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

## Section 16: Other information

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

# SAFETY DATA SHEET



## Altacor® X-Force Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.04.2022	50002561	Date of first issue: 14.04.2022

---

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N