According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Tebuconazole 25% w/w WG

Other means of identification

Product code 50000706

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Fungicide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 2 H361d: Suspected of damaging the unborn child.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H361d Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in

accordance with local regulations.

Hazardous components which must be listed on the label:

tebuconazole (ISO)

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tebuconazole (ISO)	107534-96-3 403-640-2 603-197-00-7	Acute Tox. 4; H302 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
		Acute toxicity estimate Acute oral toxicity: 1.700 mg/kg	
sodium diisopropylnaphtha- lenesulphonate	1322-93-6 215-343-3	Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Acute toxicity esti-	>= 3 - < 5
		Acute toxicity esti- mate Acute oral toxicity: 300,03 mg/kg	
Sodium alkyl naphthalene sulfonate	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2,5 - < 10

For explanation of abbreviations see section 16.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

Consult a physician after significant exposure.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : The main symptoms are passivity, impaired mobility and

shortness of breath.

Risks : Suspected of damaging the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray, fog, or regular foam.

Unsuitable extinguishing

media

High volume water jet

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Chlorinated compounds Nitrogen oxides (NOx)

Carbon oxides Sulphur oxides Hydrogen chloride Chlorine compounds

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.

Use personal protective equipment. If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on stor-

age conditions

: The product is stable under normal conditions of warehouse storage. Protect from moisture and extremes of heat and cold.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present.

A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium sulphate	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Workers	Inhalation	Long-term local ef- fects	20 mg/m3
	Consumers	Inhalation	Long-term systemic effects	12 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	12 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
sodium sulphate	Fresh water	11,09 mg/l
	Intermittent use/release	17,66 mg/l
	Marine water	1,109 mg/l
	Sewage treatment plant	800 mg/l
	Fresh water sediment	40,2 mg/kg dry
		weight (d.w.)
	Marine sediment	4,02 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : granules

Colour : brown, beige

Odour : odourless

Odour Threshold : not determined

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flammability : Not highly flammable

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : not determined

Auto-ignition temperature : 370 °C

Decomposition temperature : not determined

pH : 8,9 (20 °C)

In a 1% aqueous dispersion

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n- : Not available for this mixture.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

octanol/water

Vapour pressure : Not available for this mixture.

Relative density : No data available

Density : No data available

Bulk density : 0,54 g/cm3Pour density

0,58 g/cm3Tap density

Relative vapour density : not determined

Particle characteristics

Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

Self-ignition : 376 °C

Evaporation rate : not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Dust formation

Heat, flames and sparks.

Protect from frost, heat and sunlight.

10.5 Incompatible materials

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,17 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Components:

tebuconazole (ISO):

Acute oral toxicity : LD50 (Rat, female): 1.700 mg/kg

LD50 (Mouse): 3.000 mg/kg ca.

Acute toxicity estimate: 1.700 mg/kg

Method: ATE value derived from LD50/LC50 value

Acute inhalation toxicity : LC50 (Rat): > 5,1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

sodium diisopropylnaphthalenesulphonate:

Acute oral toxicity : LD50 (Rat, female): > 300 - 2.000 mg/kg

Method: OECD Test Guideline 423

Acute toxicity estimate: 300,03 mg/kg

Method: ATE value derived from LD50/LC50 value

Sodium alkyl naphthalene sulfonate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment : No skin irritation

Method : OECD Test Guideline 404

Remarks : Minimal effects that do not meet the threshold for classifica-

tion

Components:

tebuconazole (ISO):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

sodium diisopropylnaphthalenesulphonate:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Result : Corrosive after 4 hours or less of exposure

Sodium alkyl naphthalene sulfonate:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment : No eye irritation

Method : OECD Test Guideline 405

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Components:

tebuconazole (ISO):

Species : Rabbit

Assessment : No eye irritation Method : FIFRA 81.04

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

sodium diisopropylnaphthalenesulphonate:

Species : Bovine cornea

Method : OECD Test Guideline 437
Result : Irreversible effects on the eye

Sodium alkyl naphthalene sulfonate:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

Result : Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Components:

tebuconazole (ISO):

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

sodium diisopropylnaphthalenesulphonate:

Test Type : Direct Peptide Reactivity Assay (DPRA)

Method : OECD Test Guideline 442C
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

sodium diisopropylnaphthalenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging the unborn child.

Product:

Reproductive toxicity - As-

Some evidence of adverse effects on development, based on

sessment animal experiments.

Components:

tebuconazole (ISO):

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on development, based on animal experiments., Suspected of damaging the unborn

child.

Remarks: Adverse effects on fertility such as reduced litter size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD 416). Malformations of offspring were found at maternally toxic

doses (based on 13 studies).

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

sodium diisopropylnaphthalenesulphonate:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : The main symptoms were passivity, impaired mobility and

shortness of breath at high doses in animal tests.

Components:

tebuconazole (ISO):

Remarks : The main symptoms were passivity, impaired mobility and

shortness of breath at high doses in animal tests.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 33,6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 13 mg/l

Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 33,6

mg/l

Exposure time: 72 h

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 106,5 µg/bee Exposure time: 72 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: $> 99,2 \mu g/bee$ Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

tebuconazole (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,7 mg/l

Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): 8,7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 2,79 mg/l

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

aquatic invertebrates Exposure time: 48 h

Test Type: flow-through test

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (algae)): 3,8 mg/l

Exposure time: 72 h Test Type: static test

ErC50 (Scenedesmus quadricauda (Green algae)): 5,3 mg/l

Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0,144 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,012 mg/l Exposure time: 60 d

Species: Salmo gairdneri

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,12 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: 1.381 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: 1.988 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LD50: > 200 µg/bee

Species: Apis mellifera (bees)

Remarks: Contact

LD50: > 83 µg/bee Exposure time: 48 h

Species: Apis mellifera (bees)

LD50: 2.912 mg/kg

Species: Coturnix japonica (Japanese quail)

sodium diisopropylnaphthalenesulphonate:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 72 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

plants Exposure time: 72 h

Test Type: static test

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 10 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Sodium alkyl naphthalene sulfonate:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: > 10 - 100 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

tebuconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

sodium diisopropylnaphthalenesulphonate:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

14.03.2023 50000706 Date of first issue: 14.03.2023 1.0

Biodegradability Inoculum: activated sludge, non-adapted

Result: Not readily biodegradable.

Biodegradation: 2 % Exposure time: 21 d

Method: OECD Test Guideline 301D

Sodium alkyl naphthalene sulfonate:

Biodegradability Result: Not readily biodegradable.

Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

tebuconazole (ISO):

Bioaccumulation Species: Fish

Bioconcentration factor (BCF): 65 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 3,7 (20 °C)

sodium diisopropylnaphthalenesulphonate:

Partition coefficient: n-

octanol/water

: $\log Pow: > 2,6 (20 °C)$

12.4 Mobility in soil

Product:

mental compartments

Distribution among environ- : Remarks: No data is available on the product itself.

Components:

tebuconazole (ISO):

mental compartments

Distribution among environ- : Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tebuconazole)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

N.O.S.

(Tebuconazole)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tebuconazole)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S

(Tebuconazole)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Tebuconazole)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo :

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

19 / 23

956

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered:
Number on list 75tebuconazole

(ISO)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

ENVIRONMENTAL HAZARDS

: Not applicable

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

tebuconazole (ISO)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H361d : Suspected of damaging the unborn child.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

Skin Corr. : Skin corrosion

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Tebuconazole 25% w/w WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 14.03.2023 50000706 Date of first issue: 14.03.2023

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Repr. 2 H361d Based on product data or assessment
Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 1 H410 Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DK / 6N