

SAFETY DATA SHEET



Magister® CS Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	50000339	Date of first issue: 28.11.2023

Section 1: Identification

Product name : Magister® CS Herbicide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : Level 5, 3 Te Kahu Way,
Mount Wellington,
Auckland 1060
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
0800 734 607 (Ixiom)

Medical emergency:
0800 764 766 (NZ Poisons Information Centre)
0800 111174 (24 hour Medical Emergency)
0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Hazardous to the aquatic environment - chronic hazard : Category 2

Hazardous to the environment : Hazardous to soil organisms

GHS label elements

Hazard pictograms :



Signal word : None

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

Hazard statements : H411 Toxic to aquatic life with long lasting effects.
H423 Harmful to the soil environment.

Precautionary statements : P103 Read carefully and follow all instructions.

Prevention:
P273 Avoid release to the environment.

Response:
P391 Collect spillage.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
clomazone (ISO)	81777-89-1	≥ 25 -< 35
sodium nitrate	7631-99-4	≥ 1 -< 10
calcium chloride	10043-52-4	≥ 1 -< 10

Section 4: First-aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Halogenated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Hazardous combustion products

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Hazchem Code : 3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labelled containers.

Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

Section 7: Handling and storage

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Wear suitable protective equipment.
Plan first aid action before beginning work with this product.

Section 9: Physical and chemical properties

Physical state : liquid

Form : liquid

Colour : brown

Odour : slight, aromatic

Odour Threshold : No data available

pH : 8.87
In a 1% aqueous dispersion

Melting point/freezing point : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 94 °C
Method: closed cup

Evaporation rate : No data available

Self-ignition : 392 °C

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

Relative density	:	No data available
Density	:	1.15 g/cm ³
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	417 - 430 mPa.s (23 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Protect from frost, heat and sunlight.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers
Hazardous decomposition products	:	Stable under recommended storage conditions.

Section 11: Toxicological information

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 3.86 mg/l Exposure time: 4 h Test atmosphere: dust/mist

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

Assessment: The component/mixture is minimally toxic after short term inhalation.

Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Components:

clomazone (ISO):

Acute oral toxicity : LD50 (Rat, female): 768 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2,000 mg/kg

Method: OECD Test Guideline 423

Target Organs: Liver

Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1,564 mg/kg

Symptoms: ataxia

Acute inhalation toxicity : LC50 (Rat): > 5.02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

LC50 (Rat, female): 4.23 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: EPA OPP 81 - 3

Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

sodium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 3,430 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LD50 (Rat): > 0.527 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402

calcium chloride:

SAFETY DATA SHEET



Magister® CS Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	50000339	Date of first issue: 28.11.2023

Acute oral toxicity : LD50 (Rat, male): 2,120 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

clomazone (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight or no skin irritation.

calcium chloride:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Components:

clomazone (ISO):

Species : Rabbit
Result : Slight or no eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes

sodium nitrate:

Species : Rabbit
Result : Eye irritation
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405

calcium chloride:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

SAFETY DATA SHEET



Magister® CS Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	50000339	Date of first issue: 28.11.2023

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks : Mild sensitiser

Components:

clomazone (ISO):

Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: US EPA Test Guideline OPP 81-6
Result	: Not a skin sensitizer.

sodium nitrate:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Components:

clomazone (ISO):

Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	---

	Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative
--	---

Genotoxicity in vivo	: Test Type: Cytogenetic assay Species: Rat Method: OECD Test Guideline 473 Result: negative
----------------------	---

sodium nitrate:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473
-----------------------	---

SAFETY DATA SHEET



Magister® CS Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	50000339	Date of first issue: 28.11.2023

Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Mouse
Application Route: Oral
Result: negative

calcium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

clomazone (ISO):

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Method : OECD Test Guideline 453
Result : negative

Reproductive toxicity

Not classified due to lack of data.

Components:

clomazone (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Symptoms: Maternal effects
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Symptoms: Maternal effects
Result: negative

sodium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: negative

calcium chloride:

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Remarks: No significant adverse effects were reported

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

clomazone (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 days
Symptoms : increased liver weight

Species : Rat
LOAEL : 400 mg/kg
Exposure time : 90 d
Method : OECD Test Guideline 408
Symptoms : Liver effects

Aspiration toxicity

Not classified due to lack of data.

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

Components:

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

Section 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Crustaceans): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 32.7 mg/l Exposure time: 72 h EbC50 (Pseudokirchneriella subcapitata (green algae)): 20.4 mg/l Exposure time: 72 h EyC50 (Pseudokirchneriella subcapitata (green algae)): 21.4 mg/l Exposure time: 72 h
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): 4,830.2 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	: LD50 (Birds): > 2,000 mg/kg Exposure time: 7 d LD50 (Apis mellifera (bees)): > 277.8 µg/bee Exposure time: 48 h

Ecotoxicology Assessment

Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
Toxicity Data on Soil	: Harmful to the soil environment.

Components:

clomazone (ISO):

Toxicity to fish	: LC50 (Menidia beryllina (Silverside)): 6.3 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l
------------------	--

SAFETY DATA SHEET



Magister® CS Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	50000339	Date of first issue: 28.11.2023

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40.8 mg/l
Exposure time: 48 h

EC50 (Daphnia (water flea)): 5.2 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12.7 mg/l
Exposure time: 48 h
Test Type: static test

EC50 (Mysidopsis bahia (opossum shrimp)): 9.8 mg/l
Exposure time: 48 h

LC50 (Americamysis bahia (mysid shrimp)): 0.57 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l
Exposure time: 72 h

ErC50 (Selenastrum capricornutum (green algae)): 4.1 mg/l
Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.136 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13.9 mg/l
Exposure time: 7 d

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.05 mg/l
End point: Growth rate
Exposure time: 120 h

NOEC (algae): 0.05 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): 13.9 mg/l
Exposure time: 7 d

EC50 (algae): 0.136 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 2.3 mg/l
Exposure time: 21 d
Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): 2.29 mg/l
Exposure time: 57 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.2 mg/l
Exposure time: 21 d

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

NOEC (*Americamysis bahia* (mysid shrimp)): 0.032 mg/l
Exposure time: 28 d
Test Type: flow-through test

NOEC (*Daphnia magna* (Water flea)): 1.25 mg/l
Exposure time: 21 d
Test Type: static test

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 156 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (*Anas platyrhynchos* (Mallard duck)): > 2,510 mg/kg

LC50 (*Anas platyrhynchos* (Mallard duck)): > 5620 ppm
Remarks: Dietary

LD50 (*Coturnix japonica* (Japanese quail)): > 2000

NOEC (*Colinus virginianus*): 94 mg/kg
End point: Reproduction Test

LC50 (*Apis mellifera* (bees)): > 85.29

LC50 (*Apis mellifera* (bees)): > 100
Remarks: Contact

sodium nitrate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 8,600 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 157 mg/l
Exposure time: 32 d

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

calcium chloride:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 4,630 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2,400 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Chlorella vulgaris* (Fresh water algae)): 2,900 mg/l
Exposure time: 72 h

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

EC10 (Chlorella vulgaris (Fresh water algae)): 1,000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other : EC10: 320 mg/l
aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d

Persistence and degradability

Components:

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2.61 - 2.69 (20 - 21 °C)
pH: 4 - 10
Method: Regulation (EC) No. 440/2008, Annex, A.8

Mobility in soil

Components:

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2.47
Remarks: Moderately mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

Magister® CS Herbicide



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	50000339	Date of first issue: 28.11.2023

Section 13: Disposal considerations

Disposal methods

- | | | |
|------------------------|---|--|
| Waste from residues | : | The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

Section 14: Transport information

International Regulations

UNRTDG

- | | | |
|---------------------------|---|--|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Clomazone) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| Environmentally hazardous | : | yes |

IATA-DGR

- | | | |
|--|---|--|
| UN/ID No. | : | UN 3082 |
| Proper shipping name | : | Environmentally hazardous substance, liquid, n.o.s.
(Clomazone) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 964 |
| Packing instruction (passenger aircraft) | : | 964 |
| Environmentally hazardous | : | yes |

IMDG-Code

- | | | |
|----------------------|---|---|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Clomazone) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |
| Marine pollutant | : | yes |
| Remarks | : | Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per |

SAFETY DATA SHEET



Magister® CS Herbicide

Version 1.0	Revision Date: 28.11.2023	SDS Number: 50000339	Date of last issue: - Date of first issue: 28.11.2023
----------------	------------------------------	-------------------------	--

single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: 3Z
Marine pollutant	: no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR007804

ACVM Number: P004142

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2-(2-CHLOROBENZYL)-4,4-DIMETHYLISOXAZOLIDIN-3-ONE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory

SAFETY DATA SHEET



Magister® CS Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	50000339	Date of first issue: 28.11.2023

KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

Section 16: Other information

Revision Date	: 28.11.2023
Date format	: dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



Magister® CS Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	50000339	Date of first issue: 28.11.2023

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N