SAFETY DATA SHEET
according to Chemicals Ordinance (ChemO 813.11)

ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2025	50000459	Date of first issue: 13.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALL CLEAR EXTRA

Other means of identification

Product code 50000459

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Auxiliary washing mixture

Recommended restrictions on use : Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC International Switzerland Sàrl
Chemin de Blandonnet 8
1214 Vernier
Switzerland

Telephone: +41 22 518 89 61
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Switzerland: 41-435082011 (CHEMTREC)
1 703 / 741-5970 (CHEMTREC - International)
1 202 / 483-7616 (CHEMTREC - Alternate International)

Medical emergency:
Switzerland: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	85480-55-3 287-335-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 _____ Acute toxicity estimate Acute oral toxicity: 1.570 mg/kg	>= 10 - < 20
tetrasodium (1-hydroxyethylidene)bisphosphonate	3794-83-0 223-267-7	Eye Irrit. 2; H319	>= 3 - < 5
Alcohols, C12-15, ethoxylated	68131-39-5 500-195-7	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 _____ Acute toxicity estimate Acute oral toxicity: 500 mg/kg	>= 1 - < 3
Substances with a workplace exposure limit :			
(2-methoxymethylethoxy)propanol	34590-94-8 252-104-2		>= 1 - < 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : ABC powder
Dry chemical, CO2, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media	:	Do not spread spilled material with high-pressure water streams. High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Fire may produce irritating, corrosive and/or toxic gases. Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Firefighters should wear protective clothing and self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Immediately evacuate personnel to safe areas. Ensure adequate ventilation. If it can be safely done, stop the leak. Do not touch or walk through the spilled material. Never return spills in original containers for re-use. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-

miculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Storage period	:	24 Months
Recommended storage temperature	:	> 2 - < 40 °C
Further information on storage stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s)	:	Cleaner for spraying equipment

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
(2-methoxymeth-ylethoxy)propanol	34590-94-8	TWA	50 ppm 300 mg/m3	CH SUVA
	Further information: National Institute for Occupational Safety and Health			
		STEL	50 ppm 300 mg/m3	CH SUVA
	Further information: National Institute for Occupational Safety and Health			
		TWA	50 ppm 308 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef-fects	Value
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	Workers	Inhalation	Long-term systemic effects	12 mg/m3
	Workers	Dermal	Long-term systemic effects	170 mg/kg
	Consumers	Inhalation	Long-term systemic effects	3 mg/m3
	Consumers	Dermal	Long-term systemic effects	85 mg/kg
	Consumers	Oral	Long-term systemic effects	0,85 mg/kg
tetrasodium (1-hydroxyethyli-dene)bisphosphonate	Workers	Inhalation	Long-term systemic effects	16,9 mg/m3
	Workers	Dermal	Long-term systemic effects	48 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	24 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	2,4 mg/kg bw/day
	Workers	Inhalation	Long-term local ef-fects	10 mg/m3
	Consumers	Inhalation	Long-term local ef-fects	10 mg/m3
Alcohols, C12-15, ethoxylated	Workers	Inhalation	Long-term systemic effects	294 mg/m3

	Workers	Dermal	Long-term systemic effects	2080 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	87 mg/m3
	Consumers	Dermal	Long-term systemic effects	1250 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	25 mg/kg bw/day
(2-methoxymethyleth-oxy)propanol	Workers	Inhalation	Long-term systemic effects	308 mg/m3
	Workers	Dermal	Long-term systemic effects	283 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	37,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	121 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	36 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	Fresh water	0,268 mg/l
	Marine water	0,027 mg/l
	Fresh water sediment	8,1 mg/kg
	Marine sediment	8,1 mg/kg
	Soil	35 mg/kg
tetrasodium (1-hydroxyethyli-dene)bisphosphonate	Fresh water	0,096 mg/l
	Marine water	0,01 mg/l
	Fresh water sediment	193 mg/kg dry weight (d.w.)
	Marine sediment	19,3 mg/kg dry weight (d.w.)
	Soil	14 mg/kg dry weight (d.w.)
	Oral	5,3 mg/kg dry weight (d.w.)
	Sewage treatment plant	58 mg/l
Alcohols, C12-15, ethoxylated	Fresh water	0,051 mg/l
	Intermittent use/release	0,001 mg/l
	Marine water	0,005 mg/l
	Intermittent use/release	0 mg/l
	Sewage treatment plant	10 g/l
	Fresh water sediment	81,64 mg/kg dry weight (d.w.)
	Marine sediment	8,16 mg/kg dry weight (d.w.)
	Soil	1 mg/kg dry

		weight (d.w.)
(2-methoxymethylethoxy)propanol	Fresh water	19 mg/l
	Marine water	1,9 mg/l
	Fresh water sediment	70,2 mg/kg dry weight (d.w.)
	Marine sediment	7,02 mg/kg dry weight (d.w.)
	Soil	2,74 mg/kg dry weight (d.w.)
	Intermittent use (freshwater)	190 mg/l
	Sewage treatment plant	4168 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : yellow
Odour : characteristic
Odour Threshold : not determined
Melting point/freezing point : No data available
Boiling point/boiling range : No data available

Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	> 60 °C Non-flammable
Decomposition temperature	:	No data available
pH	:	10,75 - 11,5 Concentration: 1 %
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Relative density	:	ca. 1,03 - 1,05 (20 °C)
Density	:	1.030 - 1.050 kg/m3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable

9.2 Other information

Explosives	:	No data available
Oxidizing properties	:	No data available
Flammability (liquids)	:	Not classified as a flammability hazard
Self-ignition	:	Not available for this mixture.
Evaporation rate	:	No data available
Miscibility with water	:	Miscible

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: Calculation method Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Acute oral toxicity	:	LD50 (Rat, male and female): 1.570 mg/kg
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Acute oral toxicity	:	LD50 (Rat, male and female): 2.850 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 5.000 mg/kg

Alcohols, C12-15, ethoxylated:

Acute oral toxicity	:	Acute toxicity estimate: 500 mg/kg Method: Expert judgement
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 1,6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Acute oral toxicity	:	LD50 Oral (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: no mortality
Acute inhalation toxicity	:	LC0 (Rat, male and female): > 275 ppm Exposure time: 7 h Test atmosphere: vapour Remarks: no mortality
Acute dermal toxicity	:	LD50 Dermal (Rabbit, male): 10 ml/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Assessment	:	Irritating to skin.
Result	:	Inflammation

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	irritating

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Alcohols, C12-15, ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Species	:	Human
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	:	Bovine cornea
Assessment	:	Irritating to eyes.
Result	:	Eye irritation
Remarks	:	(Data on the product itself)

Study conducted in February 2013 by Harlan Laboratories, study number 41300559. Product does not meet the classification criteria as "Eye Damage Category 1" (H318). Product classified as "Eye Irritant Category 2" (H319) based on study results.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Species : Rabbit
Result : Irreversible effects on the eye

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Alcohols, C12-15, ethoxylated:

Result : Irreversible effects on the eye

(2-methoxymethylethoxy)propanol:

Species : Human
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Assessment : Not a skin sensitizer.
Remarks : Based on available data, the classification criteria are not met.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Test Type : Maximisation Test
Species : Guinea pig
Result : Does not cause skin sensitisation.

Remarks : Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Test Type : Maximisation Test
Exposure routes : Intradermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Species : Humans
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: Regulation (EC) No. 440/2008, Annex, B.13/14 (Ames test)
Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Mouse (male)
Application Route: Ingestion
Result: negative

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Genotoxicity in vitro : Test Type: Micronucleus test
Method: OECD Test Guideline 487
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Rodent Dominant Lethal Assay
Species: Mouse (male)
Application Route: Oral

Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Alcohols, C12-15, ethoxylated:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Test Type: Bone marrow chromosome aberration
Species: Rat (male and female)
Method: OECD Test Guideline 475
Result: negative
Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Test Type: in vitro assay
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Species	:	Rat, male
Application Route	:	Oral
Dose	:	19, 78, 384 mg/kg bw/day
NOAEL	:	>= 384 mg/kg bw/day
Result	:	negative
Remarks	:	Based on data from similar materials
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

(2-methoxymethylethoxy)propanol:

Species	:	Rat, male and female
Application Route	:	inhalation (vapour)
Exposure time	:	2 years
Dose	:	300, 1000, 3000ppm
	:	300 ppm
Method	:	OECD Test Guideline 453
Result	:	negative
Remarks	:	Based on data from similar materials
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Method: OECD Test Guideline 416 Result: negative
Effects on foetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Result: positive

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Effects on fertility	:	Test Type: Two-generation study Species: Rat, female Application Route: Oral Dose: 0, 112, 447 mg/kg bw/d General Toxicity - Parent: LOAEL: 447 mg/kg bw/day General Toxicity F1: LOAEL: 447 mg/kg bw/day Remarks: Based on data from similar materials

Effects on foetal development	:	Test Type: Two-generation study Species: Rat Application Route: Oral Dose: 0, 112, 447 mg/kg bw/d General Toxicity Maternal: LOAEL: 447 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 447 mg/kg bw/day Result: negative Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Dermal General Toxicity - Parent: NOAEL: 250 mg/kg body weight Fertility: NOAEC Mating/Fertility: 250 mg/kg body weight Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Dermal General Toxicity Maternal: NOEL: 100 mg/kg body weight Embryo-foetal toxicity: NOAEL: > 250 mg/kg body weight Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Inhalation Dose: 300, 1000, 3000ppm General Toxicity - Parent: NOAEL: 300 General Toxicity F1: NOAEL: 1.000 General Toxicity F2: NOAEL: 1.000 Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Developmental Toxicity Screening Test Species: Rat Application Route: Inhalation Dose: 0, 50, 150, 300 parts per million General Toxicity Maternal: LOAEL: >= 300 part per million Teratogenicity: LOAEL: >= 300 part per million Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

(2-methoxymethylethoxy)propanol:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Species	:	Rat, male and female
NOAEL	:	300 mg/kg
Application Route	:	Oral - feed
Exposure time	:	>75 d

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Species	:	Rat, male and female
NOAEL	:	41 mg/kg bw/day
LOAEL	:	169 mg/kg bw/day
Application Route	:	Oral - feed
Exposure time	:	90 d
Dose	:	41, 169, 817 mg/kg bw/day
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Species	:	Rat, male and female
NOAEL	:	500 mg/kg
Application Route	:	Oral
Exposure time	:	90d
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Species	:	Rat, male and female

NOAEL	:	200 mg/kg
Application Route	:	Oral
Exposure time	:	4 weeks
Dose	:	40, 200, 1000mg/kg
Species	:	Rat, male and female
NOAEL	:	200 ppm
Application Route	:	inhalation (vapour)
Exposure time	:	13 weeks
Dose	:	15, 50, 200 ppm
Species	:	Rabbit, male
NOAEL	:	2850 mg/kg bw/day
Application Route	:	Dermal
Exposure time	:	90d
Dose	:	1, 3, 5, 10 ml/kg
Remarks	:	mortality

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Product:

Inhalation	:	Target Organs: Respiratory system Symptoms: Irritation
Ingestion	:	Target Organs: Gastrointestinal tract Symptoms: Irritation, Nausea

Further information

Product:

Remarks	:	No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: No data is available on the product itself.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data is available on the product itself.
Toxicity to algae/aquatic plants	:	Remarks: No data is available on the product itself.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,67 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2,9 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,63 mg/l Exposure time: 196 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC50: 1,7 mg/l Exposure time: 24 d Species: Hyalella azteca (Amphipod) Method: OECD Test Guideline 211
Toxicity to soil dwelling organisms	:	NOEC: 250 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 195 mg/l Exposure time: 96 h Test Type: flow-through test Remarks: Based on data from similar materials LC50 (Cyprinodon variegatus (sheepshead minnow)): 2.180 mg/l Exposure time: 96 h Test Type: static test Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 527 mg/l Exposure time: 48 h Test Type: static test Remarks: Based on data from similar materials LC50 (Palaeomonetes vulgaris (Grass shrimp)): 1.770 mg/l Exposure time: 96 h Test Type: static test Remarks: Based on data from similar materials
Toxicity to microorganisms	:	NOEC (activated sludge): 200 mg/l Exposure time: 11 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 6,75 mg/l Exposure time: 28 d Species: Daphnia magna (Water flea) Test Type: semi-static test Remarks: Based on data from similar materials
Toxicity to soil dwelling organisms	:	NOEC: 500 mg/kg Exposure time: 28 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222 EC50: > 1.000 mg/kg Exposure time: 28 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222
Plant toxicity	:	NOEC: >= 960 mg/kg Exposure time: 14 d Species: Avena sativa (oats) Method: OECD Test Guideline 208
Toxicity to terrestrial organisms	:	LC0: > 284 mg/kg Exposure time: 14 d Species: Anas platyrhynchos (Mallard duck) Remarks: Information given is based on data obtained from similar substances. LC50: > 284 mg/kg Exposure time: 14 d Species: Colinus virginianus (Bobwhite quail) Remarks: Information given is based on data obtained from similar substances.

Alcohols, C12-15, ethoxylated:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 2 mg/l Exposure time: 96 h Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 2 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16,9 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,11 - 0,28 mg/l Exposure time: 30 d Species: Pimephales promelas (fathead minnow) Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 1,75 mg/l End point: Immobilization Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials NOEC: 0,77 mg/l End point: reproduction Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials
Toxicity to soil dwelling organisms	:	LC50: > 1.000 mg/kg Species: Eisenia fetida (earthworms)

(2-methoxymethylethoxy)propanol:

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 1.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 1.919 mg/l Exposure time: 48 h Test Type: static test LC50 (Crangon crangon (shrimp)): > 1.000 mg/l Exposure time: 48 h Test Type: semi-static test
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 969 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 969 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): 4.168 mg/l
Exposure time: 18 h
Test Type: Growth inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,5 mg/l
Exposure time: 22 d
Species: Daphnia magna (Water flea)
Test Type: flow-through test
Remarks: No toxicity at the limit of solubility

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 85 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301B
Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
Bioconcentration factor (BCF): 2
Method: OECD Test Guideline 305E

Partition coefficient: n-octanol/water : log Pow: 1,51 (25 °C)

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 71
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: -3 (23 °C)
pH: 11,4

Alcohols, C12-15, ethoxylated:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
Exposure time: 24 d
Bioconcentration factor (BCF): 237
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4,91 - 6,78 (40 °C)

(2-methoxymethylethoxy)propanol:

Partition coefficient: n-octanol/water : log Pow: 0,004 (25 °C)

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : This product has no known ecotoxicological effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Risk Reduction Ordinance (ORRChem, SR 814.81)	:	Conditions of restriction for the following annexes should be considered: Annex 1.11 Dangerous liquid substances
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
PIC Ordinance, ChemPICO (814.82)	:	Not applicable
Ordinance on Protection against Major Accidents Threshold quantity according to Major Accidents Ordinance (MAO 814.012)	:	Not applicable

Waters Protection Ordinance (WPO 814.201)
Water pollution class : Class B

Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.

H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
CH SUVA	:	Switzerland. Limit values at the work place
2000/39/EC / TWA	:	Limit Value - eight hours
CH SUVA / TWA	:	Time Weighted Average
CH SUVA / STEL	:	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information :

Classification of the mixture:		**Classification procedure:**
Skin Irrit. 2	H315	Based on product data or assessment
Eye Irrit. 2	H319	Based on product data or assessment
Aquatic Chronic 3	H412	Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

CH / 6N