According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Verimark 20 SC

Other means of identification

Product code 50000099

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Insecticide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agro ITALIA S.r.l

Via Fratelli Bronzetti 32/28

24124 Italy

Telephone: (+39) 035 199 04 468 E-mail address: info.it@fmc.com

SDS-Info@fmc.com (E-Mail General Information)

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Italy: +39 024527031 (CHEMTREC)

1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:

CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Ac-

cettazione DEA Roma - Tel. 06 68593726 CAV Az. Osp. Univ. Foggia - Tel. 800183459

CAV Az. Osp. "A. Cardarelli" Napoli - Tel. 081 5453333 CAV Policlinico "Umberto I" Roma - Tel. 06 49978000 CAV Policlinico "A. Gemelli" Roma - Tel. 06 3054343 CAV Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze -

Tel. 055 7947819

CAV Centro Nazionale di Informazione Tossicologica Pavia -

Tel. 0382 24444

CAV Osp. Niguarda Ca' Granda Milano - Tel. 02 66101029 CAV Azienda Ospedaliera Papa Giovanni XXIII Bergamo - Tel.

800883300

CAV Azienda Ospedaliera Integrata Verona - Tel. 800011858

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H332: Harmful if inhaled.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H332 Harmful if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-

2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cyantraniliprole	736994-63-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 0,0002 - < 0,0015

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version 1.0	Revision Date: 07.06.2022	SDS Number: 50000099	Date of last issue: - Date of first issue: 07.06.2022
			specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
			Acute toxicity estimate
			Acute oral toxicity: 200 mg/kg Acute inhalation tox- icity (dust/mist): 0,33 mg/l
	volanation of ahbrevis	tions are tion 40	Acute dermal toxicity: 87 mg/kg

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.

Wash contaminated clothing before re-use.

Wash off with soap and water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Halogenated compounds

Nitrogen oxides (NOx)

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Specific extinguishing meth-

ods

Use a water spray to cool fully closed containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Standard procedure for chemical fires.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment. Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labelled containers. Never return spills in original containers for re-use.

Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Hygiene measures : Wash hands before breaks and at the end of workday. Avoid

contact with skin, eyes and clothing. Do not inhale aerosol.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Agricultural compounds

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	Workers	Inhalation	Long-term local effects	0,02 mg/m3
	Workers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Consumers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg
	Consumers	Oral	Acute systemic effects	0,11 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Intermittent use/release	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20 g/l
	Fresh water sediment	572 mg/kg
	Marine sediment	57,2 mg/kg
	Soil	50 mg/kg
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Fresh water	0,00339 mg/l
	Intermittent use/release	0,00339 mg/l
	Marine water	0,00339 mg/l
	Sewage treatment plant	0,23 mg/l
	Fresh water sediment	0,027 mg/kg
	Marine sediment	0,027 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid, suspension

Colour : white

Odour : odourless

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Odour Threshold : not determined

Melting point/range : No data available

Boiling point/boiling range : 98 °C

Flammability : The product is not flammable.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : > 98 °C

Method: closed cup

No flash up to boiling point.

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 7,3

Concentration: 10 g/l

Viscosity

Viscosity, dynamic : 799 mPa,s

25 rpm

474 mPa,s 50 rpm

286 mPa,s 100 rpm

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : No data available

Relative density : 1,068

Density : No data available

Bulk density : 1,0 - 1,2 g/cm3

Relative vapour density : Not available for this mixture.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The product is not oxidizing.

Self-ignition : > 800 °C

Auto-ignition temperature

Evaporation rate : Not available for this mixture.

Molecular weight : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Avoid formation of aerosol.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Mouse): > 5.000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

07.06.2022 50000099 Date of first issue: 07.06.2022 1.0

LC50 (Rat): > 3,7 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Remarks: (Data on the product itself) Information source: Internal study report

LD50 (Rat): > 5.000 mg/kgAcute dermal toxicity

Method: OECD Test Guideline 402

GLP: yes

Remarks: (Data on the product itself) Information source: Internal study report

Components:

Cyantraniliprole:

Acute oral toxicity LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 425

: LC50 (Rat): > 5,2 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Acute oral toxicity LD50 Oral (Rat, female): 200 mg/kg

Method: OECD Test Guideline 423

Acute toxicity estimate: 200 mg/kg Method: Calculation method

Acute inhalation toxicity LC50 (Rat, male and female): 0,33 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract.

Acute toxicity estimate: 0,33 mg/l Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity LD50 (Rabbit, male): 87 mg/kg

> Acute toxicity estimate: 87 mg/kg Method: Calculation method

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Cyantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Cyantraniliprole:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Species : multiple species

Method : OECD Test Guideline 429

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Cyantraniliprole:

Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : The product is a skin sensitiser, sub-category 1A.

Germ cell mutagenicity

Not classified based on available information.

Components:

Cyantraniliprole:

Germ cell mutagenicity- As- : Tests on bacterial or mammalian cell cultures did not show

sessment mutagenic effects.

Carcinogenicity

Not classified based on available information.

Components:

Cyantraniliprole:

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-

ment cinogen

Reproductive toxicity

Not classified based on available information.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Components:

Cyantraniliprole:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat

NOAEL : > 1.000 mg/kg

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 407 Symptoms : increased liver weight

Remarks : Based on available data, the classification criteria are not met.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Species : Dog NOAEL : 22 mg/kg Application Route : Oral

Species : Rat

NOAEL : 16,3 - 24,7 mg/kg Application Route : Skin contact

Species : Rat

NOAEL : 2.36 mg/m³ Application Route : Inhalation

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0724 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0204 mg/l

Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 0,00969 mg/l

Exposure time: 21 d

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

plants mg/l

Exposure time: 72 h

EbC50 (Pseudokirchneriella subcapitata (algae)): > 13 mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,278 mg/l

Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0,060 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 2,9 mg/l Exposure time: 28 d

Species: Cyprinodon variegatus (sheepshead minnow)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,00656 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 0.0934 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: > $0.1055 \mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: 2.250 mg/kg

Species: Colinus virginianus (Bobwhite quail)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l

Exposure time: 96 h

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,16 mg/l

Exposure time: 48 h

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

NOEC (Daphnia magna (Water flea)): 0,1 mg/l

Exposure time: 21 Days

EC50 (Daphnia magna (Water flea)): 0,18 mg/l

Exposure time: 21 Days

Toxicity to algae/aquatic

plants

NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0,019 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Skeletonema costatum (marine diatom)): 0,037 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to microorganisms : NOEC (activated sludge): 0,91 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

EC50 (activated sludge): 4,5 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,02 mg/l

Exposure time: 35 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Chronic Toxicity Value: 0,18 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

dient.

Components:

Cyantraniliprole:

Biodegradability Remarks: Not readily biodegradable.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

Cyantraniliprole:

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

> Bioconcentration factor (BCF): < 1 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 1,97 (22 °C)

pH: 4

log Pow: 2,07 (22 °C)

pH: 7

log Pow: 1,74 (22 °C)

pH: 9

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1):

Bioaccumulation Exposure time: 28 d

> Bioconcentration factor (BCF): < 54 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: Pow: 0,75

12.4 Mobility in soil

Product:

mental compartments

Distribution among environ: Remarks: The product is not expected to be mobile in soils.

18 / 25

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Components:

Cyantraniliprole:

Distribution among environmental compartments

: Remarks: The product is not expected to be mobile in soils.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This mixture contains no substance considered to be persis-

tent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bio-

accumulating (vPvB).

This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

No data is available on the product itself.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

The product should not be allowed to enter drains, water

courses or the soil.

Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Cyantraniliprole)

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

E1

Legislative Decree April 9,2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA: Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

3-BROMO-1-(3-CHLORO-2-PYRIDYL)-4'-CYAN-2'-METHYL-

6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-

CARBOXANILIDE

ACTI-GEL 208 (ACTIVE MINERALS)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

Chemical Safety Assessments (CSA) under REACH are carried out at the substance level when the substance is registered thru ECHA. It includes exposure scenarios for all the identified uses of the substance. Chemical Safety Assessments are not performed on mixtures.

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed. H310 : Fatal in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

EUH071 : Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Corr. : Skin corrosion Skin Sens. : Skin sensitisation

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Acute Tox. 4 H332 Based on product data or assessment
Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 1 H410 Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Verimark 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.06.2022 50000099 Date of first issue: 07.06.2022

FMC Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

IT / 6N