Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Verimark®

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Agro Singapore Pte Ltd

Address : 10 Marina Boulevard #40-01,

Marina Bay Financial Centre

Singapore 018983

Telephone : +65 3165 2600

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:

+(65)-31581349 (CHEMTREC)

1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:

+ 1 651 632 6793 (Collect)

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms

Signal Word : WARNING

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cyantraniliprole	736994-63-1	>= 10 -< 20

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Carbon oxides
Hydrogen chloride
Hydrogen cyanide
Bromine compounds
Chlorinated compounds

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO

Use a water spray to cool fully closed containers.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. If it can be safely done, stop the leak. Evacuate personnel to safe areas.

Verimark®



SDS Number: Date of last issue: -Version Revision Date:

08.01.2025 50000099 Date of first issue: 01.03.2018 1.1

Do not touch or walk through the spilled material.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapors/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse

storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not

be present. A hand wash station should be available.

Recommended storage tem-> 0 °C

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

perature

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : suspension

Color : white

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Odor : odorless

Odor Threshold : No data available

pH : 4-8

Concentration: 10 g/l

Melting point/ range : No data available

Boiling point/boiling range : 98 °C

Flash point : > 98 °C

Method: closed cup

No flash up to boiling point.

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not available for this mixture.

Relative vapor density : No data available

Density : No data available

Bulk density : 1.0 - 1.2 g/cm3

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not available for this mixture.

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 799 mPa.s

25 rpm

474 mPa.s

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

50 rpm

286 mPa.s 100 rpm

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid formation of aerosol.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 3.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: ves

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Cyantraniliprole:

Acute oral toxicity : LD50 (Mouse, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icitv

Remarks: no mortality

LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425

GLP: ves

Assessment: The substance or mixture has no acute oral tox-

city

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Components:

Cyantraniliprole:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

Components:

Cyantraniliprole:

Species : Rabbit
Result : slight irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species : multiple species

Assessment : Does not cause skin sensitization.

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Components:

Cyantraniliprole:

Test Type : Local lymph node test

Routes of exposure : Dermal Species : Mouse

Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

GLP : yes

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Test Type : Buehler Test Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Test Type : Magnussen-Kligman test

Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406
Result : Causes skin sensitization.

GLP : yes

Remarks : see user defined free text

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: reverse mutation assay Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative GLP: ves

Germ cell mutagenicity -

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Species : Rat, male and female

Application Route : Ingestion Exposure time : 2 Years

NOAEL : 200 - 2,000 ppm

Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Ingestion
Exposure time : 18 month(s)
NOAEL : 7,000 ppm

Method : OECD Test Guideline 451

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Test Type: Pre-natal Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 25 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day

Symptoms: Maternal effects. Method: OECD Test Guideline 414

Result: negative

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat

NOAEL : > 1,000 mg/kg

Application Route : Oral Exposure time : 28 Days

Method : OECD Test Guideline 407 Symptoms : increased liver weight

Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female NOAEL : 6.9 - 168 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3100

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female NOAEL : 1091.8 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3100

Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female NOAEL : 3.08 - 3.48 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days





Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Method : OPPTS 870.3150

Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female NOAEL : 8.3 - 106.6 mg/kg bw/day

Application Route : Ingestion Exposure time : 2 yr

Method : OPPTS 870.4300

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female NOAEL : 768.8 - 903.8 mg/kg bw/day

Application Route : Ingestion
Exposure time : 18 Months
Method : OPPTS 870.4200

Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female NOAEL : 5.67 - 6 mg/kg bw/day

Application Route : Ingestion Exposure time : 1 yr

Method : OPPTS 870.4100

Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female

NOAEL : 1000 mg/kg Application Route : Dermal Exposure time : 28 Days

Method : OECD Test Guideline 410

GLP : yes Symptoms : Irritation

Remarks : Effects are of limited toxicological significance.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 99 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0724 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 66.3

mg/l

Exposure time: 72 h

Components:

Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l

Exposure time: 96 h

Method: US EPA Test Guideline OPP 72-1

GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0204 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13

mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0.278 mg/l

Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0.060 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

: 10

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9

mg/l

Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l

Exposure time: 21 d

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

NOEC (Oncorhynchus mykiss (rainbow trout)): 1.01 mg/l

Exposure time: 90 d Test Type: Early Life-Stage

Method: US EPA Test Guideline OPP 72-4

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00656 mg/l

End point: Growth Exposure time: 21 d Test Type: Static-Renewal

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

LOEC (Daphnia magna (Water flea)): 0.00969 mg/l

End point: Growth Exposure time: 21 d Test Type: Static-Renewal

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0.72 mg/l

End point: reproduction Exposure time: 35 d Test Type: flow-through test

Method: US EPA Test Guideline OPP 72-4

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

NOEC (Eisenia fetida (earthworms)): 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 222

GLP: yes

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 0.0934 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

GLP: yes

LD50 (Apis mellifera (bees)): > 0.1055 μg/bee

Exposure time: 48 h

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

End point: Acute oral toxicity Method: OECD Test Guideline 213

GLP: yes

LD50 (Colinius virginianus): > 2,250 mg/kg

End point: Acute oral toxicity

Method: US EPA Test Guideline OPPTS 850.2100

GLP: yes

NOEC (Anas platyrhynchos (Mallard duck)): 1,000 ppm

End point: Reproduction Test Method: OECD Test Guideline 206

GLP: yes

Persistence and degradability

Components:

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 1 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 1.97 (22 °C)

pH: 4

log Pow: 2.07 (22 °C)

pH: 7

log Pow: 1.74 (22 °C)

pH: 9

Mobility in soil

Components:

Cyantraniliprole:

Distribution among environ-

mental compartments

Koc: 241 ml/g, log Koc: 2.38

Kd: 3.73 ml/g

Remarks: Mobile in soils

Verimark®



Revision Date: SDS Number: Date of last issue: -Version

08.01.2025 50000099 Date of first issue: 01.03.2018 1.1

Other adverse effects

Product:

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

Class 9 Packing group Ш Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Cyantraniliprole)

Class 9 Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous

964

yes

964

Verimark®



SDS Number: Version Revision Date: Date of last issue: -

08.01.2025 50000099 1.1 Date of first issue: 01.03.2018

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

Class Packing group Ш Labels 9

EmS Code F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Not applicable

Fire Safety (Petroleum and Flammable Materials) : Not applicable

Regulations

The ingredients of this product are reported in the following inventories:

TCSI On the inventory, or in compliance with the inventory

TSCA Product contains substance(s) not listed on TSCA inventory.

AIIC Not in compliance with the inventory

DSL This product contains the following components that are not

on the Canadian DSL nor NDSL.

Cyantraniliprole Palygorskite

ENCS Not in compliance with the inventory

ISHL Not in compliance with the inventory

KECI Not in compliance with the inventory





Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 08.01.2025

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Verimark®



Version Revision Date: SDS Number: Date of last issue: -

1.1 08.01.2025 50000099 Date of first issue: 01.03.2018

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

SG / EN