ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name ALTIFY™ H2O HERBICIDE

Other means of identification

Product code 50001299

Chemical nature Mixture

Recommended use of the chemical and restrictions on use

Recommended use Aquatic herbicide

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 (General Information)

SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS label elements

Hazard Statements : This material is not hazardous under the criteria of the Federal

OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

Chemical name	CAS-No.	Concentration (% w/w)
carfentrazone-ethyl (ISO)	128639-02-1	>= 10 - < 20
propane-1,2-diol	57-55-6	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician

: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Carbon oxides Chlorine compounds Fluorine compounds

Further information : Collect contaminated fire extinguishing water separately. This

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
Compensite	0710.	value type	O O I II O I PAI AI I I	200

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

		(Form of exposure)	ters / Permissible concentration	
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhal- able particu- late matter)	1 mg/m3	ACGIH
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : off-white

Odor : mild

Odor Threshold : No data available

pH : 4.29

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : $219 \, ^{\circ}\text{F} / 104 \, ^{\circ}\text{C}$

Method: Seta closed cup

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Density : 8.8 lb/gal

Partition coefficient: n-

octanol/water

No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : No data available

Hazardous decomposition

products

Carbon oxides

Nitrogen oxides (NOx)

Hydrogen fluoride

Hydrogen chloride gas

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 Oral (Rat): 4,077 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.31 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rat): > 4,000 mg/kg

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Not classified as irritant Result : Moderate skin irritation

Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : Moderate eye irritation
Assessment : Not classified as irritant

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : Not a skin sensitizer.

Remarks : Based on data from a similar product.

Germ cell mutagenicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Germ cell mutagenicity -

: No genotoxic potential

Assessment

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

Carcinogenicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Reproductive toxicity - As-

sessment

: Animal testing showed no reproductive toxicity.

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Mouse Application Route: Oral

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

carfentrazone-ethyl (ISO):

Species : Rat

NOAEL : 58 mg/kg

Application Route : Oral

Exposure time : 90 days

propane-1,2-diol:

Species : Rat, male and female

NOAEL : 1,700 mg/kg

Application Route : Oral Exposure time : 2 Years

Species : Rat, male and female

NOAEL : 1,000 mg/kg LOAEL : 160 mg/kg Application Route : Inhalation Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies.

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

carfentrazone-ethyl (ISO):

Toxicity to fish : LC50 (Fish): 1.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 9.8 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.012 mg/l

Exposure time: 72 h

NOEC (algae): 0.001 mg/l Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.0057 mg/l

Exposure time: 14 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 0.0187 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 0.22 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 820 mg/kg

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organ-

isms

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee

End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee

End point: Acute contact toxicity

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100

mg/

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 13,020 mg/l Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Persistence and degradability

Components:

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 23.6 % Exposure time: 64 d

Method: OECD Test Guideline 306

Bioaccumulative potential

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 176

Remarks: See section 9 for octanol-water partition coefficient.

propane-1,2-diol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

Mobility in soil

Components:

carfentrazone-ethyl (ISO):

Distribution among environ- : Remarks: Mobile in soils

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

mental compartments

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Carfentrazone-ethyl)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Carfentrazone-ethyl)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Carfentrazone-ethyl)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Carfentrazone-ethyl)

Class : 9 Packing group : III

Labels : CLASS 9 ERG Code : 171

Marine pollutant : yes (Carfentrazone-ethyl)

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol 57-55-6 >= 1 - < 5 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

water 7732-18-5
Acetic acid, C9-11-branched alkyl esters, C10-rich 108419-34-7
carfentrazone-ethyl (ISO) 128639-02-1
Oxirane, methyl-, polymer with oxirane, monobutyl ether propane-1,2-diol 57-55-6
high molecular weight polymeric emulsifier Not Assigned

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-

(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

high molecular weight polymeric emulsifier

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:

HEALTH	1	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average

US WEEL / TWA : 8-hr TWA

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

ALTIFY™ H2O HERBICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.2 04/05/2022 50001299 Date of first issue: 01/10/2018

© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet