SAFETY DATA SHEET

Harmony 75 WG

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: HARMONY 75-A

Revision date: 2019-01-03

Format: EU Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) HARMONY 75-A

Product Name Harmony 75 WG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: Herbicide

Restrictions on useUse as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Supplier CHEMINOVA A/S, a subsidiary of FMC Corporation

Thyborønvej 78 DK-7673 Harboøre Denmark

+45 9690 9690

SDS.Ronland@fmc.com

For further information, please contact:

Contact point (+45) 97 83 53 53 (24 h; for emergencies only)

1.4. Emergency telephone number

Emergency telephone Medical emergencies:

Austria: +43 1 406 43 43 Belgium: +32 70 245 245 Bulgaria: +359 2 9154 409

Cyprus: 1401

Czech Republic: +420 224 919 293, +420 224 915 402

Denmark: +45 82 12 12 12 France: +33 (0) 1 45 42 59 59 Finland: +358 9 471 977 Greece: 30 210 77 93 777 Hungary: +36 80 20 11 99

Ireland (Republic): +352 1 809 2166

Italy: +39 02 6610 1029

Lithuania: +370 523 62052, +370 687 53378

Luxembourg: +352 8002 5500 Netherlands: +31 30 274 88 88 Norway: +47 22 591300

Poland: +48 22 619 66 54, +48 22 619 08 97

Portugal: 808 250 143 (in Portugal only), +351 21 330 3284

Romania: +40 21318 3606 Slovakia: +421 2 54 77 4 166 Slovenia: +386 41 650 500

Page 1/10

Version 1

Spain: +34 91 562 04 20 Sweden: +46 08-331231112

Switzerland: 145

United Kingdom: 0870 600 6266 (in the UK only)

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

2.2. Label elements

Hazard pictograms



Signal Word Warning

Hazard Statements

H410 - Very toxic to aquatic life with long lasting effects

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Precautionary Statements

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

None of the ingredients in the product meets the criteria for being PBT or vPvB.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	
Thifensulfuron-methyl	-	79277-27-3	75	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available	
Alkylnaphthalenesulfo nic acid, polymer with formaldehyde, sodium salt	-	68425-94-5	1-5	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	No data available	

Additional Information

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16

Section 4: FIRST AID MEASURES

Version 1

4.1. Description of first aid measures

Eye Contact Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids,

until no evidence of chemical remains. Remove contact lenses after a few minutes and

rinse again. See physician if any symptom develops.

Skin Contact Immediately remove contaminated clothing and footwear. In case of skin contact, flush with

water. Wash skin with soap and water. See physician if any symptom develops.

Inhalation If experiencing any discomfort, immediately remove from exposure. Light cases: Keep

person under surveillance. Get medical attention immediately if symptoms develop. Serious

cases: Get medical attention immediately or call for an ambulance.

Ingestion Do NOT induce vomiting. Rinse mouth with water and afterwards drink plenty of water or

milk. If vomiting does occur, rinse mouth and drink fluids again. Call a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Possibly irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Immediate medical attention is required in cases of ingestion. It may be helpful to show this safety data sheet to physician. There is no specific antidote against this substance. Gastric lavage and/or administration of activated charcoal can be considered. After

decontamination, treatment is supportive and symptomatic as for a general chemical.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Dry chemical or carbon dioxide for small fires, water spray or foam for large fires.

Unsuitable extinguishing media

Avoid heavy hose streams.

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as nitrogen oxides, sulphur dioxide, carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots. Stop the source of the spill immediately if safe to do so. Keep unprotected persons away from the spill area.

Version 1

For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. Use non-sparking tools and equipment. If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should immediately be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with detergent and much water. Absorb wash liquid onto inert absorbent such as universal binder, Fuller's earth, bentonite or other absorbent clay and collect in suitable containers. The used containers should be properly closed and labelled.

Methods for cleaning up

If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with damp cloth and/or strong industrial detergent with much water. Absorb wash liquid onto a suitable absorbent such as universal binder, attapulgite, bentonite or other absorbent clays and transfer contaminated absorbent to suitable containers. The used containers should be properly closed and labelled.

spills which soak into the ground should be dug up and transferred to suitable containers. in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

6.4. Reference to other sections

See Section 8 "Exposure Controls/Personal Protection" for specific details. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

In an industrial environment it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. Otherwise it is recommended to handle the material by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Avoid contact with skin, eyes and clothing. Avoid breathing dust. Remove and wash contaminated clothing before re-use.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

The product is stable under normal conditions of warehouse storage. To maintain quality, maximum storage temperatures should not exceed 50°C.

Keep in properly labelled containers. Keep containers tightly closed in a cool, well-ventilated place. Store rooms or warehouses should be made of non-combustible materials with impermeable floors. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Version 1

Specific Use(s)

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

An exposure limit of 10 mg/m³ (8-hr TWA) is recommended for other sulphonylureas. To the best of our knowledge, personal exposure limits have not been established for any of the ingredients in this product. However, personal exposure limits defined by local regulations may exist and must be observed.

Thifensulfuron-methyl:

AOEL: 0.07 mg/kg/day

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits (if listed above).

When working in confined spaces (tanks, containers, etc.), make sure there is an adequate source of air for breathing and wear the recommended equipment. Ventilate all transport

vehicles prior to discharge.

Personal protective equipment

Eye/Face Protection Wear face mask rather than goggles or safety glasses. The possibility of eye contact should

be excluded. The work area and storage formulation area must have emergency eyewash

and showers.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Skin and Body ProtectionWear appropriate chemical resistant clothing to prevent skin contact depending on the

extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of appreciable or prolonged exposure,

coveralls of barrier laminate may be required.

Respiratory Protection The product does not automatically present an airborne exposure concern during normal

handling. In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers should put on officially approved respiratory protection equipment

with a universal filter type including particle filter.

Environmental exposure controls Do not release to the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid

AppearanceLight brown GranulesOdourNo information availableColourNo information availableOdour thresholdNo information available

HARMONY 75-A Harmony 75 WG

SDS #: HARMONY 75-A Revision date: 2019-01-03

Version 1

pH 4.37; 10 g/l dispersion in water

Melting point/freezing point Thifensulfuron- methyl: 173° C Decomposes

Boiling point/boiling range No information available

Decomposes

Flash point
Evaporation Rate
Flammability (solid, gas)
Flammability Limit in Air

No information available
No information available
Not highly flammable

Upper flammability limit:
Lower flammability limit
No information available
No information available

Vapour pressure Thifensulfuron-methyl: 7.5 x 10-9 Pa at 20°C

1.7 x 10-8 Pa at 25°C

Vapour densityNo information availableSpecific gravityNo information available

Water solubility Thifensulfuron- methyl: 0.223 g/l at pH 5 and 25°C

2.24 g/l at pH 7 and 25°C 8.83 g/l at pH 9 and 25°C 2.040 g/l at pH 7 and 20°C

Solubility in other solvents Thifensulfuron- methyl: <0.1 g/l (n-hexane)

7.3 g/l (acetonitrile)

Partition coefficient Thifensulfuron-methyl : log Kow = -1.7 at pH 7 and 25°C

Autoignition temperature No information available

Product is not self-ignitable.

Decomposition temperature 173°C

Viscosity, kinematic No information available Viscosity, dynamic No information available

Explosive propertiesOxidising properties
Not explosive
Non-oxidizing

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
No information available
No information available
No information available

Bulk density 0.75 g/cm³

K_{st} No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

To our knowledge, the product has no special reactivities.

10.2. Chemical stability

The product is stable during normal handling and storage at ambient temperatures.

Explosion data

Sensitivity to Mechanical Impact None known. Sensitivity to Static Discharge None known.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Heating can release hazardous gases.

Version 1

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

See Section 5 for more information.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

LD50 Oral > 5000 mg/kg (rat) (Method OECD 425) **LD50 Dermal** > 5000 mg/kg (rat) OECD 402

Inhalation LC50 > 5.3 mg/l 4 hr (rat) (Method: OECD 403)

Skin corrosion/irritationNo skin irritation. (Method: OECD 404). **Serious eye damage/eye irritation**No eye irritation. (Method: OECD 405).

Sensitisation Not a skin sensitiser.

MutagenicityThe product contains no ingredients known to be mutagenic.CarcinogenicityThe product contains no ingredients known to be carcinogenic.

Reproductive toxicityThe product contains no ingredients known to have adverse effects on reproduction.

STOT - single exposure No specific effects after single exposure have been observed.

STOT - repeated exposure Thifensulfuron- methyl: LOEL: approx. 200 mg/kg bw/day, 90 day rat study.

Symptoms Possibly irritation. To our knowledge, adverse effects in humans have not been reported.

Aspiration hazard The product does not present an aspiration pneumonia hazard.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity The ecotoxicity of the product is measured as:

12.2. Persistence and degradability

Thifensulfuron-methyl: Not readily biodegradable. Not persistent in the environment. Primary degradation half-lives vary from a few days to a few weeks in aerobic soil and water. Degradation products are not readily biodegradable and remain in soil for a few months.

The product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

HARMONY 75-A Harmony 75 WG

SDS #: HARMONY 75-A Revision date: 2019-01-03

Version 1

12.3. Bioaccumulative potential

See section 9 for n-octanol/water partition coefficient. Thifensulfuron-methyl: Does not bioaccumulate.

Bioconcentration factor (BCF) 1 (Thifensulfuron-methyl)

12.4. Mobility in soil

Mobility in soil

Thifensulfuron- methyl: Mobile in soil.

12.5. Results of PBT and vPvB assessment

None of the ingredients in the product meets the criteria for being PBT or vPvB.

12.6. Other adverse effects

None known.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products

Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste. Dispose of as hazardous waste in compliance with local and national regulations. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated Packaging

It is recommended to consider possible ways of disposal in the following order:

- 1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
- 2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
- 3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
- 4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no 307

14.2 Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (thifensulfuron-methyl)

14.3 Hazard class914.4 Packing GroupIII14.5 Marine PollutantYesEnvironmental HazardYes

14.6 Special ProvisionsDo not release to the environment

14.7 Transport in bulk according to The product is not transported in bulk by ship.

Annex II of MARPOL and the IBC

Code

HARMONY 75-A Harmony 75 WG

SDS #: HARMONY 75-A Revision date: 2019-01-03

Version 1

<u>RID</u>

14.1 UN/ID no 3077

14.2 Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (thifensulfuron-methyl)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special ProvisionsDo not release to the environment

ADR/RID

14.1 UN/ID no 3077

14.2 Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (thifensulfuron-methyl)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special ProvisionsDo not release to the environment

ICAO/IATA

14.1 UN/ID no 3077

14.2 Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (thifensulfuron-methyl)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special ProvisionsDo not release to the environment

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

DANGEROUS FOR THE ENVIRONMENT

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	Х	Х			Х		Х	X
68425-94-5								

15.2. Chemical safety assessment

A chemical safety assessment is not required to be included for this product.

Version 1

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Classification procedure

Test data

Revision date: 2019-01-03

Reason for revision: Initial Release.

Training Advice This material should only be used by persons who are made aware of its hazardous

properties and have been instructed in the required safety precautions.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet