SAFETY DATA SHEET

BUSHEL

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0030-A

Revision date: 2018-07-23

Format: EU Version 1.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0030-A

Product Name BUSHEL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A fertilizer with micronutrients for use in agriculture and horticulture

Restrictions on useUse as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited

Rectors Lane Pentre Flintshire CH5 2DH United Kingdom

Tel: + 44 (0) 1244 537370 E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0)1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 (H302)
Skin corrosion/irritation	Category 1 Sub-category C (H314)
Specific target organ toxicity — repeated exposure	Category 2 (H373)
Chronic aquatic toxicity	Category 3 (H412)

2.2. Label elements

Hazard pictograms

SDS #: NP-0030-A **Revision date:** 2018-07-23

Version 1.02



Signal Word Danger

Hazard Statements

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

P260 - Do not breathe mist/vapors/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	
MANGANESE DINITRATE	233-828-8	10377-66-9	30-60	Ox. Sol. 2 (H272); Acute Tox. 4 (H302); Skin Corr. 1C (H314); STOT RE 2 (H373); Aquatic Chronic 3 (H412); (EUH071)	01-2119487993-17- 0002	
COPPER DINITRATE	221-838-5	3251-23-8	1-10	Skin Corr. 1B (H314) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	No data available	

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Transfer to

hospital for specialist examination.

Skin Contact Immediately remove all stained or splashed clothing that is not adhering to the skin. Wash

off immediately with plenty of water for at least 15 minutes. Transfer to hospital if there are

burns or symptoms of poisoning.

Inhalation Remove person from exposure ensuring one's own safety while doing so. Call a doctor or

poison control centre immediately.

Revision date: 2018-07-23

Version 1.02

Ingestion Rinse mouth. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate

medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: Severe burns may occur. Progressive ulceration will occur if treatment is not immediate.

inicalate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may

be difficulty swallowing.

Inhalation: There may be shortness of breath with a burning sensation in the throat.

Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Show this safety data sheet to the doctor in attendance.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Corrosive. Toxic fumes may be released in fire situations.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Keep people away from and upwind of spill/leak.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment Su

Surface drains within close vicinity of the spill should be covered. Dike to confine spill and

Revision date: 2018-07-23

Version 1.02

absorb with non-combustible absorbent such as clay, sand or soil.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to

local/national regulations (see Section 13).

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

Packageing material Must only be kept in original packaging.

7.3. Specific end use(s)

Specific Use(s)

No data available.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
COPPER DINITRATE	=	-	-	TWA 0.02 mg/m ³	=
3251-23-8				_	

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas. The floor of the storage room

must be impermeable to prevent the escape of liquids.

Personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Provide emergency on-site eyewash.

Hand Protection Gloves (acid resistant).

Skin and Body Protection Acid-resistant protective clothing.

Respiratory Protection Not required under normal use.

Revision date: 2018-07-23

Version 1.02

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

AppearanceLiquid suspensionOdourBarely perceptibleColourGreenish-blue

Odour threshold No information available

pH <2

Melting point/freezing point
Boiling point/boiling range
Flash point
Evaporation Rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density

No information available
No information available
No information available
No information available

Specific gravity 1.40 - 1.42 Water solubility Soluble in water

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available No information available Viscosity, dynamic **Explosive properties** No information available **Oxidising properties** No information available

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

SDS #: NP-0030-A **Revision date**: 2018-07-23

Version 1.02

Version 1.02

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong reducing agents, Bases.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
MANGANESE DINITRATE	>300 mg/kg (rat)		
COPPER DINITRATE	= 940 mg/kg (Rat)		

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
Mutagenicity
Carcinogenicity
No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Symptoms Skin contact: Severe burns may occur. Progressive ulceration will occur if treatment is not

immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may

be difficulty swallowing.

Inhalation: There may be shortness of breath with a burning sensation in the throat.

Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity RAINBOW TROUT (Oncorhynchus mykiss): 96H LC50 = 9.83 (calculated) mg/L

Revision date: 2018-07-23

Version 1.02

DAPHNID (Daphnia magna): 48H EC50 = 2.95 (calculated) mg/L

ALGAE (Chlamydomonas reinhardtii): 72H ErC50 = 7.28 (calculated) mg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other	
			aquatic invertebrates	
MANGANESE DINITRATE	Desmodesmus subspicatus:	Rainbow trout	Daphnia magna:	
	72 ErC50 = 64.6 mg/L	(Oncorhynchus mykiss):	48H EC50 = >100 mg/L	
	_	96H LC50 = 47.2 mg/L	_	
COPPER DINITRATE	ALGAE (Chlamydomonas	RAINBOW TROUT (Oncorhynchus	DAPHNID (Ceriodaphnia dubia):	
	reinhardtii: 72H ErC50 = 0.440	mykiss): 96H LC50 = 0.590 (CuSO4	48H LC50 = 0.195 mg/L	
	(CuCl2 data)mg/L	data) mg/L	_	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

Mobility

Soluble in water.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Harmful to aquatic life

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Contaminated Packaging Clean container with water. Dispose of rinse water in accordance with local and national

guidelines. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

Ш

OTHER INFORMATION NOTE: The user's attention is drawn to the possible existence of specific European,

national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no UN1760

14.2 Proper Shipping Name CORROSIVE LIQUID, N.O.S. (MANGANESE DINITRATE; COPPER DINITRATE)

14.3 Hazard class

14.4 Packing Group

NP-0030-A BUSHEL

SDS #: NP-0030-A

Revision date: 2018-07-23

Version 1.02

14.5 Marine Pollutant Not applicable

Environmental Hazard Yes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

14.7 Transport in bulk according to The product is not transported in bulk tankers.

Annex II of MARPOL and the IBC

Code

RID

14.1 UN/ID no UN1760

14.2 Proper Shipping Name CORROSIVE LIQUID, N.O.S. (MANGANESE DINITRATE; COPPER DINITRATE)

14.3 Hazard class814.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

14.1 UN/ID no UN1760

14.2 Proper Shipping Name CORROSIVE LIQUID, N.O.S. (MANGANESE DINITRATE; COPPER DINITRATE)

14.3 Hazard class814.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

14.1 UN/ID no UN1760

14.2 Proper Shipping Name CORROSIVE LIQUID, N.O.S. (MANGANESE DINITRATE; COPPER DINITRATE)

14.3 Hazard class 8
14.4 Packing Group III
14.5 Environmental Hazard Yes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Revision date: 2018-07-23

Version 1.02

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
MANGANESE DINITRATE 10377-66-9	Х	Х	Х	Х	Х	Х	Х	Х
COPPER DINITRATE 3251-23-8	Х	Х	Х	Х	Х	Х	Х	Х

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

Not applicable

Full text of H-Statements referred to under sections 2 and 3

EUH071 - Corrosive to the respiratory tract

H272 - May intensify fire; oxidiser

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eve damage

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Revision date: 2018-07-23

Reason for revision: Format Change.

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

NP-0030-A BUSHEL

SDS #: NP-0030-A

Revision date: 2018-07-23

Version 1.02

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet