

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

#### Other means of identification

**Product code** 50000106

Unique Formula Identifier (UFI) : 747X-P2MF-1N4Q-AEP1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Herbicide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Agricultural Solutions A/S  
Thyborønvej 78  
DK-7673 Harbøre  
Denmark

Telephone: +45 9690 9690  
Telefax: +45 9690 9691  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:  
Denmark: +45 82 12 12 12

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

### SECTION 2: Hazards identification


#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Sub-category 1B	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P260 Do not breathe dust.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

##### Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version 1.2	Revision Date: 18.04.2024	SDS Number: 50000106	Date of last issue: 04.05.2023 Date of first issue: 03.11.2021
----------------	------------------------------	-------------------------	---

### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
thifensulfuron-methyl (ISO)	79277-27-3  016-096-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic	>= 10 - < 20

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version 1.2      Revision Date: 18.04.2024      SDS Number: 50000106      Date of last issue: 04.05.2023  
Date of first issue: 03.11.2021

		aquatic toxicity): 100	
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 1 - < 10
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) <hr/> Acute toxicity estimate  Acute inhalation toxicity (dust/mist): 0,830083 mg/l	>= 1 - < 10

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Keep respiratory tract clear.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.  
Do not induce vomiting without medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Allergic reactions Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion.
Risks	: May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically. Immediate medical attention is required in case of ingestion.
-----------	---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media	: Dry chemical, CO <sub>2</sub> , water spray or regular foam.
Unsuitable extinguishing media	: Do not spread spilled material with high-pressure water streams.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Fire may produce irritating, corrosive and/or toxic gases. Nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides Carbon oxides Hydrogen cyanide Oxides of phosphorus

### 5.3 Advice for firefighters

Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Keep people away from and upwind of spill/leak.  
Remove all sources of ignition.  
Immediately evacuate personnel to safe areas.  
Ensure adequate ventilation.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Acute local effects	10 mg/m3
Phosphoric acid, trisodium salt, dodecahydrate	Workers	Inhalation	Long-term systemic effects	4,07 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3,04 mg/m3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version 1.2      Revision Date: 18.04.2024      SDS Number: 50000106      Date of last issue: 04.05.2023  
Date of first issue: 03.11.2021

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phosphoric acid, trisodium salt, dodecahydrate	Sewage treatment plant	50 mg/l

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : solid

Form : granules

Colour : light brown

Odour : slight



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Odour Threshold	:	not determined
Melting point/freezing point	:	Not available for this mixture.
Boiling point/boiling range	:	Decomposition
Flammability	:	The product is not flammable. Method: Directive 67/548/EEC, Annex V, A.10  The product may be combustible., Based on available information, the classification criteria for flammability hazard are not met.
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	not determined
Decomposition temperature	:	Not available for this mixture.
pH	:	9,5 (25 °C) Concentration: 10 g/l 1 % Method: CIPAC MT 75.3
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Bulk density	:	0,685 g/cm <sup>3</sup> Method: CIPAC MT 186

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version 1.2	Revision Date: 18.04.2024	SDS Number: 50000106	Date of last issue: 04.05.2023 Date of first issue: 03.11.2021
----------------	------------------------------	-------------------------	---

Relative vapour density : not determined

Particle characteristics  
Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

### 9.2 Other information

Explosives : Not explosive  
Method: Directive 67/548/EEC, Annex V, A.14

Oxidizing properties : The product is not oxidizing.  
Method: Directive 67/548/EEC, Annex V, A.17.

Self-ignition : > 142,9 °C

Evaporation rate : Not applicable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Protect from frost, heat and sunlight.  
Heating of the mixture may evolve harmful and irritant vapours.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: Fixed Dose Method  
GLP: yes  
Remarks: Information given is based on data obtained from similar product.  
Information source: Internal study report

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: Information given is based on data obtained from similar product.  
Information source: Internal study report

#### Components:

##### **tribenuron-methyl (ISO):**

Acute oral toxicity : LD50: > 5.000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,14 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

##### **thifensulfuron-methyl (ISO):**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,03 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

### **sodium carbonate:**

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Target Organs: Skin  
Symptoms: Erythema

### **Phosphoric acid, trisodium salt, dodecahydrate:**

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 420  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,83 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials  
no mortality

Acute toxicity estimate: 0,830083 mg/l  
Test atmosphere: dust/mist  
Method: Calculation method  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials  
no mortality

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes  
Remarks : Information given is based on data obtained from similar product.  
Information source: Internal study report

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

---

### Components:

#### **tribenuron-methyl (ISO):**

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

#### **thifensulfuron-methyl (ISO):**

Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Remarks	:	Minimal effects that do not meet the threshold for classification.

#### **sodium carbonate:**

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### **Phosphoric acid, trisodium salt, dodecahydrate:**

Species	:	Rabbit
Result	:	Skin irritation

#### **Serious eye damage/eye irritation**

Not classified based on available information.

### Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes
Remarks	:	Information given is based on data obtained from similar product. Information source: Internal study report

### Components:

#### **tribenuron-methyl (ISO):**

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

### thifensulfuron-methyl (ISO):

Method	: OECD Test Guideline 405
Result	: No eye irritation

### sodium carbonate:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

### Phosphoric acid, trisodium salt, dodecahydrate:

Species	: Rabbit
Method	: EPA OTS 798.4500
Result	: Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

### Product:

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
Method	: OECD Test Guideline 406
Result	: Causes skin sensitization.
GLP	: yes
Remarks	: (Data on the product itself) Information source: Internal study report

### Components:

#### tribenuron-methyl (ISO):

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: May cause sensitisation by skin contact.
Method	: OECD Test Guideline 406
Result	: Causes skin sensitization.

#### thifensulfuron-methyl (ISO):

Species	: Guinea pig
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

#### Phosphoric acid, trisodium salt, dodecahydrate:

Test Type	: Local lymph node assay (LLNA)
-----------	---------------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
Remarks	:	Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### **tribenuron-methyl (ISO):**

Germ cell mutagenicity- Assessment	:	Did not show mutagenic effects in animal experiments.
------------------------------------	---	---

#### **thifensulfuron-methyl (ISO):**

Genotoxicity in vitro	:	Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative Remarks: In vitro tests did not show mutagenic effects
-----------------------	---	---

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

#### **sodium carbonate:**

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

#### **Phosphoric acid, trisodium salt, dodecahydrate:**

Genotoxicity in vitro	:	Test Type: gene mutation test Method: OECD Test Guideline 490 Result: negative Remarks: Based on data from similar materials
-----------------------	---	---

	:	Test Type: Micronucleus test Method: OECD Test Guideline 487 Result: negative
--	---	---

Germ cell mutagenicity- Assessment	:	In vitro tests did not show mutagenic effects
------------------------------------	---	---

### Carcinogenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

### Components:

#### **tribenuron-methyl (ISO):**

Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

#### **thifensulfuron-methyl (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **tribenuron-methyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction  
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

#### **thifensulfuron-methyl (ISO):**

Reproductive toxicity - Assessment : Did not show teratogenic effects in animal experiments.

#### **sodium carbonate:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram  
Duration of Single Treatment: 6 - 15 d  
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight  
Teratogenicity: NOAEL: > 245 mg/kg body weight  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

#### **Phosphoric acid, trisodium salt, dodecahydrate:**

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Dose: 1000 mg/kg bw/day  
General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day  
General Toxicity F1: NOAEL: 1.000 mg/kg bw/day  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Dose: 4.1, 19, 88.3, 410 mg/kg bw/day  
Duration of Single Treatment: 20 d  
General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day  
Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

#### Components:

##### tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### tribenuron-methyl (ISO):

Target Organs : Thyroid, Nervous system  
Assessment : May cause damage to organs through prolonged or repeated exposure.

##### sodium carbonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### tribenuron-methyl (ISO):

Species : Rabbit  
LOAEL : 80 mg/kg  
Target Organs : Thyroid, Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Remarks : Increased mortality or reduced survival

### thifensulfuron-methyl (ISO):

Species	: Rat
LOAEL	: ca.200 mg/kg
Exposure time	: 90 d
Target Organs	: No specific target organs noted
Symptoms	: Reduced body weight

### sodium carbonate:

Species	: Rat, male and female
NOAEL	: > 0,01 mg/kg
Application Route	: inhalation (dust/mist/fume)
Test atmosphere	: dust/mist

### Phosphoric acid, trisodium salt, dodecahydrate:

Species	: Dog, female
NOAEL	: 492.77 mg/kg bw/day
LOAEL	: 1433.56 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Dose	: 129.31, 492.77, 1433.56 mg/kg bw/day
Target Organs	: Kidney
Remarks	: Based on data from similar materials

Species	: Dog, male
NOAEL	: 322.88 mg/kg bw/day
LOAEL	: 1107.12 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Dose	: 94.23, 322.88, 1107.12 mg/kg bw/day
Target Organs	: Kidney
Remarks	: Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Components:

#### tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to
------------	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: Information given is based on data obtained from similar product. Information source: Internal study report
Toxicity to daphnia and other aquatic invertebrates	: (Daphnia magna (Water flea)): 39 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes Remarks: (Data on the product itself) Information source: Internal study report
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,087 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes Remarks: (Data on the product itself) Information source: Internal study report  ErC50 (Lemna gibba (duckweed)): 0,0045 mg/l End point: Frond Exposure time: 7 d Test Type: static test Method: OECD Test Guideline 221 GLP: yes Remarks: (Data on the product itself) Information source: Internal study report
Toxicity to soil dwelling organisms	: LC50: > 32 mg/kg Exposure time: 28 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Species: Eisenia fetida (earthworms)  
Remarks: (Data on the product itself)  
Information source: Internal study report

Toxicity to terrestrial organisms : LD50: > 0,10 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP:yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

LD50: > 0,20 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 214  
GLP:yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

### Components:

#### **tribenuron-methyl (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): > 320 mg/l  
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,068 mg/l  
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l  
Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0,001 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 114 mg/l  
Exposure time: 21 d  
Species: Cyprinodon variegatus (sheepshead minnow)  
Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

NOEC: 560 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 41 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : NOEC: 3,2 mg/kg  
Exposure time: 56 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.250 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

LD50: > 5.620 ppm  
Species: Colinus virginianus (Bobwhite quail)  
Remarks: Dietary

LD50: > 5.620 ppm  
Species: Anas platyrhynchos (Mallard duck)  
Remarks: Dietary

LD50: > 98.4 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

LD50: > 9.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### thifensulfuron-methyl (ISO):

Toxicity to fish : LC50 (Salmo gairdneri): 100 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 120 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version 1.2	Revision Date: 18.04.2024	SDS Number: 50000106	Date of last issue: 04.05.2023 Date of first issue: 03.11.2021
----------------	------------------------------	-------------------------	---

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (green algae): 0,0159 mg/l Exposure time: 72 h  ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1,4 mg/l Exposure time: 72 h  EC50 (Lemna minor (duckweed)): 1,3 µg/l
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to fish (Chronic toxicity)	: NOEC: 250 mg/l Exposure time: 28 d Species: Salmo gairdneri  NOEC: 10,6 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to soil dwelling organisms	: LC50: > 2.000 mg/kg Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.510 mg/kg Species: Anas platyrhynchos (Mallard duck)  LD50: > 5.620 ppm Species: Anas platyrhynchos (Mallard duck) Remarks: Dietary  LD50: > 5.620 ppm Species: Colinus virginianus (Bobwhite quail)  LD50: > 7.1 µg/bee End point: Acute oral toxicity Species: Apis mellifera (bees)  LD50: > 100 µg/bee End point: Acute contact toxicity Species: Apis mellifera (bees)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): 200 mg/l  
Exposure time: 48 h  
Test Type: semi-static test

### Phosphoric acid, trisodium salt, dodecahydrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: EU Method C3  
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: EU Method C3  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

NOEC (activated sludge): 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: > 3.500 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

---

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Estimation based on data obtained on active ingredient.

#### Components:

##### **tribenuron-methyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Remarks: The product/substance is not persistent in the environment.  
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.  
Metabolites are considered as persistent.  
According to the results of tests of biodegradability this product is not readily biodegradable.

##### **thifensulfuron-methyl (ISO):**

Biodegradability : Remarks: Not readily biodegradable.  
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.

##### **sodium carbonate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

#### Components:

##### **tribenuron-methyl (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0,38

##### **thifensulfuron-methyl (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 1  
Remarks: Does not bioaccumulate.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

### sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### Components:

#### tribenuron-methyl (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

#### thifensulfuron-methyl (ISO):

Distribution among environmental compartments : Koc: 28,3, log Koc: 1,45  
Remarks: Highly mobile in soils

Stability in soil :

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### Product:

Additional ecological information : No other ecological effects to be specially mentioned.  
See product label for additional application instructions relating to environmental precautions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- |                        |   |
|------------------------|---|
| Product                | : The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.                                    |
| Contaminated packaging | : Empty remaining contents.<br>Do not re-use empty containers.<br>Packaging that is not properly emptied must be disposed of as the unused product.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal. |

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- |      |           |
|------|-----------|
| ADN  | : UN 3077 |
| ADR  | : UN 3077 |
| RID  | : UN 3077 |
| IMDG | : UN 3077 |
| IATA | : UN 3077 |

#### 14.2 UN proper shipping name

- |      |  |
|------|--|
| ADN  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>(Thifensulfuron-methyl, Tribenuron-methyl) |
| ADR  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>(Thifensulfuron-methyl, Tribenuron-methyl) |
| RID  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>(Thifensulfuron-methyl, Tribenuron-methyl) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>(Thifensulfuron-methyl, Tribenuron-methyl) |
| IATA | : Environmentally hazardous substance, solid, n.o.s.   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

(Thifensulfuron-methyl, Tribenuron-methyl)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
<b>IMDG</b>	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
<b>IATA (Cargo)</b>	
Packing instruction (cargo aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous
<b>IATA (Passenger)</b>	
Packing instruction (passenger aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

### 14.5 Environmental hazards

**ADN**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75  
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version 1.2	Revision Date: 18.04.2024	SDS Number: 50000106	Date of last issue: 04.05.2023 Date of first issue: 03.11.2021
----------------	------------------------------	-------------------------	---

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

### Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  TBM 500 SG
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2023
1.2	18.04.2024	50000106	Date of first issue: 03.11.2021

H335	:	May cause respiratory irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Sens. 1B                      H317

#### Classification procedure:

Based on product data or assessment

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## THIFENSULFURON-METHYL 125 G/KG + TRIBENURON-METHYL 375 G/KG SG

Version 1.2	Revision Date: 18.04.2024	SDS Number: 50000106	Date of last issue: 04.05.2023 Date of first issue: 03.11.2021
STOT RE 2	H373	Calculation method	
Aquatic Acute 1	H400	Based on product data or assessment	
Aquatic Chronic 1	H410	Calculation method	

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DK / 6N