

SAFETY DATA SHEET



FINESSE(R) LITE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.05.2021	50000139	Date of first issue: 06.05.2021

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : FINESSE(R) LITE

Manufacturer or supplier's details

Company : FMC LLC

Address : Andropov Avenue 18, Building 6, Premises II rooms 37, 38
Moscow 77 115432

Telephone : +74957839003

Emergency telephone number : 8-800-100-6346 (CHEMTREC)
All other countries: +1 651 / 632-6793 (Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation) : Category 5

Skin irritation : Category 3

Eye irritation : Category 2A

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS-Labeling

Hazard pictograms :



Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.
H319 Causes serious eye irritation.
H333 May be harmful if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

SAFETY DATA SHEET



FINESSE(R) LITE

Version 1.0 Revision Date: 06.05.2021 SDS Number: 50000139 Date of last issue: -
Date of first issue: 06.05.2021

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:

P304 + P312 IF INHALED: Call a POISON CENTER/ doctor if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Classification	MAC value mg/m3 / TSEL value	Concentration (% w/w)
2-chloro-N-[[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide	64902-72-3	Acute Tox. 5; H333 Acute Tox. 5; H313	MPC-STEL: 0,5 mg/m3 Class 2 - Highly dangerous Data Source: RU OEL	>= 30 - < 50
metsulfuron-methyl (ISO)	74223-64-6	Acute Tox. 5; H333 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	No data available	>= 30 - < 50
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 3; H402 Aquatic Chronic 3; H412	No data available	>= 1 - < 2,5

For explanation of abbreviations see section 16.

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

SAFETY DATA SHEET



FINESSE(R) LITE

Version 1.0	Revision Date: 06.05.2021	SDS Number: 50000139	Date of last issue: - Date of first issue: 06.05.2021
----------------	------------------------------	-------------------------	--

- Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.
Causes serious eye irritation.
May be harmful if inhaled.
- Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

SAFETY DATA SHEET



FINESSE(R) LITE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.05.2021	50000139	Date of first issue: 06.05.2021

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
2-chloro-N-[[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide	64902-72-3	MPC-STEL (aerosol)	0,5 mg/m ³	RU OEL
Further information: Class 2 - Highly dangerous				

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

SAFETY DATA SHEET



FINESSE(R) LITE

Version 1.0	Revision Date: 06.05.2021	SDS Number: 50000139	Date of last issue: - Date of first issue: 06.05.2021
----------------	------------------------------	-------------------------	--

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
------------	---------

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: No data available
Incompatible materials	: Not applicable

11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if inhaled.

Product:

Acute inhalation toxicity	: Acute toxicity estimate: 8,05 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

Components:

2-chloro-N-[[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:

SAFETY DATA SHEET



FINESSE(R) LITE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.05.2021	50000139	Date of first issue: 06.05.2021

Acute oral toxicity : LD50 (Rat, male): 5.545 mg/kg
Method: Directive 67/548/EEC, Annex V, B.1.

LD50 (Rat, female): 6.293 mg/kg
Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 3.400 mg/kg
Method: Regulation (EC) No. 440/2008, Annex, B.3

metsulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

2-chloro-N-[[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:

Method : Directive 67/548/EEC, Annex V, B.4.
Result : No skin irritation

metsulfuron-methyl (ISO):

Species : Rabbit
Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Assessment : Irritating to skin.
Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

SAFETY DATA SHEET



FINESSE(R) LITE

Version 1.0	Revision Date: 06.05.2021	SDS Number: 50000139	Date of last issue: - Date of first issue: 06.05.2021
----------------	------------------------------	-------------------------	--

Product:

Remarks : May cause irreversible eye damage.

Components:

2-chloro-N-[[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:

Result : slight irritation

metsulfuron-methyl (ISO):

Species : Rabbit
Result : No eye irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result : Corrosive
Assessment : Corrosive

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

2-chloro-N-[[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:

Exposure routes : Skin contact
Species : Guinea pig
Result : Not a skin sensitizer.

metsulfuron-methyl (ISO):

Exposure routes : Skin contact
Species : Guinea pig
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-chloro-N-[[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:

Genotoxicity in vitro : Test system: Chinese hamster ovary cells
Method: Regulation (EC) No. 440/2008, Annex, B.17
Result: negative

metsulfuron-methyl (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

SAFETY DATA SHEET



FINESSE(R) LITE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.05.2021	50000139	Date of first issue: 06.05.2021

Carcinogenicity

Not classified based on available information.

Components:

metsulfuron-methyl (ISO):

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

2-chloro-N-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:

metsulfuron-methyl (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

metsulfuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

metsulfuron-methyl (ISO):

Species : Rat
Application Route : Oral
Symptoms : Reduced body weight

Species : Rabbit
Application Route : Skin contact
Symptoms : Skin irritation

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

FINESSE(R) LITE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.05.2021	50000139	Date of first issue: 06.05.2021

12. ECOLOGICAL INFORMATION

Ecotoxicity**Components:****2-chloro-N-[[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 370 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): .055 EC50 (Lemna minor (duckweed)): .35
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 32 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 20 mg/l
Toxicity to microorganisms	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 0,61 mg/l
Toxicity to terrestrial organisms	:	LD50 (Anas platyrhynchos (Mallard duck)): 25 LC50 (Apis mellifera (bees)): > 5.000 ppm

metsulfuron-methyl (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 150 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Lemna minor (duckweed)): 0,00036 mg/l Exposure time: 14 d EC50 (Anabaena flos-aquae (cyanobacterium)): 0,066 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to soil dwelling organisms	:	LC50 (worms): > 1.000 mg/kg

SAFETY DATA SHEET



FINESSE(R) LITE

Version 1.0 Revision Date: 06.05.2021 SDS Number: 50000139 Date of last issue: -
Date of first issue: 06.05.2021

Toxicity to terrestrial organisms : (Apis mellifera (bees)): 50 µg/bee

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Fish): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 24 h

Persistence and degradability

Components:

2-chloro-N-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

2-chloro-N-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 0,33 (25 °C)
pH: 5,0

metsulfuron-methyl (ISO):

Partition coefficient: n-octanol/water : log Pow: -1,7 (25 °C)
pH: 7

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Hygienic standards:

(Allowable concentration in air, water, including fishery waters, soil)

Components	Air	Water	Soil	Data Source
2-chloro-N-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide		Maximum Permissible Concentration 0,065 Milligrams per cubed decimeter		List 5

SAFETY DATA SHEET



FINESSE(R) LITE

Version 1.0 Revision Date: 06.05.2021 SDS Number: 50000139 Date of last issue: -
Date of first issue: 06.05.2021

64902-72-3		Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 3		
metsulfuron-methyl (ISO) 74223-64-6		Maximum Permissible Concentration 0,007 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 3		List 5

List 5: Order of the Russian Federal Fisheries Agency "Standards of maximum permissible concentrations of harmful substances in fishery water bodies"

13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. TRANSPORT INFORMATION

ADR

- UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90
Tunnel restriction code : (-)
Environmentally hazardous : yes

IATA-DGR

- UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Metsulfuron-methyl)
Class : 9
Packing group : III

SAFETY DATA SHEET



FINESSE(R) LITE

Version 1.0	Revision Date: 06.05.2021	SDS Number: 50000139	Date of last issue: - Date of first issue: 06.05.2021
----------------	------------------------------	-------------------------	--

Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AICS	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory

FINESSE(R) LITE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.05.2021	50000139	Date of first issue: 06.05.2021

NZIoC : Not in compliance with the inventory

16. OTHER INFORMATION

Full text of H-Statements

H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H333	May be harmful if inhaled.
H400	Very toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
RU OEL	: Hygienic standard GN 2.2.5.3532-18 "Maximum allowed concentration (MAC) of harmful substances in the air of the working zone"
RU OEL / MPC-STEL	: Maximum Permissible Concentration - Short Term Exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



FINESSE(R) LITE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.05.2021	50000139	Date of first issue: 06.05.2021

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Other information :

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

RU / 6N