SAFETY DATA SHEET

RADISTART MAX

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0194-A

Revision date: 2018-07-31

Format: EU Version 1.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0194-A

Product Name RADISTART MAX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A fertilizer with micronutrients for use in agriculture and horticulture

Restrictions on useUse as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Supplier FMC Agro Limited

Rectors Lane Pentre Flintshire CH5 2DH United Kingdom

Tel: + 44 (0) 1244 537370 E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0)1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)


Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 (H318)
Chronic aquatic toxicity	Category 2 (H411)

2.2. Label elements

Hazard pictograms



SDS #: NP-0194-A **Revision date**: 2018-07-31

Version 1.02

Signal Word

Danger

Hazard Statements

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight Classification according to Percent Regulation (EC) No. 1272/2008 [CLP]		REACH registration number
Copper sulfate	231-793-3	7758-98-7	0.1 - 1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119520566-40- XXXX
Zinc sulfate	231-793-3	7733-02-0	1 - 15	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27- XXXX

Additional Information

For the full text of the H-, R- and EUH- phrases mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Transfer to

hospital for specialist examination.

Skin Contact Wash off immediately with soap and plenty of water.

Inhalation Remove person from exposure ensuring one's own safety while doing so.

Ingestion Rinse mouth. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate

medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

SDS #: NP-0194-A

Revision date: 2018-07-31 Version 1.02

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be released in fire situations.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Do not attempt to take action without suitable protective clothing. For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Keep people away from and upwind of spill/leak.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment Surface drains within close vicinity of the spill should be covered. Cover powder spill with

plastic sheet or tarp to minimise spreading and keep powder dry.

Methods for cleaning up Small spills should be immediately swept up or vacuumed using equipment with high

efficiency final filter. Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal. Transfer to a closable, labeled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

SDS #: NP-0194-A

Revision date: 2018-07-31

Version 1.02

7.1. Precautions for safe handling

Handling

Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing. Avoid dust formation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Avoid contact with water or humidity. Keep away from direct sunlight. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

No data available.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

	Chemical name	European Union	The United Kingdom	France	Spain	Germany
Ī	Copper sulfate	=	1 mg/mg ³ (8hr TWA)	=	=	-
-	7758-98-7		2 mg/m ³			
			(15 min. STEL)			
			(respirable dust)			
[Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Ī	Copper sulfate	<u>=</u>	-		TWA 0.02 mg/m ³	-
	7758-98-7					

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration No inform

(PNEC)

No information available.

8.2. Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection Safety glasses with side-shields. Provide emergency on-site eyewash.

Hand Protection Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of

materials such as nitrile or neoprene.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection Respiratory protective device with particle filter.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid

Appearance No information available

SDS #: NP-0194-A **Revision date**: 2018-07-31

Version 1.02

OdourAmmoniacalColourBrown

Odour threshold No information available PH No information available

Melting point/freezing point 190 °C

Boiling point/boiling range
Flash point
Evaporation Rate
Flammability (solid, gas)

No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density

No information available
No information available
No information available
No information available

Specific gravity 0.85 - 0.95

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available No information available **Explosive properties Oxidising properties** No information available

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available.
Sensitivity to Static Discharge No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidising agents, Strong acids, Strong bases.

SDS #: NP-0194-A **Revision date**: 2018-07-31

Version 1.02

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

•

LD50 Oral

> 2000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Copper sulfate	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	
Zinc sulfate	1710 mg/kg (Rat)	>2000mg/kg (Rat)	

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
Mutagenicity
Carcinogenicity
No information available.
No information available.
No information available.
No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Symptoms Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity ALGAE (Pseudokirchneriella subcapitata): 72H IC50 = 4.98 (calculated) mg/L

DAPHNID (Daphnia magna): 48H EC50 = 4.30 (calculated) mg/L

RAINBOW TROUT (Oncorhynchus mykiss): 96H LC50 = 3.56 (calculated) mg/L

Chemical name Toxicity to fish Toxicity to daphnia and other Toxicity to algae aquatic invertebrates Copper sulfate 96 h LC50: = 0.1 mg/L 48 h EC50: 0.0058 - 0.0073 mg/L (Oncorhynchus mykiss) (Daphnia magna) Static Zinc sulfate 72 h EC50: = 0.056 mg/L 48 h EC50: = 0.75 mg/L (Daphnia 96 h LC50: = 0.162 mg/L (Pseudokirchneriella subcapitata) (Oncorhynchus mykiss) magna) 48 h EC50: 0.538 - 0.908 flow-through 96 h LC50: 0.03 - 0.05 static 72 h EC50: = 64.8 mg/L mg/L (Daphnia magna) Static

SDS #: NP-0194-A **Revision date**: 2018-07-31

Version 1.02

 •		
(Chlorella vulgaris) 96 h EC50: =	mg/L (Oncorhynchus mykiss)	
2.4 mg/L (Chlorella vulgaris)	semi-static 96 h LC50: 0.34 - 0.93	
	mg/L (Oncorhynchus mykiss) static	
	96 h LC50: 0.23 - 0.48 mg/L	
	(Pimephales promelas) 96 h LC50:	
	49.23 - 64.16 mg/L (Poecilia	
	reticulata) semi-static 96 h LC50:	
	16.85 - 27.18 mg/L (Cyprinus	
	carpio) static 96 h LC50: 3 - 4.6	
	mg/L (Lepomis macrochirus)	
	flow-through 96 h LC50: = 0.63	
	mg/L (Poecilia reticulata) 96 h	
	LC50: 0.48 - 1.72 mg/L (Poecilia	
	reticulata) static 96 h LC50: = 0.06	
	mg/L (Pimephales promelas) static	
	96 h LC50: 3.55 - 6.32 mg/L	
	(Lepomis macrochirus) static 96 h	
	LC50: 0.218 - 0.42 mg/L	
	(Pimephales promelas) flow-through	
	96 h LC50: 0.168 - 0.25 mg/L	
	(Pimephales promelas) semi-static	
	96 h LC50: = 0.15 mg/L (Cyprinus	
	carpio) semi-static	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Toxic to aquatic organisms.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Contaminated Packaging Cle

Clean container with water. Dispose of rinse water in accordance with local and national guidelines. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

OTHER INFORMATION

NOTE: The user's attention is drawn to the possible existence of specific European, national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

SDS #: NP-0194-A

Revision date: 2018-07-31

Version 1.02

IMDG/IMO

14.1 UN/ID no UN3077

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC SULPHATE;

COPPER SULPHATE)

14.3 Hazard class914.4 Packing GroupIII14.5 Marine PollutantYesEnvironmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E

Transport category: 3

14.7 Transport in bulk according to The product is not transported in bulk tankers.

Annex II of MARPOL and the IBC

Code

RID

14.1 UN/ID no UN3077

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC SULPHATE;

COPPER SULPHATE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

14.1 UN/ID no UN3077

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC SULPHATE;

COPPER SULPHATE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

14.1 UN/ID no UN3077

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC SULPHATE;

COPPER SULPHATE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

SDS #: NP-0194-A **Revision date**: 2018-07-31

Version 1.02

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Copper sulfate 7758-98-7	Х	Х	Х	Х	Х	Х	Х	Х
Zinc sulfate 7733-02-0	Х	X	Х	X	Х	X	X	X

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

Not applicable

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

<u>Legend</u>

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Revision date: 2018-07-31

Reason for revision: Format Change.

SDS #: NP-0194-A

Revision date: 2018-07-31

Version 1.02

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet