SAFETY DATA SHEET

Topguard Fungicide

SDS #: FO002249-1-A **Revision date**: 2019-06-03

Format: NA Version 1.01



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Topguard Fungicide

Other means of identification

Product Code(s) FO002249-1-A

Legacy Product Code 1310-05

Synonyms FLUTRIAFOL: α -(2-fluorophenyl)- α -(4-fluorophenyl)-1H-1,2,4-triazole-1-ethanol (CAS

name); (RS)-2,4'-difluoro-α-(1H-1,2,4-triazol-1-ylmethyl)benzhydryl alcohol (IUPAC name)

Active Ingredient(s) Flutriafol

Chemical Family Triazole

Recommended use of the chemical and restrictions on use

Recommended Use: Fungicide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number Medical Emergencies :

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization Category 1B

GHS Label elements, including precautionary statements

Version 1.01

EMERGENCY OVERVIEW

Warning

Hazard Statements

H317 - May cause an allergic skin reaction

H411 - Toxic to aquatic life with long lasting effects



Precautionary Statements - Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P273 - Avoid release to the environment

Precautionary Statements - Response

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P391 - Collect spillage

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Triazole.

Chemical name	CAS-No	Weight %
Flutriafol	76674-21-0	11.6
Propylene glycol	57-55-6	5-10
Alcohols, C13-15 Branched and Linear, Ethoxylated	157627-86-6	5-10
1,2 benzisothiazolin-3-one	2634-33-5	0.02 (max)

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical

attention if irritation develops and persists.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

SDS #: FO002249-1-A **Revision date**: 2019-06-03

Version 1.01

Inhalation

Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Ingestion

Immediate medical attention is required. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

When fed to animals at high dosage, similar products caused salivation, depression of activity, muscle spasms, ataxia and increased body temperature.

Indication of immediate medical attention and special treatment needed, if necessary

Treatment is symptomatic and supportive.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, Carbon dioxide (CO₂), Water spray, Foam. Avoid heavy hose streams.

Specific Hazards Arising from the Chemical None known

Hazardous Combustion Products

The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as: Hydrogen fluoride, Nitrogen oxides (NOx), Carbon monoxide, Carbon dioxide (CO₂), various chlorinated and fluorinated organic compounds.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available. No information available.

Protective equipment and precautions for firefighters

Use water spray to cool fire exposed surfaces and protect personnel. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Dike to prevent runoff. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.

Other

For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

Environmental Precautions

Keep material out of lakes, streams, ponds, and sewer drains.

Methods for Containment

Wear the full Personal Protection Equipment, avoiding inhalation or contact with skin or eyes. Dike to contain spill with inert material which is absorbent and non-combustible (clay, sand or soil). Then soak up with absorbent material inward from the edges.

Methods for cleaning up

If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with strong industrial detergent and much water. Absorb wash liquid onto a suitable absorbent such as hydrated lime, universal binder, attapulgite, bentonite or other absorbent clays and transfer contaminated absorbent to suitable containers. The used containers should be properly closed and labelled.

7. HANDLING AND STORAGE

Handling

Handle in accordance with good industrial hygiene and safety practice. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

SDS #: FO002249-1-A **Revision date:** 2019-06-03

Version 1.01

StorageTo maintain quality, maximum storage temperatures should not exceed 25°C. Protect from

frost, heat and sunlight. Keep container tightly closed in a dry and well-ventilated place. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs. Keep/store only in original container. Keep in properly labeled containers.

Incompatible products Oxidizing agents, Copper, Copper alloys

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol	-	-	TWA: 10 mg/m ³	-
(57-55-6)			aerosol only	
			TWA: 50 ppm aerosol and vapor	
			TWA: 155 mg/m ³ aerosol and vapor	

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits (if listed above).

When working in confined spaces (tanks, containers, etc.), make sure there is an adequate source of air for breathing and wear the recommended equipment. Ventilate all transport

vehicles prior to discharge.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear: Safety glasses with side-shields. Maintain eye wash

fountain and quick-drench facilities in work area.

Skin and Body Protection Wear suitable protective clothing. Protective shoes or boots. Minimize skin contamination

by following good industrial hygiene practices.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection The product does not automatically present an airborne exposure concern during normal

handling. In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers should put on officially approved respiratory protection equipment

with a universal filter type including particle filter.

Hygiene measures Must have clean water available for washing in case of eye or skin contamination. Wash

skin before eating, drinking, chewing gum, or using snuff. Shower after work. Remove contaminated clothing and wash before reuse. Wash all work clothing separately; do not

mix with household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceSuspensionPhysical StateLiquid

Color Off-white / brown Odor Fish, Glue-like Odor threshold Not applicable

SDS #: FO002249-1-A **Revision date:** 2019-06-03

Version 1.01

pH 6.5 @ 25°C (1% solution in water)

Melting point/freezing point < 0 °C Boiling Point/Range 99 °C

Flash point > 99 °C (PMCC)
Evaporation Rate No information available

Flammability (solid, gas) Not applicable (Product is a liquid)

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density

No information available
No information available
No information available
1.06 g/mL

Specific gravity
Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available
No information available

Viscosity, kinematic No information available

Viscosity, dynamic 83-560 mPa.s @ 20°C; 68-455 mPa.s @ 40°C

Explosive propertiesOxidizing properties
Not explosive
Non-oxidizing

Molecular weightNo information availableBulk densityNo information available

K_{st} >0 bar m/s

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability

Possibility of Hazardous Reactions
Hazardous polymerization

Stable under normal conditions.
None under normal processing.
None under normal processing.

Conditions to avoid Heating can release hazardous gases Incompatible materials Oxidizing agents, Copper, Copper alloys. Hazardous Decomposition Products See Section 5 for more information.

11. TOXICOLOGICAL INFORMATION

Harmful by inhalation, in contact with skin and if swallowed. Direct eye contact may cause moderate to severe irritation.

Product Information

LD50 Oral : > 3000 mg/kg (rat) LD50 Dermal : > 4000 mg/kg (rat) LC50 Inhalation : >2.10 mg/L 4 hr (rat)

Serious eye damage/eye irritation Mildly irritating. Skin corrosion/irritation Non-irritating.

Sensitization May cause sensitization by skin contact

Chemical name	nemical name LD50 Oral		LC50 Inhalation
Flutriafol	= 1140 mg/kg (Rat)		
(76674-21-0)			
Propylene glycol	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	
(57-55-6)			
1,2 benzisothiazolin-3-one	= 1020 mg/kg (Rat)		
(2634-33-5)			

Information on toxicological effects

Version 1.01

Symptoms When fed to animals at high dosage, similar products caused salivation, depression of

activity, muscle spasms, ataxia and increased body temperature.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Mutagenicity Flutriafol: Not mutagenic

Carcinogenicity Flutriafol: No evidence of carcinogenicity from animal studies

Neurological effects Flutriafol: No information available

Reproductive toxicity Flutriafol: No toxicity to reproduction in animal studies.

STOT - single exposure None known.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Liver

Neurological effects Flutriafol: No information available

Aspiration hazard This product presents an aspiration pneumonia hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is toxic to fish, aquatic invertebrates and algae and harmful to bees. It is not considered harmful to birds and soil micro- and marcroorganisms.

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
bentonite 1302-78-9		96 h LC50: 8.0 - 19.0 g/L (Salmo gairdneri) 96 h LC50: = 19000 mg/L (Oncorhynchus mykiss) static	
Formaldehyde 50-00-0		96 h LC50: 0.032 - 0.226 mL/L (Oncorhynchus mykiss) flow-through 96 h LC50: 100 - 136 mg/L (Oncorhynchus mykiss) static 96 h LC50: 22.6 - 25.7 mg/L (Pimephales promelas) flow-through 96 h LC50: 23.2 - 29.7 mg/L (Pimephales promelas) static 96 h LC50: = 1510 µg/L (Lepomis macrochirus) static 96 h LC50: = 41 mg/L (Brachydanio rerio) static	
Propylene glycol 57-55-6	96 h EC50: = 19000 mg/L (Pseudokirchneriella subcapitata)	96 h LC50: 41 - 47 mL/L (Oncorhynchus mykiss) static 96 h LC50: = 51400 mg/L (Pimephales promelas) static 96 h LC50: = 51600 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 710 mg/L (Pimephales promelas)	48 h EC50: > 1000 mg/L (Daphnia magna) Static 24 h EC50: > 10000 mg/L (Daphnia magna)
Flutriafol 76674-21-0	Green algae (Selenastrum capricornutum), 96-h IC50: 12 mg/l (Scenedesmus subspicatus), 72-h IC50: 1.9 mg/l	Rainbow trout (Salmo gairdneri), 96 h-LC50: 61 mg/l 28-day NOEC: 6.2 mg/l	Daphnids (Daphnia magna) 48 h-EC50: > 78 mg/l 21-day NOEC: 0.31 mg/l
Sodium sulfate 7757-82-6		96 h LC50: 13500 - 14500 mg/L (Pimephales promelas) 96 h LC50: 3040 - 4380 mg/L (Lepomis macrochirus) static 96 h LC50: = 13500 mg/L (Lepomis macrochirus) 96 h LC50: > 6800 mg/L (Pimephales promelas) static	48 h EC50: = 2564 mg/L (Daphnia magna) 96 h EC50: = 630 mg/L (Daphnia magna)

Version 1.01

Naphthalene*	72 h EC50: = 0.4 mg/L	96 h LC50: 0.91 - 2.82 mg/L	48 h EC50: 1.09 - 3.4 mg/L
91-20-3	(Skeletonema costatum)	(Oncorhynchus mykiss) static 96 h	(Daphnia magna) Static 48 h EC50:
		LC50: 5.74 - 6.44 mg/L	= 1.96 mg/L (Daphnia magna) Flow
		(Pimephales promelas) flow-through	through 48 h LC50: = 2.16 mg/L
		96 h LC50: = 1.6 mg/L	(Daphnia magna)
		(Oncorhynchus mykiss)	
		flow-through 96 h LC50: = 1.99	
		mg/L (Pimephales promelas) static	
		96 h LC50: = 31.0265 mg/L	
		(Lepomis macrochirus) static	

Persistence and degradability Flutriafol: Not readily biodegradable. Persistent in soil.

Bioaccumulation Flutriafol: Not expected to bioaccumulate.

Mobility Flutriafol: Moderately mobile.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated PackagingContainers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT NOT REGULATED

<u>TDG</u>

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
Marine Pollutant Flutriafol.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (flutriafol), 9, III, Marine

Pollutant

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (flutriafol), 9, III, Marine

Pollutant

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Flutriafol

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (flutriafol), 9, III, Marine

Pollutant

Version 1.01

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb			X
Naphthalene* 91-20-3	100 lb	Х	Х	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

	Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Γ	Formaldehyde	100 lb	100 lb
L	50-00-0	45.4 kg	
Γ	Naphthalene*	100 lb	
	91-20-3	45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

May be harmful if inhaled. May cause respiratory tract irritation.

Causes eye irritation. Contains material which can cause liver damage.

May be dangerous for the environment. This product is toxic to fish, aquatic invertebrates, and algae and harmful to bees.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol	X		X
57-55-6			

International Inventories

Version 1.01

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Propylene glycol 57-55-6	Х	X	X	X	X	X	Х	X
Alcohols, C13-15 Branched and Linear, Ethoxylated 157627-86-6	X	Х	X		Х			
1,2 benzisothiazolin-3-one 2634-33-5	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade

Moderate risk, Grade 2

Chemi	ical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Forma	aldehyde	100 2500 kg/yr	100 kg/yr

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

D2B - Toxic materials



16	. O.	THE	D II	VIEO	DM	ΛTI	UNU
		1 17 12	пп	V F C	ואו אי	AII	\mathbf{v}

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0 NFPA/HMIS Ratings Legend

2019-06-03 Revision date: Reason for revision: Initial Release

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

SDS #: FO002249-1-A Revision date: 2019-06-03 Version 1.01

FMC Logo - Trademark of FMC Corporation © 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet