

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name STALLION® SYNC TEC®

Other means of identification

Product code 50000811

Unique Formula Identifier (UFI) : JN50-H379-YN4M-P3GH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harbøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H361d Suspected of damaging the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

pendimethalin (ISO)

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version 1.1 Revision Date: 02.04.2024 SDS Number: 50000811 Date of last issue: 25.05.2022
Date of first issue: 25.05.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pendimethalin (ISO)	40487-42-1 254-938-2 609-042-00-X	Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	>= 25 - < 30
sodium nitrate	7631-99-4 231-554-3	Ox. Sol. 2; H272 Eye Irrit. 2; H319	>= 1 - < 10
calcium chloride	10043-52-4 233-140-8 017-013-00-2	Eye Irrit. 2; H319	>= 1 - < 10
clomazone (ISO)	81777-89-1 613-340-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 2,5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version 1.1 Revision Date: 02.04.2024 SDS Number: 50000811 Date of last issue: 25.05.2022
Date of first issue: 25.05.2022

		Acute toxicity estimate Acute oral toxicity: 768 mg/kg Acute inhalation toxicity (dust/mist): 4,85 mg/l	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10 specific concentration limit Skin Sens. 1; H317 ≥ 0,05 % Acute toxicity estimate Acute oral toxicity: 500,0 mg/kg 490 mg/kg	< 0,036

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

- | | |
|-------------------------|---|
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
Do not induce vomiting without medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|---|
| Risks | : Suspected of damaging the unborn child. |
|-------|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|
- Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|--|
| Specific hazards during fire-fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO _x)
Hydrogen cyanide
Carbon oxides
Sodium oxides
Chlorinated compounds
Hydrogen chloride
Sulphur oxides |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 0 - 40 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
calcium chloride	Consumers	Inhalation	Long-term local effects	2,5 mg/m3

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version 1.1	Revision Date: 02.04.2024	SDS Number: 50000811	Date of last issue: 25.05.2022 Date of first issue: 25.05.2022
----------------	------------------------------	-------------------------	---

Tightly fitting safety goggles
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection
Material

: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection

: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures

: Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: viscous liquid
Colour	: dark yellow
Odour	: slight
Odour Threshold	: not determined
Melting point/freezing point	: not determined

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version 1.1	Revision Date: 02.04.2024	SDS Number: 50000811	Date of last issue: 25.05.2022 Date of first issue: 25.05.2022
----------------	------------------------------	-------------------------	---

Initial boiling point and boiling range : not determined

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Flash point : > 100 °C

Auto-ignition temperature : No data available

Decomposition temperature : not determined

pH : 6,2 (21 °C)
Concentration: 1 %

Viscosity
Viscosity, dynamic : 78 - 272 mPa.s (20 °C)

Viscosity, kinematic : not determined

Solubility(ies)
Water solubility : dispersible

Partition coefficient: n-octanol/water : No data available

Vapour pressure : Not available for this mixture.

Relative density : 1,14

Bulk density : No data available

Relative vapour density : not determined

Particle characteristics

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version 1.1	Revision Date: 02.04.2024	SDS Number: 50000811	Date of last issue: 25.05.2022 Date of first issue: 25.05.2022
----------------	------------------------------	-------------------------	---

Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

Flammability (liquids) : Not applicable

Self-ignition : 260 °C

Evaporation rate : not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.
Heating of the product will produce harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Components:

pendimethalin (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): > 2,26 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: US EPA Test Guideline OPP 81-3
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2

sodium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 3.430 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LD50 (Rat): > 0,527 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402

calcium chloride:

Acute oral toxicity : LD50 (Rat, male): 2.120 mg/kg
Method: OECD Test Guideline 401

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg

clomazone (ISO):

Acute oral toxicity : Acute toxicity estimate: 768 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LD50 (Rat, female): 768 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2.000 mg/kg
Method: OECD Test Guideline 423

Target Organs: Liver

Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.564 mg/kg
Symptoms: ataxia

Acute inhalation toxicity : Acute toxicity estimate: 4,85 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LC50 (Rat): > 5,02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

LC50 (Rat, female): 4,23 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500,0 mg/kg
Method: Converted acute toxicity point estimate

LD50 (Rat, male and female): 490 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment	:	Not classified as irritant
Result	:	No skin irritation

Components:

pendimethalin (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Remarks	:	Minimal effects that do not meet the threshold for classification.

calcium chloride:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

clomazone (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight or no skin irritation.

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Remarks	:	May cause mild irritation. Minimal effects that do not meet the threshold for classification.

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Components:

pendimethalin (ISO):

Species	: Rabbit
Assessment	: No eye irritation
Method	: US EPA Test Guideline OPP 81-4
Remarks	: Minimal effects that do not meet the threshold for classification.

sodium nitrate:

Species	: Rabbit
Assessment	: Irritating to eyes.
Method	: OECD Test Guideline 405
Result	: Eye irritation

calcium chloride:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

clomazone (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Result	: Slight or no eye irritation
GLP	: yes

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: May cause mild irritation. Minimal effects that do not meet the threshold for classification.

1,2-benzisothiazol-3(2H)-one:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Result	: No eye irritation

Species	: Rabbit
Method	: EPA OPP 81-4
Result	: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment	:	Not a skin sensitizer.
Result	:	Did not cause sensitisation on laboratory animals.

Components:

pendimethalin (ISO):

Method	:	US EPA Test Guideline OPP 81-6
Result	:	May cause sensitisation by skin contact.

sodium nitrate:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

clomazone (ISO):

Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.
Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	US EPA Test Guideline OPP 81-6
Result	:	Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

sodium nitrate:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Test Type: unscheduled DNA synthesis assay Species: Mouse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version 1.1	Revision Date: 02.04.2024	SDS Number: 50000811	Date of last issue: 25.05.2022 Date of first issue: 25.05.2022
----------------	------------------------------	-------------------------	---

Application Route: Oral
Result: negative

calcium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 471
Result: negative

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat
Method: OECD Test Guideline 473
Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

clomazone (ISO):

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Method : OECD Test Guideline 453
Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

pendimethalin (ISO):

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

sodium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: negative

calcium chloride:

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Remarks: No significant adverse effects were reported

clomazone (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Symptoms: Maternal effects
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Symptoms: Maternal effects
Result: negative

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

clomazone (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 days
Symptoms : increased liver weight

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Species	:	Rat
LOAEL	:	400 mg/kg
Exposure time	:	90 d
Method	:	OECD Test Guideline 408
Symptoms	:	Liver effects

1,2-benzisothiazol-3(2H)-one:

Species	:	Rat, male and female
NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation

Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

Components:

clomazone (ISO):

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

Components:

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 101 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 65,5 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,436
plants - 5 mg/l
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,05
mg/l
Exposure time: 72 h

Components:

pendimethalin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,28 mg/l
aquatic invertebrates Exposure time: 48 h

M-Factor (Acute aquatic tox- : 100
icity)

M-Factor (Chronic aquatic : 10
toxicity)

Toxicity to soil dwelling or- : EC50:
ganisms >1000 parts per million
Exposure time: 14 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Species: worms

Toxicity to terrestrial organisms : LD50: 1.421 mg/kg
Species: *Anas platyrhynchos* (Mallard duck)

LD50: 101,2 µg/bee
Species: *Apis mellifera* (bees)

sodium nitrate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 8.600 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 : > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 157 mg/l
Exposure time: 32 d
Species: *Pimephales promelas* (fathead minnow)

calcium chloride:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 4.630 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.400 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Chlorella vulgaris* (Fresh water algae)): 2.900 mg/l
Exposure time: 72 h

EC10 (*Chlorella vulgaris* (Fresh water algae)): 1.000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 320 mg/l
Exposure time: 21 d

clomazone (ISO):

Toxicity to fish : LC50 (*Menidia beryllina* (Silverside)): 6,3 mg/l
Exposure time: 96 h

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 45 mg/l
Exposure time: 96 h

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 34 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40,8 mg/l
Exposure time: 48 h

EC50 (Daphnia (water flea)): 5,2 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12,7 mg/l
Exposure time: 48 h
Test Type: static test

EC50 (Mysidopsis bahia (opossum shrimp)): 9,8 mg/l
Exposure time: 48 h

LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l
Exposure time: 72 h

ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l
Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l
Exposure time: 7 d

NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l
End point: Growth rate
Exposure time: 120 h

NOEC (algae): 0,05 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l
Exposure time: 7 d

EC50 (algae): 0,136 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 2,3 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test

NOEC: 2,29 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

		Exposure time: 57 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 2,2 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) NOEC: 0,032 mg/l Exposure time: 28 d Species: Americamysis bahia (mysid shrimp) Test Type: flow-through test NOEC: 1,25 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: static test
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to soil dwelling organisms	:	LC50: 156 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	:	LD50: > 2.510 mg/kg Species: Anas platyrhynchos (Mallard duck) LC50: > 5620 ppm Species: Anas platyrhynchos (Mallard duck) Remarks: Dietary LD50: > 2000 Species: Coturnix japonica (Japanese quail) NOEC: 94 mg/kg End point: Reproduction Test Species: Colinus virginianus LC50: > 85.29 Species: Apis mellifera (bees) LC50: > 100 Species: Apis mellifera (bees) Remarks: Contact
1,2-benzisothiazol-3(2H)-one:		
Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l Exposure time: 96 h Test Type: static test LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

pendimethalin (ISO):

Biodegradability : Remarks: Substance/product is moderately persistent in the environment.

Stability in water : Degradation half life (DT50): 21 d

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

clomazone (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

pendimethalin (ISO):

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 5.100
Remarks: The product/substance has a potential to bioaccumulate.
It is rapidly excreted.

Partition coefficient: n-octanol/water : log Pow: 5,2

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2,61 - 2,69 (20 - 21 °C)
pH: 4 - 10
Method: Regulation (EC) No. 440/2008, Annex, A.8

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

pendimethalin (ISO):

Distribution among environmental compartments : Koc: 17491 ml/g, log Koc: 4,24
Kd: 228 ml/g
Remarks: Slightly mobile in soils

Stability in soil :

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2,47
Remarks: Moderately mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

clomazone (ISO):

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Components:

clomazone (ISO):

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pendimethalin, Clomazone)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pendimethalin, Clomazone)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pendimethalin, Clomazone)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Pendimethalin, Clomazone)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Pendimethalin, Clomazone)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your ven-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

dor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. sodium nitrate (ANNEX II)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

2-(2-CHLOROBENZYL)-4,4-DIMETHYLISOXAZOLIDIN-3-ONE
pendimethalin (ISO)

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H272	:	May intensify fire; oxidizer.
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H361d	:	Suspected of damaging the unborn child.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Ox. Sol.	:	Oxidizing solids
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Repr. 2	H361d
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STALLION® SYNC TEC®

Version	Revision Date:	SDS Number:	Date of last issue: 25.05.2022
1.1	02.04.2024	50000811	Date of first issue: 25.05.2022

© 2021-2024 FMC Corporation. All Rights Reserved.

DK / 6N