SAFETY DATA SHEET

Agroplus Javams 240

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0373-A

Revision date: 2020-08-20

Format: EU Version 1.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0373-A

Legacy Product Code HA454

Product Name Agroplus Javams 240

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A fertilizer with micronutrients for use in agriculture and horticulture

Restrictions on useUse as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited

Rectors Lane Pentre Flintshire CH5 2DH United Kingdom Tel: + 44 1244 537370

E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0) 1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Medical emergencies:

Austria: +43 1 406 43 43 Belgium: +32 70 245 245 Bulgaria: +359 2 9154 409

Cyprus: 1401

Czech Republic: +420 224 919 293, +420 224 915 402

Denmark: +45 82 12 12 12 France: +33 (0) 1 45 42 59 59 Finland: +358 9 471 977 Greece: 30 210 77 93 777 Hungary: +36 80 20 11 99

Ireland (Republic): +352 1 809 2166

Italy: +39 02 6610 1029

Lithuania: +370 523 62052, +370 687 53378

Luxembourg: +352 8002 5500

SDS #: NP-0373-A **Revision date**: 2020-08-20

Version 1.01

Netherlands: +31 30 274 88 88 Norway: +47 22 591300

Poland: +48 22 619 66 54, +48 22 619 08 97

Portugal: 800 250 250 (in Portugal only), +351 21 330 3284

Romania: +40 21318 3606 Slovakia: +421 2 54 77 4 166 Slovenia: +386 41 650 500 Spain: +34 91 562 04 20 Sweden: +46 08-331231112

Switzerland: 145

United Kingdom: 0870 600 6266 (in the UK only)

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

For leak, fire, spill, or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A. & Canada) 1 703 / 527 3887 (CHEMTREC - All Other Countries - Collect)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 1 (H410)
EUH208: Contains 1.2-Benzisothiazolin-3-one. May produce an allergic reaction.	

2.2. Label elements

Hazard pictograms



Hazard Designation

Warning

Hazard Statements

H410 - Very toxic to aquatic life with long lasting effects

EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Precautionary Statements

P273 - Avoid release to the environment

P391 - Collect spillage

P501: Dispose of contents/container as hazardous waste in accordance with local regulations.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixtures

Version 1.01

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Zinc oxide	215-222-5	1314-13-2	10 - 20	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119463881-32- XXXX
Copper(+1) oxide	Present	1317-39-1	1 - 5	Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119513794-36- XXXX
ethane-1,2-diol	203-473-3	107-21-1	1 - 5	Acute Tox 4 (H302) STOT RE 2 (H373)	01-2119456816-28- XXXX

Additional Information

Contains 1,2-Benzisothiazolin-3-one (CAS number 2634-33-5) at a level below the concentration limit for classification of the mixture as sensitising.

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes.

Skin Contact Wash off immediately with soap and plenty of water. If symptoms persist, call a doctor.

Inhalation Remove person from exposure ensuring one's own safety while doing so.

Ingestion Rinse mouth. Do NOT induce vomiting. Get medical attention immediately if symptoms

occur.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure.

May cause an allergic reaction in individuals already sensitised to

1,2-Benzisothiazolin-3-one.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

SDS #: NP-0373-A

Revision date: 2020-08-20

Version 1.01

Small Fire Dry chemical. Carbon dioxide (CO2).

Large Fire Water spray. Foam.

Unsuitable extinguishing media

Avoid heavy hose streams.

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be released in fire situations.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment Surface drains within close vicinity of the spill should be covered. Dike to confine spill and

absorb with non-combustible absorbent such as clay, sand or soil.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to

local/national regulations (see Section 13).

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Use only in area provided with appropriate exhaust ventilation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Protect from freezing. Store at 5 - 35°C. Store in a well-ventilated place. Keep cool. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

Packageing material Must only be kept in original packaging.

7.3. Specific end use(s)

Version 1.01

Specific Use(s)

Refer to Section 1 and the Annex.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
Zinc oxide	-	-	TWA 5 mg/m ³	TWA 2 mg/m ³	-
1314-13-2			TWA 10 mg/m ³	STEL 10 mg/m ³	
ethane-1,2-diol	TWA 20 ppm	STEL 40 ppm	TWA 20 ppm	TWA 20 ppm	-
107-21-1	TWA 52 mg/m ³	STEL 104 mg/m ³	TWA 52 mg/m ³	TWA 52 mg/m ³	
	STEL 40 ppm	STEL 30 mg/m ³	STEL 40 ppm	STEL 40 ppm	
	STEL 104 mg/m ³	TWA 10 mg/m ³	STEL 104 mg/m ³	STEL 104 mg/m ³	
	S*	TWA 20 ppm	P*	S*	
		TWA 52 mg/m ³			
		Skin			
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Zinc oxide	-	TWA 2 mg/m ³	-	TWA 2 mg/m ³	TWA 4 mg/m ³
1314-13-2		STEL 10 mg/m ³		STEL 10 mg/m ³	
Copper(+1) oxide	-	-	-	TWA 0.02 mg/m ³	-
1317-39-1					
ethane-1,2-diol	TWA 20 ppm	TWA 20 ppm	Huid*	TWA 20 ppm	TWA 10 ppm
107-21-1	TWA 52 mg/m ³	TWA 52 mg/m ³	STEL 104 mg/m ³	TWA 50 mg/m ³	TWA 26 mg/m ³
	STEL 40 ppm	STEL 40 ppm	TWA 52 mg/m ³	STEL 40 ppm	TWA 10 mg/m ³
	STEL 104 mg/m ³	STEL 104 mg/m ³	TWA 10 mg/m ³	STEL 100 mg/m ³	H*
	Pelle*	Ceiling 100 mg/m ³		iho*	
		C(A4)			
		P*			
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Zinc oxide	TWA 5 mg/m ³	TWA 3 mg/m ³	TWA 5 mg/m ³	TWA 5 mg/m ³	TWA 2 mg/m ³
1314-13-2		STEL 3 mg/m ³	STEL 10 mg/m ³	STEL 10 mg/m ³	STEL 10 mg/m ³
ethane-1,2-diol	H*	SS-C**	TWA 15 mg/m ³	TWA 20 ppm	TWA 10 mg/m ³
107-21-1	STEL 20 ppm	H*	STEL 50 mg/m ³	TWA 52 mg/m ³	TWA 20 ppm
	STEL 52 mg/m ³	TWA 10 ppm		S*	TWA 52 mg/m ³
	TWA 10 ppm	TWA 26 mg/m ³		STEL 104 mg/m ³	STEL 40 ppm
	TWA 26 mg/m ³	STEL 20 ppm		STEL 40 ppm	STEL 30 mg/m ³
		STEL 52 mg/m ³			STEL 104 mg/m ³
					Skin

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. The floor of the storage room

must be impermeable to prevent the escape of liquids.

Personal protective equipment

Eye/Face Protection Safety Glasses. Eye wash bottle with pure water.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection Not required under normal use.

SDS #: NP-0373-A

Revision date: 2020-08-20

Version 1.01

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Suspension **Physical State Appearance** Liquid

Odour Barely perceptible Colour Reddish Beige

Odour threshold No information available

7.0 - 10.0 Ha

No information available Melting point/freezing point No information available Boiling point/boiling range Flash point No information available **Evaporation Rate** No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit No information available Vapour pressure No information available Vapour density No information available Specific gravity 1.57 - 1.63 g/mL at 20°C Water solubility Dispersible in water Solubility in other solvents No information available No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** Viscosity, kinematic No information available

Viscosity, dynamic 2000-4000 cps

No information available **Explosive properties Oxidising properties** Non-oxidizing (by EC criteria)

9.2. Other information

Softening point No information available Molecular weight No information available VOC content (%) No information available 1.57 - 1.63 g/mL at 20°C Density No information available **Bulk density** No information available Kst

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under recommended storage conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

SDS #: NP-0373-A **Revision date**: 2020-08-20

Version 1.01

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

LD50 Oral

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
No information available.
No information available.
No information available.

SensitisationNo information availableMutagenicityNo information availableCarcinogenicityNo information available

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

Symptoms Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure.

May cause an allergic reaction in individuals already sensitised to

1,2-Benzisothiazolin-3-one.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

There is no data available for this product.

12.2. Persistence and degradability

No information available.

Version 1.01

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

Mobility

No information available.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Very toxic to aquatic organisms

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Alternatively, the product can be incinerated, in accordance with local regulations. The diluted product and washings should be sent to a water treatment facility. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not discharge to sewer systems.

Contaminated Packaging

Clean container with water. Dispose of rinse water in accordance with local and national guidelines. Dispose of in accordance with local regulations.

02 01 08

EWC Waste Disposal No OTHER INFORMATION

NOTE: The user's attention is drawn to the possible existence of specific European, national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s (Zinc oxide)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardsYesEnvironmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

14.7 Transport in bulk according to This product is not transported in bulk containers.

Annex II of MARPOL and the IBC

Code

RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s (Zinc oxide)

Page 8/11

SDS #: NP-0373-A

Revision date: 2020-08-20

Version 1.01

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s (Zinc oxide)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s (Zinc oxide)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Zinc oxide 1314-13-2	Х	Х	Х	Х	Х	Х	Х	Х
Copper(+1) oxide 1317-39-1	Х	Х	X	Х	Х	X	Х	Х
ethane-1,2-diol 107-21-1	Х	Х	Х	Х	Х	X	Х	Х

15.2. Chemical safety assessment

Version 1.01

A Chemical Safety Assessment has not yet been completed for this substance

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3

EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)
IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for data

Data measured on the product are unpublished company data. Data on ingredients are available from published literature and can be found several places.

Revision date: 2020-08-20

Reason for revision: SDS sections updated.

Training Advice This material should only be used by persons who are made aware of its hazardous

properties and have been instructed in the required safety precautions.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation

SDS #: NP-0373-A

Revision date: 2020-08-20 Version 1.01

FMC Logo - Trademark of FMC Corporation

© 2020 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet