according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name MAGNELLO

Other means of identification

Product code 50002921

Unique Formula Identifier

(UFI)

6DQ0-E0U3-T00J-QW1X

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fungicide

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

### 1.3 Details of the supplier of the safety data sheet

Supplier Address Cheminova Deutschland GmbH & Co. KG

Stader Elbstrasse 26

21683 Stade Germany

Telephone: +49 (0) 4141 9204 0 Telefax: +45 (0) 4141 9204 206

E-mail address: datenblatt@fmc.com, SDS-Info@fmc.com.

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: Germany: +49-69643508409 (CHEMTREC)

0800-181-7059 (CHEMTREC)

Medical emergency:

Germany: +49 (0) 551 19240

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Reproductive toxicity, Category 2 H361d: Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

#### Hazardous components which must be listed on the label:

N,N-dimethyloctanamide tebuconazole (ISO)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

**Additional Labelling** 

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N,N-dimethyloctanamide	1118-92-9 214-272-5	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 30 - < 50
tebuconazole (ISO)	107534-96-3 403-640-2 603-197-00-7	Acute Tox. 4; H302 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
difenoconazole	119446-68-3	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: 1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

| M-Factor (Acute aquatic toxicity): 1.000 |
M-Factor (Chronic aquatic toxicity): 1.000

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : Move to fresh air.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Do NOT induce vomiting.

Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

May cause respiratory irritation.

Suspected of damaging the unborn child.

Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Carbon oxides

Chlorinated compounds Hydrogen chloride Hydrogen cyanide

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on stor-

age conditions

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

chemicals. Food, drink, feed and seed should not be present.

A hand wash station should be available.

Storage class (TRGS 510) : 10

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N,N- dimethyloctanamide	Workers	Inhalation	Long-term systemic effects	166,67 mg/m3
	Workers	Dermal	Long-term systemic effects	23,81 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Dermal	Long-term systemic effects	14,29 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	14,29 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
N,N-dimethyloctanamide	Fresh water	0,026 mg/l
	Marine water	0,0026 mg/l
	Fresh water sediment	0,872 mg/kg dry weight (d.w.)
	Marine sediment	0,087 mg/kg dry weight (d.w.)
	Soil	5,3 mg/kg dry weight (d.w.)
	Intermittent use (freshwater)	0,077 mg/l
	Oral	12,71 mg/kg

### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **MAGNELLO**

Version **Revision Date:** SDS Number: Date of last issue: -

07.03.2025 50002921 Date of first issue: 07.03.2025 1.0

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection Impervious clothing

> Choose body protection according to the amount and concentration of the dangerous substance at the work place.

In the case of dust or aerosol formation use respirator with an Respiratory protection

approved filter.

Protective measures Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour yellow, brown unpleasant Odour Odour Threshold No data available Melting point/freezing point : No data available Boiling point/boiling range No data available Upper explosion limit / Upper No data available

flammability limit

Lower explosion limit / Lower

flammability limit

Flash point 140 °C

Method: closed cup

No data available

Auto-ignition temperature 375 °C

Decomposition temperature No data available

4 - 8 рΗ

Concentration: 1 %

Viscosity

Viscosity, dynamic 71,6 mPa.s (20 °C)

25,9 mPa.s (40 °C)

Viscosity, kinematic

Solubility(ies)

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

Water solubility : No data available Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

Vapour pressure : No data available
Density : 1,007 g/cm3
Relative vapour density : No data available

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : No data available

Miscibility with water : Miscible

Surface tension : 28,4 mN/m, 20 °C

# **SECTION 10: Stability and reactivity**

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Assessment: The component/mixture is minimally toxic after

single ingestion.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

**Components:** 

N,N-dimethyloctanamide:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,55 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

tebuconazole (ISO):

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 425

Symptoms: ataxia, Lethargy, Breathing difficulties

Assessment: The component/mixture is minimally toxic after

single ingestion. Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,18 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin. Remarks: no mortality

difenoconazole:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 423

Assessment: The component/mixture is minimally toxic after

single ingestion.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,194 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The component/mixture is minimally toxic after

single contact with skin. Remarks: no mortality

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No skin irritation

Species : Rabbit

Result : Repeated exposure may cause skin dryness or cracking.

## **Components:**

N,N-dimethyloctanamide:

Species : Rabbit Result : Skin irritation

Remarks : Based on data from similar materials

tebuconazole (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : slight irritation

GLP : yes

difenoconazole:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : slight irritation

#### Serious eye damage/eye irritation

Causes serious eye irritation.

11 / 27

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

**Product:** 

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

**Components:** 

N,N-dimethyloctanamide:

Species : Rabbit

Result : Irreversible effects on the eye

Remarks : Based on data from similar materials

tebuconazole (ISO):

Species : Rabbit

Assessment : No eye irritation Method : FIFRA 81.04

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

difenoconazole:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 7 days

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : slight irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

**Product:** 

Test Type : Buehler Test Species : Guinea pig

Result : Does not cause skin sensitisation.

**Components:** 

N,N-dimethyloctanamide:

Test Type : Buehler Test Species : Guinea pig

Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

tebuconazole (ISO):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

difenoconazole:

Species : Guinea pig

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 406

Result : Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

N,N-dimethyloctanamide:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay)
Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: gene mutation test Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

In vitro tests did not show mutagenic effects

tebuconazole (ISO):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Germ cell mutagenicity- As-

sessment

Remarks: Adverse effects on fertility such as reduced litter

size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD 416). Malformations of offspring were found at maternally toxic

doses (based on 13 studies).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

difenoconazole:

Genotoxicity in vitro : Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### **Components:**

#### difenoconazole:

Species : Rat, male
Application Route : Oral
Exposure time : 2 y

Dose : 0, 0.5, 1, 24.1, 124 mg/kg bw/day

NOAEL : 124 mg/kg body weight

Target Organs : Liver

Species : Mouse, male

Application Route : Oral Exposure time : 78 w

Dose : 0, 1.5, 4.7, 46.3, 423... mg/kg bw/day

NOAEL : 46,3 mg/kg bw/day

Symptoms : Hepatocellular adenoma, carcinoma

Target Organs : Liver

### Reproductive toxicity

Suspected of damaging the unborn child.

### **Components:**

## N,N-dimethyloctanamide:

Effects on foetal develop: Species: Rat

ment Application Route: Oral

Dose: 50, 150, 450mg/kg bw Duration of Single Treatment: 21 d

General Toxicity Maternal: NOAEL: 50 - < 150 mg/kg bw/day Embryo-foetal toxicity: NOAEL F1: >= 450 mg/kg bw/day

Symptoms: Maternal effects Method: OECD Test Guideline 414

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

Reproductive toxicity - As-

sessment

: Weight of evidence does not support classification for repro-

ductive toxicity

tebuconazole (ISO):

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments., Suspected of damaging the unborn

child.

Remarks: Adverse effects on fertility such as reduced litter size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD 416). Malformations of offspring were found at maternally toxic

doses (based on 13 studies).

difenoconazole:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

May cause respiratory irritation.

**Components:** 

N,N-dimethyloctanamide:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

N,N-dimethyloctanamide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

N,N-dimethyloctanamide:

Species : Dog, male and female LOAEL : >= 200 mg/kg bw/day

Application Route : Oral Exposure time : 13 weeks

Dose : 40, 200, 1000mg/kg/bw Method : OECD Test Guideline 409

Remarks : Based on data from similar materials

difenoconazole:

Species : Rat NOAEL : 1 mg/kg

15 / 27

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

LOAEL : 24 mg/kg
Application Route : Oral
Exposure time : 24 m
Target Organs : Liver

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : No data available

**Components:** 

tebuconazole (ISO):

Remarks : The main symptoms were passivity, impaired mobility and

shortness of breath at high doses in animal tests.

### **SECTION 12: Ecological information**

# 12.1 Toxicity

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 6,3 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 7,5 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

•

mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 10

mg/l

End point: Growth rate Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

EC10 (Raphidocelis subcapitata (freshwater green alga)): 2,4

mg/l

End point: Growth rate Exposure time: 96 h

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Remarks: According to calculation method of Regulation (EC)

No 1272/2008.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Remarks: According to calculation method of Regulation (EC)

No 1272/2008.

**Components:** 

N,N-dimethyloctanamide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14,8 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 7,7 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 5,47

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

LOEC (Pseudokirchneriella subcapitata (green algae)): 1,8

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): 212,3 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

EC10: 1,3 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Toxicity to soil dwelling or-

ganisms

LC50: 1.032,1 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

NOEC: 562 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

Method: OECD Test Guideline 207

tebuconazole (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,7 mg/l

Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): 8,7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 2,79 mg/l

Exposure time: 48 h

Test Type: flow-through test

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (algae)): 3,8 mg/l

Exposure time: 72 h Test Type: static test

ErC50 (Scenedesmus quadricauda (Green algae)): 5,3 mg/l

Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0,144 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,012 mg/l Exposure time: 60 d

Species: Salmo gairdneri

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,12 mg/l

Exposure time: 21 d Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: 1.381 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: 1.988 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LD50: > 200  $\mu$ g/bee

Species: Apis mellifera (bees)

Remarks: Contact

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

LD50: > 83 µg/bee Exposure time: 48 h

Species: Apis mellifera (bees)

LD50: 2.912 mg/kg

Species: Coturnix japonica (Japanese quail)

difenoconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,1 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 0,44 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,77 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0,17 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus subspicatus): 0,03 mg/l

Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (algae)): 0,0003 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

1.000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,023 mg/l

Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0056 mg/l Exposure time: 21 d

Species: Daphnia (water flea)

M-Factor (Chronic aquatic

toxicity)

1.000

Toxicity to soil dwelling or-

ganisms

LC50: > 610 mg/kg

Species: Eisenia fetida (earthworms)

NOEC: 0,2 mg/kg End point: reproduction

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 2.000 mg/kg

Exposure time: 9 d

Species: Coturnix japonica (Japanese quail)

LD50:  $> 100 \mu g/bee$ 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

Species: Apis mellifera (bees)

NOEL: 9,71 mg/kg Exposure time: 21 d

Species: Colinus virginianus (Bobwhite quail)

### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data is available on the product itself.

**Components:** 

N,N-dimethyloctanamide:

Biodegradability : Inoculum: activated sludge, non-adapted

Result: Readily biodegradable. Method: OECD Test Guideline 301B

tebuconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

difenoconazole:

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life: 1 d

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data is available on the product itself.

**Components:** 

N,N-dimethyloctanamide:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

4).

Partition coefficient: n-

octanol/water

log Pow: 2,59 (23 °C)

tebuconazole (ISO):

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 65 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 3,7 (20 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **MAGNELLO**

Version **Revision Date:** SDS Number: Date of last issue: -

07.03.2025 50002921 Date of first issue: 07.03.2025 1.0

difenoconazole:

Bioaccumulation Bioconcentration factor (BCF): 330

Partition coefficient: n-

octanol/water Method: OECD Test Guideline 117

12.4 Mobility in soil

**Product:** 

mental compartments

Distribution among environ- : Remarks: No data is available on the product itself.

**Components:** 

tebuconazole (ISO):

Distribution among environ-

mental compartments

: Remarks: Low mobility in soil

log Pow: 3,817 (25 °C)

difenoconazole:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

Stability in soil

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

**Product:** 

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

# 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Difenoconazole, Tebuconazole)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Difenoconazole, Tebuconazole)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Difenoconazole, Tebuconazole)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Difenoconazole, Tebuconazole)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Difenoconazole, Tebuconazole)

#### 14.3 Transport hazard class(es)

Class Subsidiary risks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

## 14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

**RID** 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

07.03.2025 50002921 Date of first issue: 07.03.2025 1.0

Environmentally hazardous yes

**IMDG** 

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous ves

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances. mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) on substances that deplete the ozone

laver

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 **ENVIRONMENTAL HAZARDS** 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

Water hazard class (Germa-

ny)

WGK 3 highly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:

Not applicable

5.2.2: Inorganic substances in powdered form:

Not applicable

5.2.4: Inorganic substances in gaseous form:

Not applicable

5.2.5: Organic Substances:

Not applicable

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres: Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

Not applicable

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

organic substances: Not applicable

### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

#### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

tebuconazole (ISO) difenoconazole

N,N-dimethyloctanamide

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

H361d : Suspected of damaging the unborn child.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **MAGNELLO**

Version Revision Date: SDS Number: Date of last issue: -

1.0 07.03.2025 50002921 Date of first issue: 07.03.2025

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Eye Irrit. 2	H319	Based on product data or assessment
Repr. 2	H361d	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Acute 1	H400	Based on product data or assessment
Aquatic Chronic 1	H410	Based on product data or assessment

### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### **Prepared by**

**FMC** Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

**DE / 6N**