According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Colour Solution Red 112

Other means of identification

Product code 50002219

This substance/ mixture contains nanoforms

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Adjuvant for plant protection products

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address Cheminova Deutschland GmbH & Co. KG

Stader Elbstrasse 26

21683 Stade Germany

Telephone: +49 (0) 4141 9204 0 Telefax: +45 (0) 4141 9204 206

E-mail address: datenblatt@fmc.com, SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: Germany: +49-69643508409 (CHEMTREC)

0800-181-7059 (CHEMTREC)

Medical emergency:

Germany: +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

 \Diamond

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and

soap.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Disposal:

P501 Dispose of contents/container as hazardous waste in

accordance with local regulations.

Hazardous components which must be listed on the label:

3-hydroxy-2'-methyl-2-naphthanilide

1,2-Benzisothiazolin-3-one

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
3-hydroxy-2'-methyl-2- naphthanilide	Registration number 135-61-5 205-205-0	Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 0,25 - < 1
1,2-Benzisothiazolin-3-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10 specific concentration limit Skin Sens. 1; H317 >= 0,05 % Acute toxicity estimate Acute oral toxicity: 500,0 mg/kg 490 mg/kg	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

This substance/ mixture contains nanoforms

Components:

3-hydroxy-N-(o-tolyl)-4-[(2,4,5-trichlorophenyl)azo]naphthalene-2-carboxamide (Nano C.I. Pigment Red 112):

Particle characteristics

Particle Size Distribution : D10 = 0,04 μ m \pm 0,02 μ m

D50 = 0,07 μ m \pm 0,02 μ m D90 = 0,135 μ m \pm 0,015 μ m Measurement technique: TEM

Dustiness : Number-Based Dustiness Index: 946.951 1/mg

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Measurement method: DIN EN 17199-3: Continuous drop

method

Number-Based Dustiness Index: 2.464 1/mg

Measurement method: DIN EN 17199-3: Continuous drop

method

Assessment: This substance/ mixture contains nanoforms

Total Content of Nanomaterials: 80 - 100 %

Shape : Shape: cubes

Fraction (Weight): 88 %

Measurement technique: TEM

Shape: spheres Fraction (Weight): 9 %

Measurement technique: TEM

Shape: rods

Fraction (Weight): 3 %

Measurement technique: TEM

Crystallinity: crystalline

Measurement technique: X-ray Diffraction (XRD)

Surface treatment

/Coatings

Surface treatment /Coatings: no

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

If you feel unwell, seek medical advice (show the label where

possible).

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Carbon oxides

Nitrogen oxides (NOx) Hydrogen chloride

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply

with the technological safety standards.

Further information on stor- : Protect from frost and extreme heat.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

age conditions

Storage class (TRGS 510) : 10, Combustible liquids

Further information on stor-

age stability

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : The product may be used as adjuvant for plant protection

products only.

Use only in accordance with the instruction manual.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
glycerol	56-81-5	AGW (Inhalable fraction)	200 mg/m3	DE TRGS 900
Peak-limit: excursion factor (category)	2;(I)			
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
3-hydroxy-N-(o-tolyl)- 4-[(2,4,5- trichloro- phe- nyl)azo]naphthalene- 2-carboxamide (Nano C.I. Pigment Red 112)	Workers	Inhalation	Long-term systemic effects	49 mg/m3
	Workers	Dermal	Long-term systemic effects	42 mg/kg
	Consumers	Dermal	Long-term systemic effects	25 mg/kg
	Consumers	Oral	Long-term systemic effects	25 mg/kg
glycerol	Consumers	Oral	Long-term systemic effects	229 mg/kg
	Consumers	Inhalation	Long-term local ef- fects	33 mg/m3
	Workers	Inhalation	Long-term local ef- fects	56 mg/m3

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

1,2-Benzisothiazolin- 3-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
glycerol	Fresh water	0,885 mg/l
	Intermittent use/release	8,85 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	3,3 mg/l
	Marine sediment	0,33 mg/l
	Soil	0,141 mg/kg dry
		weight (d.w.)
1,2-Benzisothiazolin-3-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : red

Odour : not characteristic

Melting point/freezing point : No data available

Boiling point/boiling range : ca. 100 °C (1.013,25 hPa)

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Flash point : > 100 °C

Auto-ignition temperature : not determined

Decomposition temperature : > 100 °C

pH : 6,3 (20 °C)

(undiluted)

Viscosity

Viscosity, dynamic : < 2 Pas (23 °C)

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not applicable

Density : 1,18 g/cm3 (20 °C)

Relative vapour density : not determined

Particle characteristics

Assessment: This substance/ mixture contains nanoforms

Particle size : Further particle properties for nanomaterials see section 3

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

9.2 Other information

Explosives : No data available

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50: > 2.000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

3-hydroxy-2'-methyl-2-naphthanilide:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Method: OECD Test Guideline 401

GLP: no

Remarks: No significant adverse effects were reported

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

1,2-Benzisothiazolin-3-one:

Acute oral toxicity : Acute toxicity estimate: 500,0 mg/kg

Method: Converted acute toxicity point estimate

LD50 (Rat, male and female): 490 mg/kg Method: OECD Test Guideline 401

Acute toxicity estimate: 490 mg/kg

Method: ATE value derived from LD50/LC50 value

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Result : No skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

3-hydroxy-2'-methyl-2-naphthanilide:

Species : Rabbit Exposure time : 4 h

Method : Directive 67/548/EEC, Annex V, B.4.

Result : No skin irritation

GLP : yes

1,2-Benzisothiazolin-3-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Product:

Result : No eye irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Components:

3-hydroxy-2'-methyl-2-naphthanilide:

Species : Rabbit Exposure time : 24 h

Method : Regulation (EC) No. 440/2008, Annex, B.5

Result : No eye irritation

GLP : yes

1,2-Benzisothiazolin-3-one:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Species : Rabbit

Method : EPA OPP 81-4

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : No data available

Remarks : Causes sensitisation.

Components:

3-hydroxy-2'-methyl-2-naphthanilide:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Dermal Species : Mouse

Method : OECD Test Guideline 429

Result : The product is a skin sensitiser, sub-category 1A.

GLP : yes

1,2-Benzisothiazolin-3-one:

Test Type : Maximisation Test

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- As-

sessment

: No data available

Components:

3-hydroxy-2'-methyl-2-naphthanilide:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium Concentration: 4 - 10000 μg/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Remarks: In vitro tests did not show mutagenic effects

1,2-Benzisothiazolin-3-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess-

ment

: No data available

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - As-

sessment

No data available

Components:

1,2-Benzisothiazolin-3-one:

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight

General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters

Method: OPPTS 870.3800

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Product:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Components:

1,2-Benzisothiazolin-3-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

1,2-Benzisothiazolin-3-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 : > 100 mg/l

Toxicity to daphnia and other : Remarks: No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

aquatic invertebrates

Toxicity to algae/aquatic

plants

: Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components:

3-hydroxy-2'-methyl-2-naphthanilide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1,33 - 3,25 mg/l

End point: mortality Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,108 mg/l

Exposure time: 48 h Test Type: static test Analytical monitoring: yes

End point: Immobilization

GLP: yes

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 0,711

mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h Analytical monitoring: no

Method: OECD Test Guideline 209

GLP: yes

Toxicity to fish (Chronic tox-

icity)

Remarks: No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

1,2-Benzisothiazolin-3-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7

mg/l

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,9 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Components:

3-hydroxy-2'-methyl-2-naphthanilide:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Concentration: 32,3 mg/l

Result: Not readily biodegradable.

Biodegradation: 12 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

1,2-Benzisothiazolin-3-one:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

3-hydroxy-2'-methyl-2-naphthanilide:

Partition coefficient: n- : log Pow: 2,55 (23 °C)

octanol/water pH: 7

Method: OECD Test Guideline 107

1,2-Benzisothiazolin-3-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 56 d

Bioconcentration factor (BCF): 6,62 Method: OECD Test Guideline 305

Remarks: This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 0,7 (20 °C)

pH: 7

log Pow: 0,99 (20 °C)

pH: 5

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

: Remarks: No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Components:

1,2-Benzisothiazolin-3-one:

Distribution among environmental compartments

Koc: 9,33 ml/g, log Koc: 0,97 Method: OECD Test Guideline 121 Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75, 3

3-hydroxy-N-(o-tolyl)-4-[(2,4,5-trichlorophenyl)azo]naphthalene-2-carboxamide (Nano C.I. Pigment Red 112) (Number on list 75) 1,2-Benzisothiazolin-3-one

3-hydroxy-N-(o-tolyl)-4-[(2,4,5-trichlorophenyl)azo]naphthalene-2-carboxamide (Nano C.I. Pigment Red 112) (Number on list 75)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Not applicable

Water hazard class (Germa-

ny)

WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1 Total dust:

Not applicable

5.2.2 Inorganic substances in powdered form:

Not applicable

5.2.4 Inorganic substances in gaseous form:

Not applicable

5.2.5 Organic Substances:

Not applicable

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

5.2.7.1.1 Carcinogenic substance:

Not applicable

5.2.7.1.1 Quartz fine dust PM4:

Not applicable

5.2.7.1.1 Formaldehyde:

Not applicable

fibres:

Not applicable

5.2.7.1.2 Germ cell mutagens:

Not applicable

5.2.7.1.3 Substances toxic to reproduction:

Not applicable

5.2.7.2 Poorly degradable, easily enrichable and highly toxic

organic substances:

Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Irrit. : Skin irritation Skin Sens. : Skin sensitisation

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



Colour Solution Red 112

Version Revision Date: SDS Number: Date of last issue: -

1.0 11.04.2023 50002219 Date of first issue: 11.04.2023

Further information

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DE / 6N