

Product code	6538	Page 1 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020
		Supersedes December 2018

## SAFETY DATA SHEET

### Galben M 8-65 Blu

Revision: Sections containing a revision or new information are marked with a ♣.

#### ♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1. **Product identifier** ..... **Galben M 8-65 Blu**  
**Contains mancozeb**
- 1.2. **Relevant identified uses of the substance or mixture and uses advised against** ..... Can be used as fungicide only.
- 1.3. **Details of the supplier of the safety data sheet** **FMC Agricultural Solutions A/S**  
 Thyborønvej 78  
 DK-7673 Harbøre  
 Denmark  
[SDS.Ronland@fmc.com](mailto:SDS.Ronland@fmc.com)
- 1.4. **Emergency telephone number**  
Medical emergencies:
- |                                     |   |
|-------------------------------------|---|
| Austria: +43 1 406 43 43            | Luxembourg: +352 8002 5500                                      |
| Belgium: +32 70 245 245             | Netherlands: +31 30 274 88 88                                   |
| Bulgaria: +359 2 9154 409           | Norway: +47 22 591300   |
| Cyprus: 1401                        | Poland: +48 22 619 66 54  |
| Czech Republic: +420 224 919 293    | +48 22 619 08 97  |
| +420 224 915 402                    | Portugal: 800 250 250 (in Portugal only)                        |
| Denmark: +45 82 12 12 12            | +351 21 330 3284  |
| England and Wales: 111              | Romania: +40 21318 3606   |
| Estonia: +372 7943500               | Scotland: +8454 24 24 24  |
| Finland: +358 9 471 977             | Slovakia: +421 2 54 77 4 166                                    |
| France: +33 (0) 1 45 42 59 59       | Slovenia: +386 41 650 500                                       |
| Greece: 30 210 77 93 777            | South Africa: +27 83 123 3911 (Bateleur Emergency Response Co.) |
| Hungary: +36 80 20 11 99            | Spain: +34 91 562 04 20   |
| Ireland (Republic): +353 1 837 9964 | Sweden: +46 08-331231   |
| Italy: +39 02 6610 1029             | 112   |
| Latvia: +371 670 42 473             | Switzerland: 145  |
| 112                                 | Turkey: 114   |
| Lithuania: +370 523 62052           | U.S.A. & Canada: +1 800 / 331 3148                              |
| +370 687 53378                      | All other countries: +1 651 / 632 6793 (Collect)                |

For fire, leak, spill or other accident emergencies:

U.S.A.: +1 800 / 424 9300 (CHEMTREC)  
 All other countries: +1 703 / 527 3887 (CHEMTREC - Collect)

Product code	6538	Page 2 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Sensitisation – skin: Category 1 (H317)  
 Toxic to reproduction: Category 2 (H361d)  
 Hazards to the aquatic environment, acute: Category 1 (H400)  
 chronic: Category 1 (H410)

WHO classification ..... Class U (Unlikely to present acute hazard in normal use)

Health hazards ..... The product may harm the unborn child. It can cause allergic sensitisation.

Environmental hazards ..... The product is very toxic to aquatic organisms.

### 2.2. Label elements

*According to EU Reg. 1272/2008 as amended*

Product identifier ..... Galben M 8-65 Blu  
 Contains mancozeb

Hazard pictograms (GHS07, GHS08, GHS09)



Signal word ..... Warning

Hazard statements

H317 ..... May cause an allergic skin reaction.  
 H361d ..... Suspected of damaging the unborn child.  
 H410 ..... Very toxic to aquatic life with long lasting effects.

Supplementary hazard statement

EUH401 ..... To avoid risks to human health and the environment, comply with the instructions of use.

Precautionary statements

P202 ..... Do not handle until all safety precautions have been read and understood  
 P261 ..... Avoid breathing vapours.  
 P280 ..... Wear protective gloves, protective clothing and eye protection.  
 P302+P352 ..... IF ON SKIN: Wash with plenty of soap and water.  
 P362+P364 ..... Take off contaminated clothing and wash it before reuse.  
 P501 ..... Dispose of contents and container as hazardous waste.

### 2.3. Other hazards

None of the ingredients in the product meets the criteria for being PBT or vPvB.

Product code	6538	Page 3 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1. **Substances** ..... The product is a mixture, not a substance
- 3.2. **Mixtures** ..... See section 16 for full text of hazard statements.

#### Active ingredients

<b>Benalaxyl</b> .....	Content: < 10% w/w
CAS name .....	Methyl N-(2,6-dimethylphenyl)-N-(phenylacetyl)-DL-alaninate
CAS no. ....	71626-11-4
IUPAC name(s) .....	Methyl N-phenylacetyl-N-2,6-xylyl-DL-alaninate
ISO name/EU name .....	Benalaxyl
EC no. (EINECS no.) .....	275-728-7
EU index no. ....	616-104-00-X
Molecular weight .....	325.40
Classification of the ingredient .....	Hazards to the aquatic environment, acute: Category 1 (H400) chronic: Category 1 (H410)

<b>Mancozeb</b> .....	Content: < 80% w/w
CAS name .....	Manganese, [N-[2-[(dithiocarboxy)amino]ethyl]carbamidithioate(2-)-κS,κS']-, mixt. with [(dithiocarboxy)amino]ethyl]carbamidithioate-(2-)-κS,κS']zinc
CAS no. ....	8018-01-7
IUPAC name(s) .....	Manganese ethylenebis (dithiocarbamate) (polymeric) complex with zinc salt
ISO name/EU name .....	Mancozeb
EC no. (EINECS no.) .....	None
EU index no. ....	006-076-00-1
Molecular weight .....	265.30
Classification of the ingredient .....	Sensitisation – skin: Category 1 (H317) Toxic to reproduction: Category 2 (H361d) Hazards to the aquatic environment, acute: Category 1 (H400)

#### Reportable ingredient

	Content (% w/w)	CAS no.	EC no. (EINECS no.)	Classification
Sulfurous acid, monosodium salt, compd. with formaldehyde polymer with 4,4'-sulfonylbis(phenol)	< 5	102958-53-2	None	Aquatic Chronic 2 (H411)

### SECTION 4: FIRST AID MEASURES

- 4.1. **Description of first aid measures**
- Inhalation ..... If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- Skin contact ..... Clothing contaminated with material must be removed immediately

Product code	6538	Page 4 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

and all skin washed thoroughly with water and soap. Get medical attention if any symptom develops.

Eye contact .....	Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. See physician if irritation develops.
Ingestion .....	Let the exposed person rinse mouth and drink several glasses of water or milk, but not induce vomiting. If vomiting does occur, let him/her rinse mouth and drink fluids again. Get medical attention immediately.
4.2. <b>Most important symptoms and effects, both acute and delayed</b>	Not known.
4.3. <b>Indication of any immediate medical attention and special treatment needed</b>	Immediate medical attention is required in case of ingestion.  It may be helpful to show this safety data sheet to physician.
Notes to physician .....	A specific antidote for exposure to this material is not known. Gastric lavage and/or the administration of activated charcoal can be considered. After decontamination, treatment should be directed at the control of symptoms and the clinical condition.

## SECTION 5: FIRE-FIGHTING MEASURES

5.1. <b>Extinguishing media</b> .....	Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.
5.2. <b>Special hazards arising from the substance or mixture</b>	The essential breakdown products are volatile, malodorous, toxic, irritant and inflammable compounds such as nitrogen oxides, carbon sulphide, sulphur dioxide, carbon monoxide and carbon dioxide.
5.3. <b>Advice for firefighters</b> .....	Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. <b>Personal precautions, protective equipment and emergency procedures</b>	It is recommended to have a predetermined plan for the handling of spills. Empty, sealable vessels for the collection of spills should be available.  In case of large spill (involving 10 tonnes of the product or more): 1. use personal protection equipment; see section 8 2. call emergency telephone no.; see section 1 3. alert authorities.
---	--

Product code	6538	Page 5 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots.

Stop the source of the spill immediately if safe to do so. Keep unprotected persons away from the spill area.

**6.2. Environmental precautions .....**

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

**6.3. Methods and materials for containment and cleaning up**

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).

Surface water drains should be covered if appropriate. Minor spills on the floor or other impervious surface should immediately be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with strong industrial detergent and much water. Absorb wash liquid onto inert absorbent such as universal binder, Fuller's earth, bentonite or other absorbent clay and collect in suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

**6.4. Reference to other sections .....**

See subsection 8.2. for personal protection.  
 See section 13 for disposal.

**SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling ....**

In an industrial environment it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Product code	6538	Page 6 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after each use.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

**7.2. Conditions for safe storage, including any incompatibilities**

The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

**7.3. Specific end use(s) .....**

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Personal exposure limits .....

To our knowledge not established for any of the ingredients in this product. However, personal exposure limits defined by local regulations may exist and must be observed.

**Benalaxyl**

DNEL .....

Not established

PNEC, aquatic environment .....

The EFSA has established an AOEL of 0.06 mg/kg bw/day  
 0.01 µg/l

**Mancozeb**

DNEL .....

Not established

PNEC, aquatic environment .....

The EFSA has established an AOEL of 0.035 mg/kg bw/day  
 0.146 µg/l

**8.2. Exposure controls .....**

When used in a closed system, personal protection equipment will not be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-hazardous before opening.

Product code	6538	Page 7 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be recommended for spraying as well.

In cases of incidental high exposure, maximal personal protection may be necessary, such as respirator, face mask, chemical resistant coveralls.



Respiratory protection

In the event of an accidental discharge of the material which produces a heavy vapour or dust, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.



Protective gloves .....

Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. The breakthrough times of these materials for the product are unknown, but it is expected that they will give adequate protection.



Eye protection .....

Wear safety glasses. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for eye contact.



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on physical and chemical properties

Appearance .....	Blue solid (powder)
Odour .....	Slight
Odour threshold .....	Not determined
pH .....	1% dispersion in water: 7.26 (measured on a similar product)
Melting point/freezing point .....	Not determined
Initial boiling point and boiling range	Not determined
Flash point .....	Not determined
Evaporation rate .....	Not determined
Flammability (solid/gas) .....	Not flammable
Upper/lower flammability or explosive limits .....	Not determined
Vapour pressure .....	Not determined
Vapour density .....	Not determined
Relative density .....	0.427 (measured on a similar product)
Solubility(ies) .....	Not determined

Product code	6538	Page 8 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

Partition coefficient n-octanol/water	<b>Benalaxyl</b> : log K <sub>ow</sub> = 3.54 at 20°C and pH 6.1
Autoignition temperature .....	<b>Mancozeb</b> : log K <sub>ow</sub> = 1.33
Decomposition temperature .....	155°C (measured on a similar product)
Viscosity .....	Not determined
Explosive properties .....	Not determined
Oxidising properties .....	Not explosive
	Not oxidising

#### 9.2. Other information

Miscibility .....	The product is dispersible in water.
-------------------	--------------------------------------

### SECTION 10: STABILITY AND REACTIVITY

10.1. <b>Reactivity</b> .....	To our knowledge, the product has no special reactivities.
10.2. <b>Chemical stability</b> .....	The product is stable during normal handling and storage at ambient temperatures.
10.3. <b>Possibility of hazardous reactions</b>	None known.
10.4. <b>Conditions to avoid</b> .....	Heating of the product will evolve harmful and irritant vapours.
10.5. <b>Incompatible materials</b> .....	None known.
10.6. <b>Hazardous decomposition products</b>	See subsection 5.2.

### SECTION 11: TOXICOLOGICAL INFORMATION

11.1. <b>Information on toxicological effects</b>	* = Based on available data, the classification criteria are not met.
---	---

#### Product

Acute toxicity .....	The product is not considered as harmful by single exposures. * The acute toxicity is measured as:
Route(s) of entry	
- ingestion	LD <sub>50</sub> , oral, rat: 4400 mg/kg
- skin	LD <sub>50</sub> , dermal, rat: > 4000 mg/kg
- inhalation	LC <sub>50</sub> , inhalation, rat: > 5.072 mg/l/4 h
Skin corrosion/irritation .....	Not irritating to skin. *
Serious eye damage/irritation .....	Slightly irritating to eyes. *
Respiratory or skin sensitisation ...	May cause skin sensitisation.
Germ cell mutagenicity .....	The product contains no ingredients known to be mutagenic. *
Carcinogenicity .....	The product contains no ingredients known to be carcinogenic. *



Product code	6538	Page 9 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

Reproductive toxicity .....	Mancozeb has been found to have adverse effects on development of the unborn child.
STOT – single exposure .....	To our knowledge, no specific effects have been observed after single exposure. *
STOT – repeated exposure .....	The following is measured on the active ingredient mancozeb: Target organ: thyroid NOAEL: 7 mg/kg bw/day in a 90-day rat study. *
Aspiration hazard .....	The product does not present an aspiration pneumonia hazard. *
Symptoms and effects, acute and delayed .....	None known.

#### Benalaxyl

Toxicokinetics, metabolism and distribution

Benalaxyl is rapidly absorbed after oral administration and widely distributed in the body. It is excreted almost completely within a week. It is extensively metabolised. There is no evidence of accumulation.

Acute toxicity .....	Benalaxyl is not considered harmful by single exposures. * The acute toxicity is measured as:
Route(s) of entry	- ingestion LD <sub>50</sub> , oral, rat: 4200 mg/kg
	- skin LD <sub>50</sub> , dermal, rat: > 5000 mg/kg
	- inhalation LC <sub>50</sub> , inhalation, rat: not available
Skin corrosion/irritation .....	Not irritating to skin. *
Serious eye damage/irritation .....	Not irritating to eyes (method OECD 405). *
Respiratory or skin sensitisation ...	Not a skin sensitizer. *

#### Mancozeb

Toxicokinetics, metabolism and distribution

After oral intake, mancozeb is rapidly absorbed and widely distributed in the body. Highest concentration was found in the thyroid gland. It is extensively metabolised and rapidly excreted, almost completely within four days. There is no evidence of bioaccumulation.

Acute toxicity .....	The substance is not considered harmful by single exposure. * The acute toxicity is measured as:
Route(s) of entry	- ingestion LD <sub>50</sub> , oral, rat: > 5000 mg/kg
	- skin LD <sub>50</sub> , dermal, rat: > 2000 mg/kg
	- inhalation LC <sub>50</sub> , inhalation, rat: > 5.14 mg/l/4 h
Skin corrosion/irritation .....	Not irritating to skin. *

Product code	6538	Page 10 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

Serious eye damage/irritation ..... Slightly irritating to eyes. \*

Respiratory or skin sensitisation ... Skin sensitizer.

## SECTION 12: ECOLOGICAL INFORMATION

- 12.1. **Toxicity** ..... The product is very toxic to fish and aquatic invertebrates. It is considered less toxic to algae. It is considered as non-toxic to soil micro- and macroorganisms, birds and insects.

The ecotoxicity of the product is measured as:

- Fish	Rainbow trout ( <i>Oncorhynchus mykiss</i> ) .....	96-h LC <sub>50</sub> : 0.81 mg/l 21-day NOEC: 0.12 mg/l
- Invertebrates	Daphnids ( <i>Daphnia magna</i> ) .....	48-h EC <sub>50</sub> : 0.26 mg/l 23-day NOEC: 0.0332 mg/l
- Algae	Green algae ( <i>Selenastrum capricornutum</i> ) .....	72-h E <sub>r</sub> C <sub>50</sub> : 10.6 mg/l 72-h NOEC: 2.0 mg/l
- Birds	Quail ( <i>Coturnix coturnix</i> ) .....	LD <sub>50</sub> : > 5000 mg/kg
- Insects	Honey bee ( <i>Apis mellifera</i> ) .....	72-h LD <sub>50</sub> : > 255 µg/bee

- 12.2. **Persistence and degradability** .... **Benalaxyl** is not readily biodegradable in the environment, but it is degraded slowly. Primary degradation half-lives vary with circumstances, but are usually a few to several months in aerobic soil and water.

**Mancozeb** is readily biodegradable. It is degraded within one day in aerobic soil.

The product contains minor amounts of not readily biodegradable ingredients which may not be degradable in waste water treatment plants.

- 12.3. **Bioaccumulative potential** ..... See section 9 for octanol-water partition coefficients.

**Benalaxyl** may have a potential to bioaccumulate if continuous exposure is maintained.

Bioaccumulation of **mancozeb** is not expected.

- 12.4. **Mobility in soil** ..... **Benalaxyl** is not mobile in soil. Under normal conditions **mancozeb** is of moderate mobility in soil, but is not stable.

- 12.5. **Results of PBT and vPvB assessment** ..... None of the ingredients meets the criteria for being PBT or vPvB.

- 12.6. **Other adverse effects** ..... Other relevant hazardous effects in the environment are not known.

Product code	6538	Page 11 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

### SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1. **Waste treatment methods** ..... Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.
- Disposal of waste and packagings must always be in accordance with all applicable local regulations.
- Disposal of product ..... According to the Waste Framework Directive (2008/98/EC), possibilities for reuse or reprocessing should first be considered. If this is not possible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.
- Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.
- Disposal of packaging ..... It is recommended to consider possible ways of disposal in the following order:
1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
  2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
  3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
  4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill, containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

### SECTION 14: TRANSPORT INFORMATION

#### ADR/RID/IMDG/IATA/ICAO classification

- 14.1. **UN number** ..... 3077
- 14.2. **UN proper shipping name** ..... Environmentally hazardous substance, solid, n.o.s. (mancozeb, benalaxyl)
- 14.3. **Transport hazard class(es)** ..... 9
- 14.4. **Packing group** ..... III
- 14.5. **Environmental hazards** ..... Marine pollutant
- 14.6. **Special precautions for user** ..... Avoid any unnecessary contact with the product. Misuse can result in damage to health. Do not discharge to the environment.

Product code	6538	Page 12 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC code .....**

The product should not be transported in bulk by ship.

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso category (Dir. 2012/18/EU): dangerous for the environment.

The employer shall assess any risks to the safety or health and any possible effect on the pregnancies or breastfeeding of workers and decide what measures should be taken (Dir. 92/85/EEC).

Young people under the age of 18 are not allowed to work with the substance.

**15.2. Chemical safety assessment .....**

A chemical safety assessment is not required to be included for this product.

**♣ SECTION 16: OTHER INFORMATION**

Relevant changes in the safety data sheet .....

Minor corrections only.

List of abbreviations .....

AOEL	Acceptable Operator Exposure Level
CAS	Chemical Abstracts Service
Dir.	Directive
DNEL	Derived No Effect Level
EC	European Community
EC <sub>50</sub>	50% Effect Concentration
ErC <sub>50</sub>	50% Effect Concentration based on growth
EFSA	European Food Safety Authority
EINECS	European INventory of Existing Commercial Chemical Substances
GHS	Globally Harmonized classification and labelling System of chemicals, Fifth revised edition 2013
IBC	International Bulk Chemical code
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	50% Lethal Concentration
LD <sub>50</sub>	50% Lethal Dose
MARPOL	Set of rules from the International Maritime Organisation (IMO) for prevention of sea pollution
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
n.o.s.	Not otherwise specified
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative, Toxic
PNEC	Predicted No Effect Concentration
Reg.	Regulation
STOT	Specific Target Organ Toxicity
vPvB	very Persistent, very Bioaccumulative

Product code	6538	Page 13 of 13
Product name	<b>Galben M 8-65 Blu</b>	May 2020

WHO World Health Organisation

References .....	Data measured on the product are unpublished company data. Data on ingredients are available from published literature and can be found several places.
Method for classification .....	Sensitisation – skin: test data Toxic to reproduction: calculation rules Hazards to the aquatic environment: test data
Used hazard statements .....	H317 May cause an allergic skin reaction. H361d Suspected of damaging the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH401 To avoid risks to human health and the environment, comply with the instructions of use.
Advice on training .....	This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Agricultural Solutions A/S / GHB