Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Section 1: Identification

Product name : Octave® 50WP Fungicide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : Level 5, 3 Te Kehu Way,

Mount Wellington, Auckland 1060 New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:

0800 734 607 (Ixom)

Medical emergency:

0800 764 766 (NZ Poisons Information Centre) 0800 111174 (24 hour Medical Emergency) 0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Serious eye damage/eye irri-

tation

Category 2

Specific target organ toxicity - :

repeated exposure

Category 2

Hazardous to the aquatic environment - acute hazard

Category 1

Hazardous to the aquatic environment - chronic hazard

Category 1

Hazardous to the environment : Hazardous to terrestrial vertebrates

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

GHS label elements

Hazard pictograms :







Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H433 Harmful to terrestrial vertebrates.

Precautionary statements : P103 Read carefully and follow all instructions.

Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Prochloraz manganese chloride	75747-77-2	>= 30 -< 50
kaolin	1332-58-7	>= 30 -< 50
Sodium alkyl naphthalene sulfonate	68425-94-5	>= 2.5 -< 10

Section 4: First-aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician : Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Thermal decomposition can lead to release of irritating gases

and vapours.

Nitrogen oxides (NOx)

Metal oxides Carbon oxides Chlorine compounds

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Hazchem Code : 2Z

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Section 6: Accidental release measures

Personal precautions, protec- :

tive equipment and emer-

gency procedures

: Avoid dust formation. Avoid breathing dust.

Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Pick up and transfer to properly labeled containers without

creating dust.

Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis	
		exposure)	concentration		
Prochloraz manganese chlo- ride	75747-77-2	WES-TWA (Respirable dust)	0.02 mg/m3 (Manganese)	NZ OEL	
	Further information: Ototoxin				

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

		WES-TWA (inhalable dust)	0.2 mg/m3 (Manganese)	NZ OEL		
	Further information: Ototoxin					
kaolin	1332-58-7	WES-TWA	10 mg/m3	NZ OEL		
		WES-TWA	2 mg/m3	NZ OEL		
		(Respirable dust)				
		TWA (Res-	2 mg/m3	ACGIH		
		pirable par-				
		ticulate mat-				
		ter)				

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Physical state : solid

Form : fine powder

Colour : off-white

Odour : Faint, aromatic

pH : 7.5 (20 °C)

Concentration: 10 g/l

Melting point/freezing point : No data available

Boiling point/boiling range : Not applicable

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Flash point : Not applicable

Flammability (solid, gas) : The product is not flammable.

Self-ignition : not determined

Density : 0.51 g/cm3

Bulk density : ca. 0.27 g/cm3 loose

ca. 0.35 g/cm3 Tap density

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Refractive index : Not applicable

Particle size : 3.7 - 3.8 µm

Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Avoid extreme temperatures

Incompatible materials : Strong oxidizing agents

Strong bases Strong acids

Hazardous decomposition

products

Carbon oxides

Nitrogen oxides (NOx)

Hydrogen chloride gas

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Section 11: Toxicological information

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): 1,500 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat, male): 4,600 mg/kg Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.66 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Components:

Prochloraz manganese chloride:

Acute oral toxicity : LD50 (Rat): 1,532 - 2,039 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.96 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Sodium alkyl naphthalene sulfonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Components:

Prochloraz manganese chloride:

Species : Rabbit

Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Sodium alkyl naphthalene sulfonate:

Remarks : No data available

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result : Eye irritation

Components:

Prochloraz manganese chloride:

Species : Rabbit

Result : No eye irritation

kaolin:

Result : No eye irritation

Method : OECD Test Guideline 405

Sodium alkyl naphthalene sulfonate:

Result : Eye irritation

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Result : Not a skin sensitizer.

Components:

Prochloraz manganese chloride:

Result : Not a skin sensitizer.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Prochloraz manganese chloride:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified due to lack of data.

Components:

Prochloraz manganese chloride:

Carcinogenicity - Assess-

: Animal testing did not show any carcinogenic effects.

ment

Reproductive toxicity

Not classified due to lack of data.

Components:

Prochloraz manganese chloride:

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

: Remarks: No data available

STOT - single exposure

Not classified due to lack of data.

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

Section 12: Ecological information

Ecotoxicity

Product:

Ecotoxicology Assessment

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Other organisms relevant to

the environment

Harmful to terrestrial vertebrates.

Components:

Prochloraz manganese chloride:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.3 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 0.1 mg/l

Exposure time: 72 h

NOEC (algae): 0.05 mg/l Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 0.049 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 0.022 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

1

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Sodium alkyl naphthalene sulfonate:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Prochloraz manganese chloride:

Biodegradability : Result: Not readily biodegradable.

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Sodium alkyl naphthalene sulfonate:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Prochloraz manganese chloride:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 200

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Mobility in soil

Components:

Prochloraz manganese chloride:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Section 13: Disposal considerations

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

9

(Prochloraz manganese chloride)

Class :

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

Environmentally hazardous : yes

IATA-DGR

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Prochloraz manganese chloride)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen-

ger aircraft)

aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Prochloraz manganese chloride)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Remarks : Environmentally hazardous substances/Marine Pollutants in

single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section

2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Prochloraz manganese chloride)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 30.11.2023 50001316 Date of first issue: 30.11.2023

HSNO Approval Number

HSR000579

ACVM Number: P3055

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

N-PROPYL-N-[2-(2,4,6-

TRICHLOROPHENOXY)ETHYL]IMIDAZOLE-1-CARBOXAMIDE COMPLEX WITH MANGANESE(II)

CHLORIDE (2:1)

Ethylene oxide/propylene oxide block copolymer

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

Section 16: Other information

Revision Date : 30.11.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 00.00.0000 50001316 Date of first issue: 30.11.2023

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N