

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DHAWA EC

Manufacturer or supplier's details

Company : FMC India Private Limited

Address : TCG Financial Centre, 2nd Floor, C-53,
Bandra Kurla Complex,
Bandra (E), Mumbai, Maharashtra-400098
India

E-mail address : SDS-Info@fmc.com

Emergency telephone : 022 6704 5504/5404
000-800-100-7141 (CHEMTREC)

Medical Emergency Number : 022 6704 5504/5404

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Flammable liquid

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 3

Specific target organ toxicity - : Category 2 (Central nervous system)
single exposure

Specific target organ toxicity - : Category 1 (Blood, Nervous system)
repeated exposure

Short-term (acute) aquatic : Category 2
hazard

Long-term (chronic) aquatic : Category 2

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

hazard

GHS label elements

Hazard pictograms



Signal Word

: DANGER

Hazard Statements

: H227 Combustible liquid.
H302 Harmful if swallowed.
H316 Causes mild skin irritation.
H371 May cause damage to organs (Central nervous system).
H372 Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help. Rinse mouth.
P308 + P316 IF exposed or concerned: Get emergency medical help immediately.
P332 + P317 If skin irritation occurs: Get medical help.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391 Collect spillage.

Storage:

P403 Store in a well-ventilated place.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version 1.0 Revision Date: 20.05.2025 SDS Number: 50000987 Date of last issue: -
Date of first issue: 20.05.2025

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
indoxacarb (ISO)	173584-44-6	>= 10 - < 20
Fatty acids, C8-10, Me esters	85566-26-3	>= 50 - < 70
Fatty acids, soya, Me esters	68919-53-9	>= 1 - < 10
calcium dodecylbenzenesulphonate	26264-06-2	>= 3 - < 10
2-ethylhexan-1-ol	104-76-7	>= 1 - < 2.5

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes mild skin irritation.
May cause damage to organs.
Causes damage to organs through prolonged or repeated exposure.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

	Carbon dioxide (CO ₂)
Unsuitable extinguishing media	: High volume water jet Do not spread spilled material with high-pressure water streams.
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Fire may produce irritating, corrosive and/or toxic gases. Chlorinated compounds Fluorinated compounds Nitrogen oxides (NO _x) Carbon oxides Hydrogen cyanide Sulfur oxides
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for fire-fighters	: Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Evacuate personnel to safe areas. Use personal protective equipment. Do not touch or walk through the spilled material. If it can be safely done, stop the leak. Never return spills in original containers for re-use. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene. For disposal considerations see section 13.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.
Keep in a well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

- | | |
|--------------------------|---|
| Skin and body protection | : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Protective measures | : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat or drink.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |
| Hygiene measures | : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|-------------------------------------|--|
| Physical state | : liquid |
| Form | : liquid |
| Color | : amber |
| Odor | : Pungent Sweet Pear |
| pH | : 5.4 (25 °C)
Method: CIPAC MT 75.3
In a 1% aqueous dispersion |
| Flash point | : 69 °C

Method: Regulation (EC) No. 440/2008, Annex, A.9 |
| Flammability (solid, gas) | : The product is not flammable. |
| Relative density | : 0.9494 (20 °C) |
| Density | : 0.9494 g/cm ³
Method: OECD Test Guideline 109 |
| Solubility(ies)
Water solubility | : dispersible |

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Viscosity
Viscosity, kinematic : 4.68 mm²/s (20 °C)
2.95 mm²/s (40 °C)

Explosive properties : Not explosive
Method: Regulation (EC) No. 440/2008, Annex, A.14

Oxidizing properties : The product is not oxidizing.

Surface tension : 28.9 mN/m, OECD Test Guideline 115, (undiluted)
39.3 mN/m, OECD Test Guideline 115, (Aqueous solution)

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Not applicable

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50(Rat, female): 977 mg/kg

Acute inhalation toxicity : LC50(Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50(Rat): > 5,000 mg/kg

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Components:

indoxacarb (ISO):

Acute oral toxicity	: LD50 (Rat, male and female): 281 - 291 mg/kg Method: OECD Test Guideline 420 Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions GLP: yes
	LD50 (Rat, female): 179 mg/kg Method: OECD Test Guideline 401 Target Organs: Nervous system Symptoms: hypoactivity, Tremors, ataxia, Fatality GLP: yes
Acute inhalation toxicity	: LC50 (Rat, female): 4.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: nasal discharge, lethargy GLP: yes
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity

Fatty acids, C8-10, Me esters:

Acute oral toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral) Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality Based on data from similar materials

Fatty acids, soya, Me esters:

Acute oral toxicity	: LD50 (Rat): 5,000 - 15,000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

calcium dodecylbenzenesulphonate:

Acute oral toxicity	: LD50 (Rat, male and female): 1,300 mg/kg
---------------------	--

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Species : Rabbit
Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

indoxacarb (ISO):

Species : Rabbit
Assessment : Not classified as irritant

Method : OECD Test Guideline 404
Result : slight irritation
GLP : yes

Fatty acids, C8-10, Me esters:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

Fatty acids, soya, Me esters:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes
Remarks	: Information source: Internal study report
Remarks	: Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:

indoxacarb (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Result	: slight irritation
GLP	: yes
Remarks	: Product dust may be irritating to eyes, skin and respiratory system.

Fatty acids, C8-10, Me esters:

Species	: Rabbit
Method	: Regulation (EC) No. 440/2008, Annex, B.5
Result	: No eye irritation

Fatty acids, soya, Me esters:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 405

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

2-ethylhexan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

Components:

indoxacarb (ISO):

Species : Guinea pig
Result : May cause sensitization by skin contact.

Test Type : Maximization Test
Species : Guinea pig
Assessment : May cause sensitization by skin contact.
Method : US EPA Test Guideline OPPTS 870.2600
Result : May cause sensitization by skin contact.
GLP : yes

Fatty acids, C8-10, Me esters:

Test Type : Maximization Test
Routes of exposure : Intradermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

Fatty acids, soya, Me esters:

Result : Does not cause skin sensitization.

calcium dodecylbenzenesulphonate:

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
-----------------------	---

	: Test Type: gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
--	--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
----------------------	---

Germ cell mutagenicity - Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
-------------------------------------	---

Fatty acids, C8-10, Me esters:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative
-----------------------	--

	: Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Method: OECD Test Guideline 476 Result: negative
--	---

	: Test Type: Ames test Method: OECD Test Guideline 471 Result: negative
--	---

Germ cell mutagenicity - Assessment	: In vitro tests did not show mutagenic effects
-------------------------------------	---

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro	: Test Type: reverse mutation assay
-----------------------	-------------------------------------

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Species : Rat, female
Application Route : Oral
Exposure time : 24 m
: 2.13 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Fatty acids, soya, Me esters:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

2-ethylhexan-1-ol:

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Species: Rabbit
General Toxicity Maternal: NOEL: 500 mg/kg bw/day
Developmental Toxicity: NOEL: 500 mg/kg bw/day
Method: EPA OPP 83-3

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing did not show any effects on fetal development.

Fatty acids, C8-10, Me esters:

Effects on fertility : Species: Rat
Application Route: Oral
Dose: 0, 250, 500 and 1000 mg/kg bw
General Toxicity Parent: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 422
Remarks: Based on data from similar materials
No significant adverse effects were reported

Effects on fetal development : Species: Rat
Application Route: Oral
Teratogenicity: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 422
Remarks: Based on data from similar materials
No significant adverse effects were reported

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

STOT-single exposure

May cause damage to organs (Central nervous system).

Components:

indoxacarb (ISO):

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Components:

indoxacarb (ISO):

Target Organs : Blood, Nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Fatty acids, C8-10, Me esters:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Repeated dose toxicity

Components:

indoxacarb (ISO):

Species	: Rat, female
NOAEL	: 1.7 mg/kg
LOAEL	: 4.1 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Method	: OECD Test Guideline 408
GLP	: yes
Target Organs	: Blood

Fatty acids, C8-10, Me esters:

Species	: Rat
NOAEL	: 1,000 mg/kg
Application Route	: Oral
Dose	: 0, 250, 500 and 1000 mg/kg bw/
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials No significant adverse effects were reported

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

2-ethylhexan-1-ol:

Species	: Rat
	: 250 mg/kg
Application Route	: Oral

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Exposure time : 13 Weeks
Method : OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.0 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.67 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 16
plants mg/l
Exposure time: 72 h

Components:

indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): >0.17
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.90 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 0.17 mg a.i./kg
aquatic invertebrates Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202
GLP: yes

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (algae)): 0.0793 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.15 mg/l
Exposure time: 90 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

NOEC: 0.0675 mg/l
Exposure time: 28 d
Species: Pimephales promelas (fathead minnow)
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

LOEL: 0.0417 mg/l
Exposure time: 35 d
Species: Cyprinodon variegatus (sheepshead minnow)
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4

NOEL: 0.0169 mg/l
Exposure time: 35 d
Species: Cyprinodon variegatus (sheepshead minnow)
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.09 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202
GLP: yes

NOEC: 0.0351 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: Static renewal test
Method: OECD Test Guideline 211
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : NOEC: 29.2 mg/kg
Exposure time: 56 d

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

End point: reproduction
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 222
GLP: yes

NOEC: 94.5 mg/kg
Exposure time: 28 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 222
GLP: yes

LC50: > 94.5 mg/kg
Exposure time: 28 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 222
GLP: yes

NOEC: < 62.5 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 207
GLP: yes

LC50: > 1,000 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 207
GLP: yes

Toxicity to terrestrial organisms : NOEL: 0.048 µg/bee
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 214

NOEL: 0.163 µg/bee
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 213

LD50: 0.232 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 213

LD50: 0.068 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 214

LD50: 98 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Method: US EPA Test Guideline OPP 71-1
GLP: yes

NOEC: 720 ppm
Exposure time: 147 d
End point: Reproduction Test
Species: *Anas platyrhynchos* (Mallard duck)
Method: OECD Test Guideline 206
GLP: yes

NOEC: 144 ppm
Exposure time: 147 d
End point: Reproduction Test
Species: *Colinus virginianus* (Bobwhite quail)
Method: OECD Test Guideline 206

NOEC: 562 ppm
Exposure time: 5 d
Species: *Anas platyrhynchos* (Mallard duck)
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

LC50: > 5,620 ppm
Exposure time: 5 d
Species: *Anas platyrhynchos* (Mallard duck)
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

NOEC: 316 ppm
Exposure time: 5 d
Species: *Colinus virginianus* (Bobwhite quail)
Method: US EPA Test Guideline OPP 71-1
Remarks: Dietary

LC50: 808 ppm
Exposure time: 5 d
Species: *Colinus virginianus* (Bobwhite quail)
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

Fatty acids, C8-10, Me esters:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1.1 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Toxicity to algae/aquatic plants : EC50 (green algae): 1.35 mg/l
Exposure time: 96 h
Method: QSAR
Remarks: Based on data from similar materials

Fatty acids, soya, Me esters:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 800 - 5,243 mg/l
Exposure time: 48 h

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.65 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

NOEC: 1.18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1,000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1,356 mg/kg
Exposure time: 14 d
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17.1 - 28.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3.2 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11.5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16.6 mg/l
Exposure time: 72 h

Persistence and degradability

Components:

indoxacarb (ISO):

Biodegradability : Result: Not readily biodegradable.

Fatty acids, C8-10, Me esters:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 7.84 mg/l
Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Fatty acids, soya, Me esters:

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

indoxacarb (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 21 d
Bioconcentration factor (BCF): 77.3
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.52 (20 °C)
Method: OECD Test Guideline 107
GLP: yes

Fatty acids, soya, Me esters:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9 (25 °C)

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65
Remarks: Low mobility in soil.

Kd: 46 - 150

Other adverse effects

Product:

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Indoxacarb)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Indoxacarb)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

	N.O.S. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Fatty acids, C8-10, Me esters indoxacarb (ISO) Fatty acids, C6-10, Me esters
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

16. OTHER INFORMATION

Revision Date : 20.05.2025

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions

SAFETY DATA SHEET

according to the Globally Harmonized System



DHAWA EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.05.2025	50000987	Date of first issue: 20.05.2025

and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

IN / EN