

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** EXPRESS® 50 SG

**Other means of identification**

**Product code** 50000038

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Sub-** Herbicide  
**stance/Mixture**

**Recommended restrictions** Use as recommended by the label.  
**on use**

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address**

FMC Agro Bulgaria EOOD  
ISKARSKO SHOSE BLVD. NO.7  
TRADE CENTER EUROPE  
BUILDING 7, OFFICE 8, FLOOR 4  
1528 Sofia  
Bulgaria

Telephone: +359 (0) 2 818 5656  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Bulgaria: +(359)-32570104 (CHEMTREC)

Medical emergency:  
Clinic of Toxicology at the Hospital " N.I. Pirogov"  
Emergency telephone/fax: +359 2 9154 233

National number: 112

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version 1.0	Revision Date: 13.06.2023	SDS Number: 50000038	Date of last issue: - Date of first issue: 13.06.2023
----------------	------------------------------	-------------------------	--

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :  
H317 May cause an allergic skin reaction.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.  
P314 Get medical advice/ attention if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

#### Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

#### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version 1.0	Revision Date: 13.06.2023	SDS Number: 50000038	Date of last issue: - Date of first issue: 13.06.2023
----------------	------------------------------	-------------------------	--

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Herbicide

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)  Acute toxicity estimate  Acute inhalation toxicity (dust/mist): 0,830083 mg/l	>= 10 - < 20
sodium carbonate	497-19-8 207-838-8	Eye Irrit. 2; H319	>= 1 - < 10

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

	011-005-00-2		
--	--------------	--	--

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                         |  |
|-------------------------|--|
| General advice          | : Remove victim from exposure and then have him lie down in the recovery position.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.<br>Keep at rest.<br>Keep warm and in a quiet place.          |
| If inhaled              | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.  |
| In case of skin contact | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off immediately with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.  |
| In case of eye contact  | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.  |
| If swallowed            | : Do NOT induce vomiting.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital. |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |       |  |
|-------|--|
| Risks | : May cause an allergic skin reaction.<br>May cause damage to organs through prolonged or repeated exposure. |
|-------|--|

#### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |                          |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapours.  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Carbon oxides

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
If it can be safely done, stop the leak.  
Keep people away from and upwind of spill/leak.  
Remove all sources of ignition.  
Immediately evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling	: Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Advice on protection against fire and explosion	: Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage conditions	: The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
Further information on storage stability	: No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Phosphoric acid, trisodium salt, dodecahydrate	Workers	Inhalation	Long-term systemic effects	4,07 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	3,04 mg/m <sup>3</sup>
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute local effects	10 mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phosphoric acid, trisodium salt, dodecahydrate	Sewage treatment plant	50 mg/l

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of dust exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: solid
Form	: granules
Colour	: light brown
Odour	: mild
Odour Threshold	: not determined
Melting point/freezing point	: Not available for this mixture.
Initial boiling point and boiling range	: Decomposition
Flammability	: Not highly flammable, Does not sustain combustion., May form explosive dust-air mixture.
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: Not available for this mixture.
Flash point	: not determined
Decomposition temperature	: Not available for this mixture.
pH	: 8,4 - 9,4 (20 °C) Concentration: 10 g/l 1 % In a 1% aqueous dispersion
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Solubility(ies)	
Water solubility	: soluble



# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version 1.0	Revision Date: 13.06.2023	SDS Number: 50000038	Date of last issue: - Date of first issue: 13.06.2023
----------------	------------------------------	-------------------------	--

Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not available for this mixture.
Relative density	:	Not available for this mixture.
Bulk density	:	640 kg/m <sup>3</sup> packed
Relative vapour density	:	not determined
Particle characteristics		
Particle size	:	No data available
Particle Size Distribution	:	No data available
Shape	:	No data available

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.
Self-ignition	:	not determined
Evaporation rate	:	Not available for this mixture.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Dust may form explosive mixture in air.No decomposition if stored and applied as directed.
---------------------	---	--

### 10.4 Conditions to avoid

Conditions to avoid	:	Dust formation moisture Heat, flames and sparks.
---------------------	---	--

### 10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	--

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Not classified based on available information.

##### Product:

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: Fixed Dose Method GLP: yes
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes

##### Components:

##### **tribenuron-methyl (ISO):**

Acute oral toxicity	: LD50: > 5.000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat): > 5,14 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402

##### **Phosphoric acid, trisodium salt, dodecahydrate:**

Acute oral toxicity	: LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 420 Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 0,83 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials no mortality  Acute toxicity estimate: 0,830083 mg/l Test atmosphere: dust/mist Method: Calculation method Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials  
no mortality

### **sodium carbonate:**

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Target Organs: Skin  
Symptoms: Erythema

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### **Components:**

#### **tribenuron-methyl (ISO):**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404  
Remarks : May cause mild irritation.  
Based on available data, the classification criteria are not met.

#### **Phosphoric acid, trisodium salt, dodecahydrate:**

Species : Rabbit  
Result : Skin irritation

### **sodium carbonate:**

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

### Components:

#### **tribenuron-methyl (ISO):**

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

#### **Phosphoric acid, trisodium salt, dodecahydrate:**

Species	:	Rabbit
Method	:	EPA OTS 798.4500
Result	:	Irritation to eyes, reversing within 21 days

#### **sodium carbonate:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Species	:	Guinea pig
Assessment	:	The product is a skin sensitiser, sub-category 1B.
Method	:	Maximisation Test
Result	:	The product is a skin sensitiser, sub-category 1B.

### Components:

#### **tribenuron-methyl (ISO):**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 406
Result	:	Causes skin sensitization.

#### **Phosphoric acid, trisodium salt, dodecahydrate:**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

Result : Does not cause skin sensitisation.  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Product:

Genotoxicity in vitro : Remarks: The product contains no ingredients known to be mutagenic.

#### Components:

##### tribenuron-methyl (ISO):

Germ cell mutagenicity- Assessment : Did not show mutagenic effects in animal experiments.

##### Phosphoric acid, trisodium salt, dodecahydrate:

Genotoxicity in vitro : Test Type: gene mutation test  
Method: OECD Test Guideline 490  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Micronucleus test  
Method: OECD Test Guideline 487  
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

##### sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

#### Product:

Remarks : The product contains no ingredients known to be carcinogenic.

#### Components:

##### tribenuron-methyl (ISO):

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version 1.0	Revision Date: 13.06.2023	SDS Number: 50000038	Date of last issue: - Date of first issue: 13.06.2023
----------------	------------------------------	-------------------------	--

Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

### Reproductive toxicity

Not classified based on available information.

#### Product:

Effects on fertility : Remarks: The product contains no ingredients found to have adverse effects on reproduction.

#### Components:

##### **tribenuron-methyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction  
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

##### **Phosphoric acid, trisodium salt, dodecahydrate:**

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Dose: 1000 mg/kg bw/day  
General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day  
General Toxicity F1: NOAEL: 1.000 mg/kg bw/day  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Dose: 4.1, 19, 88.3, 410 mg/kg bw/day  
Duration of Single Treatment: 20 d  
General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day  
Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **sodium carbonate:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram  
Duration of Single Treatment: 6 - 15 d  
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight  
Teratogenicity: NOAEL: > 245 mg/kg body weight  
Result: negative

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

---

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

##### tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### tribenuron-methyl (ISO):

Target Organs : Thyroid, Nervous system  
Assessment : May cause damage to organs through prolonged or repeated exposure.

##### sodium carbonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### tribenuron-methyl (ISO):

Species : Rabbit  
LOAEL : 80 mg/kg  
Target Organs : Thyroid, Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.  
Remarks : Increased mortality or reduced survival

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

---

### Phosphoric acid, trisodium salt, dodecahydrate:

Species	: Dog, female
NOAEL	: 492.77 mg/kg bw/day
LOAEL	: 1433.56 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Dose	: 129.31, 492.77, 1433.56 mg/kg bw/day
Target Organs	: Kidney
Remarks	: Based on data from similar materials

Species	: Dog, male
NOAEL	: 322.88 mg/kg bw/day
LOAEL	: 1107.12 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Dose	: 94.23, 322.88, 1107.12 mg/kg bw/day
Target Organs	: Kidney
Remarks	: Based on data from similar materials

### sodium carbonate:

Species	: Rat, male and female
NOAEL	: > 0,01 mg/kg
Application Route	: inhalation (dust/mist/fume)
Test atmosphere	: dust/mist

### Aspiration toxicity

Not classified based on available information.

### Product:

The mixture does not have properties associated with aspiration hazard potential.

### Components:

#### tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---



# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version 1.0	Revision Date: 13.06.2023	SDS Number: 50000038	Date of last issue: - Date of first issue: 13.06.2023
----------------	------------------------------	-------------------------	--

### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 120 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): 0,0162 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

EC50 (Lemna gibba (duckweed)): 0,00652 mg/l  
End point: Frond  
Exposure time: 7 d  
Method: US EPA Test Guideline OPP 122-2 & 123-2

#### Components:

##### **tribenuron-methyl (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): > 320 mg/l  
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,068 mg/l  
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l  
Exposure time: 7 d

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

NOEC (Lemna gibba (duckweed)): 0,001 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 114 mg/l  
Exposure time: 21 d  
Species: Cyprinodon variegatus (sheepshead minnow)  
Method: OECD Test Guideline 211

NOEC: 560 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 41 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : NOEC: 3,2 mg/kg  
Exposure time: 56 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.250 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

LD50: > 5.620 ppm  
Species: Colinus virginianus (Bobwhite quail)  
Remarks: Dietary

LD50: > 5.620 ppm  
Species: Anas platyrhynchos (Mallard duck)  
Remarks: Dietary

LD50: > 98.4 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

LD50: > 9.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

### Phosphoric acid, trisodium salt, dodecahydrate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: EU Method C3  
Remarks: Based on data from similar materials
- NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: EU Method C3  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50 (activated sludge): 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials
- NOEC (activated sludge): 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials
- Toxicity to soil dwelling organisms : LC50: > 3.500 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
Remarks: Based on data from similar materials

### sodium carbonate:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l  
Exposure time: 96 h  
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): 200 mg/l  
Exposure time: 48 h  
Test Type: semi-static test

## 12.2 Persistence and degradability

### Product:

- Biodegradability : Result: Not readily biodegradable.  
Remarks: Estimation based on data obtained on active ingredient.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version 1.0	Revision Date: 13.06.2023	SDS Number: 50000038	Date of last issue: - Date of first issue: 13.06.2023
----------------	------------------------------	-------------------------	--

Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

### Components:

#### **tribenuron-methyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Remarks: The product/substance is not persistent in the environment.  
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.  
Metabolites are considered as persistent.  
According to the results of tests of biodegradability this product is not readily biodegradable.

#### **sodium carbonate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

### Components:

#### **tribenuron-methyl (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0,38

#### **sodium carbonate:**

Bioaccumulation : Remarks: Does not bioaccumulate.

### 12.4 Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

### Components:

#### **tribenuron-methyl (ISO):**

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

mental compartments

is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : No other ecological effects to be specially mentioned.  
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

#### 14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Tribenuron-methyl)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

#### 14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
ADR		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

Labels : 9  
Tunnel restriction code : (-)

### RID

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  METHYL 2-[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL(METHYL)CARBAMOYLSULFAMOYL]BENZOATE D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohydrate
ENCS	: Not in compliance with the inventory



# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending  
Regulation (EC) No 1907/2006



## EXPRESS® 50 SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.06.2023	50000038	Date of first issue: 13.06.2023

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Sens. 1	H317
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Calculation method
Based on product data or assessment
Based on product data or assessment
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

BG / 6N