

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

SECTION 1. IDENTIFICATION

Product identifier

Product name Anthem® MAXX Herbicide

Other means of identification

Product code 50000558

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
+1 (215) 299-6000
SDS-Info@fmc.com

Supplier Address FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity : Category 2

Specific target organ toxicity : Category 1
- repeated exposure

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version 1.6 Revision Date: 05/28/2025 SDS Number: 50000558 Date of last issue: 05/28/2025
Date of first issue: 05/26/2016

Hazard pictograms

:



Signal Word

:

DANGER

Hazard Statements

:

H351 Suspected of causing cancer.
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Pyroxasulfone	447399-55-5	41.74
Fluthiacet-methyl	117337-19-6	1.26
propane-1,2-diol	57-55-6	>= 5 - < 10

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice

:

Move out of dangerous area.
Show this material safety data sheet to the doctor in attend-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version 1.6	Revision Date: 05/28/2025	SDS Number: 50000558	Date of last issue: 05/28/2025 Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	---

- ance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Wash off with soap and water.
Wash contaminated clothing before re-use.
If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Suspected of causing cancer.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet
- Specific hazards during fire : Do not allow run-off from fire fighting to enter drains or water

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

- | | | |
|--|---|--|
| fighting | | courses. |
| Hazardous combustion products | : | Carbon oxides
Hydrogen fluoride
Fluorinated compounds
Nitrogen oxides (NOx)
Sulfur oxides
Sulphuric acid
Hydrogen cyanide |
| Specific extinguishing methods | : | Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers. |
| Further information | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13. |
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|------------------------------|---|---|
| Advice on protection against | : | Normal measures for preventive fire protection. |
|------------------------------|---|---|

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

fire and explosion

Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Wear suitable protective equipment.
Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper in-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

structions.

Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: liquid
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: 6.08 (72.1 °F / 22.3 °C) In a 1% aqueous dispersion
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 212 °F / > 100 °C
Evaporation rate	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Relative density	:	No data available
Density	:	1.2 g/cm ³
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	396.9 mm ² /s (77 °F / 25 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): > 5.15 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Components:

Pyroxasulfone:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat): > 6.56 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: no mortality
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: no mortality

Fluthiacet-methyl:

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: FIFRA 81.01 Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality LD50 (Mouse, male and female): > 5,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.02 mg/l Exposure time: 4 h Test atmosphere: dust/mist

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Method: OECD Test Guideline 403

Symptoms: hypoactivity, Breathing difficulties

Assessment: The substance or mixture has no acute inhalation toxicity

LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

LD50 (Rabbit, male and female): > 2,000 mg/kg

Method: EPA OPP 81-2

GLP: yes

Remarks: no mortality

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapor
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Result : slight irritation

Components:

Pyroxasulfone:

Species : Rabbit
Result : No skin irritation

Fluthiacet-methyl:

Species : Rabbit

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Assessment : No skin irritation
Result : No skin irritation

propane-1,2-diol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : slight irritation
Assessment : Not classified as irritant

Components:

Pyroxasulfone:

Species : Rabbit
Result : slight irritation

Fluthiacet-methyl:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Routes of exposure : Dermal
Assessment : Not a skin sensitizer.
Result : Did not cause sensitization on laboratory animals.

Components:

Pyroxasulfone:

Test Type : Local lymph node assay (LLNA)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Species : Mouse
Result : Does not cause skin sensitization.

Fluthiacet-methyl:

Routes of exposure : Skin contact
Species : Guinea pig
Method : FIFRA 81.06
Result : Does not cause skin sensitization.

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : yes

propane-1,2-diol:

Test Type : Maximization Test
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Pyroxasulfone:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Fluthiacet-methyl:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Components:

Pyroxasulfone:

Species : Rat, male
Exposure time : 2 Years
: 2.2 mg/kg bw/day
Result : positive
Target Organs : Bladder

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Fluthiacet-methyl:

Species : Mouse, male
Application Route : Oral
LOAEL : 10 mg/kg bw/day
Result : positive
Target Organs : Liver
Remarks : Likely to be carcinogenic to humans (US EPA)

Species : Rat, male
Application Route : Oral
LOAEL : 130 mg/kg bw/day
Result : positive
Target Organs : Pancreas, pancreatic islet
Remarks : Likely to be carcinogenic to humans (US EPA)

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

propane-1,2-diol:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Pyroxasulfone:

Fluthiacet-methyl:

Effects on fertility	:	Test Type: Two-generation study General Toxicity Parent: NOEL: 1.4 mg/kg bw/day Early Embryonic Development: NOEL: 36 mg/kg bw/day Method: OECD Test Guideline 416 GLP: yes
----------------------	---	---

Reproductive toxicity - Assessment	:	Animal testing showed no reproductive toxicity.
------------------------------------	---	---

propane-1,2-diol:

Effects on fertility	:	Test Type: reproductive and developmental toxicity study Species: Mouse Application Route: Oral Result: negative
----------------------	---	---

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Mouse Application Route: Oral Method: OECD Test Guideline 414 Result: Animal testing did not show any effects on fertility. Remarks: Based on data from similar materials
------------------------------	---	---

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Components:

Pyroxasulfone:

Target Organs : Nervous system, Kidney, Liver, Cardio-vascular system, Bladder
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Fluthiacet-methyl:

Species : Rat, male
NOAEL : 6.19 mg/kg
LOAEL : 216 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Target Organs : Liver

Species : Rat, male
LOAEL : 4.2 mg/kg
Application Route : Oral
Exposure time : 14 d
Method : OECD Test Guideline 407
GLP : yes
Target Organs : Liver

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Components:

Fluthiacet-methyl:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Pyroxasulfone:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): > 202 mg/l Exposure time: 96 h
		LL50 (Lepomis macrochirus (Bluegill sunfish)): > 208 mg/l Exposure time: 96 h
		LL50 (Cyprinodon variegatus (sheepshead minnow)): > 3.3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 4.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (green algae): 0.000743 mg/l Exposure time: 72 h
		EC50 (Lemna gibba (duckweed)): 0.00043 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 2 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.9 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 997 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 100 µg/bee Exposure time: 48 d Remarks: Contact
		LOEC (Anas platyrhynchos (Mallard duck)): 60 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

End point: Reproduction Test

Fluthiacet-methyl:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.15 - 0.17 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Cyprinus carpio (Carp)): 0.51 - 0.83 mg/l
Exposure time: 96 h
Method: EPA OPP 72-1

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 2.3 mg/l
Exposure time: 48 h
Method: No information available.

NOEC (Daphnia magna (Water flea)): 0.035 mg/l
Exposure time: 21 d
Test Type: flow-through test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.00251 mg/l
Exposure time: 72 h

NOEC (Lemna gibba (duckweed)): 0.0017 mg/l
Exposure time: 14 d

IC50 (Lemna gibba (duckweed)): 0.0075 mg/l
Exposure time: 14 d

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.0027 mg/l
Exposure time: 21 d
Method: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.035 mg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 948 mg/kg
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LC50 (Colinus virginianus (Bobwhite quail)): > 5,620 mg/kg
Exposure time: 5 d
Method: EPA OPP 71-2 (Avian Dietary Toxicity Test)

LD50 (Apis mellifera (bees)): > 100 µg/bee
Remarks: Contact

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Persistence and degradability

Components:

Pyroxasulfone:

Biodegradability : Result: Not readily biodegradable.

Fluthiacet-methyl:

Biodegradability : Result: Not readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Pyroxasulfone:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.39 (77 °F / 25 °C)

Fluthiacet-methyl:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 3.77

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

octanol/water

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Mobility in soil

Components:

Pyroxasulfone:

Distribution among environmental compartments : Adsorption/Soil
Koc: 57 - 114 ml/g, log Koc: > 1.75
Remarks: Highly mobile in soils

Stability in soil :

Fluthiacet-methyl:

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Dispose of the packaging in accordance with the local regulations in force.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluthiacet-methyl, Pyroxasulfone)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Fluthiacet-methyl, Pyroxasulfone)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluthiacet-methyl, Pyroxasulfone)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Fluthiacet-methyl, Pyroxasulfone)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethylbenzene	100-41-4	100	100 (F003)

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol	57-55-6	>= 5 - < 10 %
------------------	---------	---------------

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

ethylbenzene	100-41-4	>= 0 - < 0.1 %
--------------	----------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

ethylbenzene	100-41-4	>= 0 - < 0.1 %
--------------	----------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

water	7732-18-5
Pyroxasulfone	447399-55-5
propane-1,2-diol	57-55-6
Monobutyl ether of polymer of 2-methyloxirane / oxirane	9038-95-3

Maine Chemicals of High Concern

octamethylcyclotetrasiloxane [D4]	556-67-2
-----------------------------------	----------

Vermont Chemicals of High Concern

ethylbenzene	100-41-4
octamethylcyclotetrasiloxane [D4]	556-67-2

Washington Chemicals of High Concern

ethylbenzene	100-41-4
--------------	----------

California Prop. 65

WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

TECI : Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, Causes eye irritation, Avoid contact with skin, eyes and clothing., Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Remove and wash contaminated clothing before re-use.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide


Version
1.6

Revision Date:
05/28/2025

SDS Number:
50000558

Date of last issue: 05/28/2025
Date of first issue: 05/26/2016

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Anthem® MAXX Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 05/28/2025
1.6	05/28/2025	50000558	Date of first issue: 05/26/2016

Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet