

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

SECTION 1. IDENTIFICATION

Product identifier

Product name Polaro A Fungicide

Other means of identification

Product code 50002099

Chemical nature Mixture

Product Registration Number PCP #34121

Recommended use of the chemical and restrictions on use

Recommended use Can be used as fungicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer

FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version 1.1 Revision Date: 11/07/2023 SDS Number: 50002099 Date of last issue: 10/17/2022
Date of first issue: 10/17/2022

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

Specific target organ toxicity : Category 1
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Methanone, [2-[[6-(2-	Fluoxastrobin	361377-29-9	40.3

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version 1.1 Revision Date: 11/07/2023 SDS Number: 50002099 Date of last issue: 10/17/2022
Date of first issue: 10/17/2022

chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-			
glycerol	glycerol	56-81-5	>= 10 - < 30 *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Call a physician if irritation develops or persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Harmful if inhaled.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

- | | |
|--|---|
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Thermal decomposition can lead to release of irritating gases and vapors.
Carbon oxides |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|---|--|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection. |
| Advice on safe handling | : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms. |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version 1.1 Revision Date: 11/07/2023 SDS Number: 50002099 Date of last issue: 10/17/2022
Date of first issue: 10/17/2022

Dispose of rinse water in accordance with local and national regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol	56-81-5	TWA (Mist)	10 mg/m3	CA AB OEL
		TWA (Mist)	10 mg/m3	CA BC OEL
		TWA (Respirable mist)	3 mg/m3	CA BC OEL
		TWAEV (Mist)	10 mg/m3	CA QC OEL

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Wear suitable protective equipment.
Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: suspension viscous liquid
Color	: off-white
Odor	: solvent-like
Odor Threshold	: No data available
pH	: 6.8 (10% solution in water)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.19 (20 °C)
Solubility(ies) Water solubility	: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	822 mPa.s (25 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

Acute inhalation toxicity	:	LC50 (Rat): > 4.9 mg/l Test atmosphere: dust/mist
---------------------------	---	--

Acute toxicity estimate: 12.16 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat): 4.9 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result : slight irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

glycerol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

Components:

glycerol:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment	:	The product is a skin sensitizer, sub-category 1B.
Result	:	May cause sensitization by skin contact.

Remarks	:	Causes sensitization.
---------	---	-----------------------

Germ cell mutagenicity

Not classified based on available information.

Components:

glycerol:

Genotoxicity in vitro	:	Test Type: reverse mutation assay
		Result: negative

Carcinogenicity

Not classified based on available information.

Components:

glycerol:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 years Years
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

glycerol:

Effects on fertility	:	Test Type: Two-generation study
		Species: Rat
		Application Route: Oral
		Result: negative

Effects on fetal development	:	Test Type: Two-generation study
		Species: Rat

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

Application Route: Oral
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

NOAEL : 1.5 mg/kg
Application Route : Ingestion
Exposure time : 90 d

glycerol:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Inhalation
Exposure time : 14 d
Dose : 0, 1, 1.93, 3.91 mg/L
Symptoms : respiratory tract irritation, Fatality

Species : Rat
NOAEL : 0.165 mg/l
LOAEL : 0.662 mg/l
Application Route : Inhalation
Exposure time : 13 w
Dose : 0, 0.033, 0.165, 0.662 mg/L
Symptoms : respiratory tract irritation

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.435 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 0.57 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.97 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.48 mg/l
aquatic invertebrates Exposure time: 48 h

glycerol:

Toxicity to fish : LC50 (Fish): 885 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Scenedesmus capricornutum (fresh water algae)):
plants 2,900 mg/l
Exposure time: 192 h

Toxicity to microorganisms : EC10 (Pseudomonas putida): 10,000 mg/l
Exposure time: 16 h

Persistence and degradability

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Biodegradability : Biodegradation: 52.1 %

glycerol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 24 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

Bioaccumulative potential

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Bioaccumulation : Bioconcentration factor (BCF): 52.1
Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 2.86 (20 °C)

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.75 (25 °C)
pH: 7.4

Mobility in soil

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluoxastrobin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Fluoxastrobin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluoxastrobin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : ethylbenzene

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWAEV	: Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Polaro A Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2022
1.1	11/07/2023	50002099	Date of first issue: 10/17/2022

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet