

Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble

granules)

Other means of identification

Product code 50000040

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 (General Information)

SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

: Category 2 (Thyroid, Nervous system)

GHS label elements

Hazard pictograms

Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Thyroid, Nervous system)

through prolonged or repeated exposure.



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Precautionary Statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
thifensulfuron-methyl (ISO)	79277-27-3	33.33
Tribenuron-methyl	101200-48-0	16.67
sodium carbonate	497-19-8	>= 10 - < 20
Phosphoric acid, trisodium salt, do-	10101-89-0	>= 1 - < 5
decahydrate		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Remove victim from exposure and then have him lie down in

the recovery position.

Call a physician immediately.

Show this safety data sheet to the doctor in attendance.

Keep at rest.

Keep warm and in a quiet place.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

In case of skin contact

Wash off immediately with soap and plenty of water.

If skin irritation persists, call a physician.

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Thermal decomposition can lead to release of irritating gases

and vapors. Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation.

Prevent product from entering drains. Environmental precautions

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : Avoid dust formation.



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

fire and explosion Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Keep only in original packaging.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	STEL	5 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate

protection.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be

required.

Impervious clothing

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

Contaminated work clothing should not be allowed out of the

workplace.

Wash hands and face before breaks and immediately after

handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Color : light brown

Odor : slight, acidic

Odor Threshold : Not applicable

pH : 9.1 (68 °F / 20 °C)

Concentration: 10 g/l

Flash point : Not applicable

Flammability (solid, gas) : Does not sustain combustion.



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Bulk density : 692 kg/m3packed

Solubility(ies)

Water solubility : soluble

Autoignition temperature : 725 °F / 385 °C

Viscosity

Viscosity, dynamic : No data available

Explosive properties : Not explosive

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: Fixed Dose Method

Remarks: (Data on the product itself)

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute toxicity estimate: 6.18 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Method: OECD Test Guideline 402 Remarks: (Data on the product itself) Information source: Internal study report

LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : (Data on the product itself)

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405 Remarks : (Data on the product itself)

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type : Maximization Test Species : Guinea pig

Assessment : Not a skin sensitizer.

Method : US EPA Test Guideline OPPTS 870.2600

Result : Animal test did not cause sensitization by skin contact.

Remarks : (Data on the product itself)

Germ cell mutagenicity

Not classified based on available information.

Components:

thifensulfuron-methyl (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 476



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Result: negative

Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Tribenuron-methyl:

Germ cell mutagenicity -

Assessment

Did not show mutagenic effects in animal experiments.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Phosphoric acid, trisodium salt, dodecahydrate:

Genotoxicity in vitro : Test Type: gene mutation test

Method: OECD Test Guideline 490

Result: negative

Remarks: Based on data from similar materials

Test Type: Micronucleus test Method: OECD Test Guideline 487

Result: negative

Germ cell mutagenicity -

Assessment

In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified based on available information.

Components:

thifensulfuron-methyl (ISO):

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Tribenuron-methyl:

Remarks : No significant adverse effects were reported

Carcinogenicity - Assess-

ment

Did not show carcinogenic effects in animal experiments.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

thifensulfuron-methyl (ISO):

Reproductive toxicity - As-

sessment

Did not show teratogenic effects in animal experiments.

Tribenuron-methyl:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

Animal testing did not show any effects on fetal development.,

Did not show teratogenic effects in animal experiments.

sodium carbonate:

Effects on fetal development : Species: Rat

Application Route: Oral

Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram

Duration of Single Treatment: 6 - 15 d

General Toxicity Maternal: NOAEL: > 245 mg/kg body weight

Teratogenicity: NOAEL: > 245 mg/kg body weight

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

Phosphoric acid, trisodium salt, dodecahydrate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral Dose: 1000 mg/kgbw

General Toxicity Parent: NOAEL: 1,000 mg/kg bw/day General Toxicity F1: NOAEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Dose: 4.1,19,88.3,410mg/kgbw/day Duration of Single Treatment: 20 d

General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: > 410 mg/kg bw/day



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

Tribenuron-methyl:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Thyroid, Nervous system) through prolonged or repeated expo-

sure.

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for

more information on target organs if applicable.

Repeated dose toxicity

Components:

thifensulfuron-methyl (ISO):

Species : Rat

LOAEL : ca. 200 mg/kg

Exposure time : 90 d

Target Organs : No specific target organs noted

Symptoms : Reduced body weight

Tribenuron-methyl:

Species : Rabbit LOAEL : 80 mg/kg

Target Organs : Thyroid, Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Increased mortality or reduced survival

sodium carbonate:

Species : Rat, male and female

NOAEL : > 0.01 mg/kg



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Application Route : inhalation (dust/mist/fume)

Test atmosphere : dust/mist

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Dog, female

NOAEL : 492.77 mg/kg bw/day LOAEL : 1433.56 mg/kg bw/day

Application Route : Oral - feed

Exposure time : 90 d

Dose : 129.31,492.77,1433.56mg/kgbw/d

Target Organs : Kidney

Remarks : Based on data from similar materials

Species : Dog, male

NOAEL : 322.88 mg/kg bw/day LOAEL : 1107.12 mg/kg bw/day

Application Route : Oral - feed Exposure time : 90 d

Dose : 94.23,322.88,1107.12mg/kgbw/da

Target Organs : Kidney

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:

Tribenuron-methyl:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : Information presented in this Section conforms to the require-

ments of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection

Agency (EPA), or by state Regulatory Agencies.

Remarks : No data available



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 130 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203 Remarks: (Data on the product itself)

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 130 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202 Remarks: (Data on the product itself)

Toxicity to algae/aquatic

plants

EC50 (Lemna gibba (duckweed)): 0.0029 mg/l

End point: Frond Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

Remarks: (Data on the product itself)
Information source: Internal study report

ErC50 (Pseudokirchneriella subcapitata (microalgae)): > 0.16

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201 Remarks: (Data on the product itself) Information source: Internal study report

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

GLP: yes

Remarks: Information source: Internal study report

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 112.2 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity Method: OECD Test Guideline 213

GLP: yes

Remarks: Information source: Internal study report

LD50 (Apis mellifera (bees)): > 100 μg/bee

Exposure time: 48 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

GLP: yes

Remarks: Information source: Internal study report

Components:

thifensulfuron-methyl (ISO):



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Toxicity to fish : LC50 (Salmo gairdneri): 100 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 470 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (green algae): 0.0159 mg/l

Exposure time: 72 h

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.4

mg/l

Exposure time: 72 h

EC50 (Lemna minor (duckweed)): 1.3 μg/l

Toxicity to fish (Chronic tox-

icity)

NOEC (Salmo gairdneri): 250 mg/l

Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 10.6 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 2,000 mg/kg

Toxicity to terrestrial organ-

isms

LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

Remarks: Dietary

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

LD50 (Apis mellifera (bees)): > 7.1 μg/bee

End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 100 μg/bee

End point: Acute contact toxicity

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Tribenuron-methyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): > 320 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0208

mg/l

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0.00424 mg/l

Exposure time: 14 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 114

mg/

Exposure time: 21 d

Method: OECD Test Guideline 211

NOEC (Oncorhynchus mykiss (rainbow trout)): 560 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 41 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

NOEC (Eisenia fetida (earthworms)): 3.2 mg/kg

Exposure time: 56 d

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

Remarks: Dietary

LD50 (Apis mellifera (bees)): > 98.4 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 9.1 μg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): 200 mg/l

Exposure time: 48 h Test Type: semi-static test

Phosphoric acid, trisodium salt, dodecahydrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Method: EU Method C3

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Method: EU Method C3

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

NOEC (activated sludge): 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 3,500 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

Remarks: Based on data from similar materials

Persistence and degradability

Components:

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.

Primary degradation half-lives vary with circumstances, from a



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

few days to a few weeks in aerobic water and soil.

Tribenuron-methyl:

Biodegradability : Biodegradation: 29.4 %

Exposure time: 28 d

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1

Remarks: Does not bioaccumulate.

Tribenuron-methyl:

Bioaccumulation : Bioconcentration factor (BCF): < 1

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -0.38

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a poten-

tial for leaching to groundwater.

Components:

thifensulfuron-methyl (ISO):

Distribution among environ-

mental compartments

Koc: 28.3, log Koc: 1.45

Remarks: Highly mobile in soils

Stability in soil

Tribenuron-methyl:



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a poten-

tial for leaching to groundwater.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

Environmental hazards

Do not apply directly to water, or to areas where surface water

is present, or to intertidal areas below the mean high water

mark.

Do not contaminate water when cleaning equipment or dis-

posing of equipment washwaters or rinsate.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

N.O.S.

(Thifensulfuron-methyl, Tribenuron-methyl)

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Thifensulfuron-methyl, Tribenuron-methyl)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen- :

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Thifensulfuron-methyl, Tribenuron-methyl)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Tribenuron- 101200-48-0 >= 10 - < 20 %

methyl

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Phosphoric acid, trisodi- 10101-89-0 >= 1 - < 5 % um salt, dodecahydrate

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Phosphoric acid, trisodium salt, dodecahydrate 10101-89-0

Pennsylvania Right To Know

D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohy- 10039-26-6

drate

thifensulfuron-methyl (ISO) 79277-27-3
Tribenuron-methyl 101200-48-0
sodium carbonate 497-19-8
Phosphoric acid, trisodium salt, dodecahydrate 10101-89-0

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Product does not contain any listed chemicals

California List of Hazardous Substances

Phosphoric acid, trisodium salt, dodecahydrate 10101-89-0

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

NFPA 704:

Flammability Health 1 0 Instability

Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / STEL : Short-Term TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -



Harmony(R) Extra SG Herbicide (with TotalSol(R) soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 10/06/2022 50000040 Date of first issue: 02/01/2018

Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet