according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name CHIMERA® SX®

Other means of identification

Product code 50000050

Unique Formula Identifier

(UFI)

MA2X-A2Y6-WN40-9A1E

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

## 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Operational Netherlands B.V.

The Mark - 2nd floor office 209 Fascinatio Boulevard 216-220 NL-3065 WB Rotterdam

Netherlands

 $\label{eq:total-commutation} Telephone: +31(0)10-8081422 \\ E-mail \ address: SDS-Info@fmc.com \ .$ 

## 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

BIG (Fire Service Information Center for Hazardous Substanc-

es) 24/7, telephone number +32(0)14-584545.

Medical emergency:

Netherlands: +31 (0) 88 755 8000

(NVIC emergency telephone number) - For the sole purpose of informing healthcare professionals in the event of acute poi-

soning.

Poisoning centers may only have required information for products in accordance with Regulation (EC) No. 1272/2008

and national law.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## CHIMERA® SX®

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting

effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

\*

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to hazardous or special

waste collection point.

# **Additional Labelling**

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

#### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
thifensulfuron-methyl (ISO)	79277-27-3 016-096-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 10 - < 20
metsulfuron-methyl (ISO)	74223-64-6 613-139-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ————— M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000	>= 2,5 - < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Sulphur oxides Carbon oxides Hydrogen cyanide

Fire may produce irritating, corrosive and/or toxic gases.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust. Avoid contact with skin and eyes.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age conditions

Protect from frost and extreme heat.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	•	-	` '	
Substance name	End Use	Exposure routes	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Acute local effects	10 mg/m3

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Equipment should conform to EN 143

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state : solid

Form : granular

Colour : brown, light brown

Odour : slight

Odour Threshold : not determined

Melting point/range : Not available for this mixture.

Initial boiling point and boiling

range

No data available

Flammability : The product is not flammable.

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

Lower explosion limit / Lower :

flammability limit

Not available for this mixture.

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : Not available for this mixture.

pH : 9,2

Concentration: 10 g/l 1 % Method: CIPAC MT 75.3

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not applicable

Relative density : Not applicable

Density : No data available

Bulk density : ca. 690 kg/m3packed

Relative vapour density : Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

Particle characteristics

Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The product is not oxidizing.

Self-ignition : Not available for this mixture.

Evaporation rate : Not available for this mixture.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **Components:**

thifensulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,03 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Target Organs: Skin Symptoms: Erythema

metsulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): > 5,3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: US EPA Test Guideline OPPTS 870.1300

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Method: US EPA Test Guideline OPP 81-2

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : May cause skin irritation in susceptible persons.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

## **Components:**

## thifensulfuron-methyl (ISO):

Assessment : No skin irritation

Method : OECD Test Guideline 404

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

#### sodium carbonate:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

## metsulfuron-methyl (ISO):

Species : Rabbit

Method : US EPA Test Guideline OPP 81-5

Result : No skin irritation

## Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

# **Product:**

Assessment : Not classified as irritant

Result : No eye irritation

Remarks : Based on available data, the classification criteria are not met.

#### Components:

#### thifensulfuron-methyl (ISO):

Method : OECD Test Guideline 405

Result : No eye irritation

## sodium carbonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

# metsulfuron-methyl (ISO):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

## Respiratory or skin sensitisation

## Skin sensitisation

Based on available data, the classification criteria are not met.

# Respiratory sensitisation

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

**Product:** 

Remarks : Not expected to cause skin sensitisation

**Components:** 

thifensulfuron-methyl (ISO):

Species : Guinea pig

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

metsulfuron-methyl (ISO):

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : US EPA Test Guideline OPPTS 870.2600

Result : Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

thifensulfuron-methyl (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 476

Result: negative

Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

metsulfuron-methyl (ISO):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Chromosome aberration test in vitro Metabolic activation: Metabolic activation

Result: positive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# CHIMERA® SX®

Version Revision Date: SDS Number: Date of last issue: -

31.10.2023 50000050 Date of first issue: 31.10.2023 1.0

Genotoxicity in vivo Test Type: Micronucleus test

> Species: Mouse Result: negative

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects.

## Carcinogenicity

Based on available data, the classification criteria are not met.

## **Components:**

#### thifensulfuron-methyl (ISO):

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

# metsulfuron-methyl (ISO):

Rat, male and female Species

Exposure time 104 weeks NOAEL 500 ppm Result negative

Species Mouse, male and female

Exposure time 18 month(s) NOAEL 5.000 ppm Result negative

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

#### **Components:**

## thifensulfuron-methyl (ISO):

Reproductive toxicity - As-

sessment

: Did not show teratogenic effects in animal experiments.

#### sodium carbonate:

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram

Duration of Single Treatment: 6 - 15 d

General Toxicity Maternal: NOAEL: > 245 mg/kg body weight

Teratogenicity: NOAEL: > 245 mg/kg body weight

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

metsulfuron-methyl (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit, female Application Route: Ingestion Symptoms: Maternal effects

Result: negative

Test Type: Embryo-foetal development

Species: Rat, female Application Route: Ingestion Symptoms: Maternal effects

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

## STOT - single exposure

Based on available data, the classification criteria are not met.

**Product:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

# STOT - repeated exposure

Based on available data, the classification criteria are not met.

**Product:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Components:

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

thifensulfuron-methyl (ISO):

Species : Rat

LOAEL : ca.200 mg/kg

Exposure time : 90 d

Target Organs : No specific target organs noted

Symptoms : Reduced body weight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

sodium carbonate:

Species : Rat, male and female

NOAEL : > 0.01 mg/kg

Application Route : inhalation (dust/mist/fume)

Test atmosphere : dust/mist

metsulfuron-methyl (ISO):

Species : Rat, male and female

NOEL : 1000 ppm Application Route : Oral - feed Exposure time : 90 days

Symptoms : Reduced body weight

**Aspiration toxicity** 

Based on available data, the classification criteria are not met.

**Product:** 

The mixture does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

## **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## **Neurological effects**

#### **Components:**

#### metsulfuron-methyl (ISO):

No neurotoxicity observed in animal studies

# **Further information**

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

Remarks : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version **Revision Date:** SDS Number: Date of last issue: -

31.10.2023 50000050 Date of first issue: 31.10.2023 1.0

## **SECTION 12: Ecological information**

# 12.1 Toxicity

#### **Components:**

thifensulfuron-methyl (ISO):

Toxicity to fish LC50 (Salmo gairdneri): 100 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (green algae): 0,0159 mg/l

Exposure time: 72 h

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1,4

Exposure time: 72 h

EC50 (Lemna minor (duckweed)): 1,3 μg/l

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to fish (Chronic tox-

icity)

NOEC: 250 mg/l Exposure time: 28 d

Species: Salmo gairdneri

NOEC: 10,6 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 100 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

Toxicity to soil dwelling or-

ganisms

LC50: > 2.000 mg/kg

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 2.510 mg/kg

Species: Anas platyrhynchos (Mallard duck)

LD50: > 5.620 ppm

Species: Anas platyrhynchos (Mallard duck)

Remarks: Dietary

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

LD50: > 5.620 ppm

Species: Colinus virginianus (Bobwhite quail)

LD50: >  $7.1 \mu g/bee$ 

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: > 100 µg/bee

End point: Acute contact toxicity Species: Apis mellifera (bees)

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): 200 mg/l

Exposure time: 48 h Test Type: semi-static test

metsulfuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 113 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Poecilia reticulata (guppy)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Lemna minor (duckweed)): 0,16 µg/l

Exposure time: 14 d

ErC50 (Anabaena flos-aquae (cyanobacterium)): 0,1134 mg/l

Exposure time: 72 h

IC50 (Selenastrum capricornutum (green algae)): 0,045 mg/l

Exposure time: 72 h

ErC50 (Myriophyllum spicatum): 0,23 µg/l

ErC50 (Lemna gibba (gibbous duckweed)): 0,57 μg/l

M-Factor (Acute aquatic tox- : 1.000

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

icity)

Toxicity to fish (Chronic tox-

icity)

: NOEC: 68 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,5 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

1.000

Toxicity to soil dwelling or-

ganisms

NOEC: 6 mg/kg

Exposure time: 56 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 100 µg/bee

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: > 91,72 μg/bee End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: > 2.510 mg/kg

Species: Anas platyrhynchos (Mallard duck)

# 12.2 Persistence and degradability

**Product:** 

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

**Components:** 

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.

Primary degradation half-lives vary with circumstances, from a

few days to a few weeks in aerobic water and soil.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

metsulfuron-methyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

water.

# 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

**Components:** 

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1

Remarks: Does not bioaccumulate.

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

metsulfuron-methyl (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 28 d

Bioconcentration factor (BCF): < 1 Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -1,7 (25 °C)

pH: 7

## 12.4 Mobility in soil

**Product:** 

Distribution among environ-

mental compartments

Remarks: Under actual use conditions the product has a low

potential of mobility in soil.

**Components:** 

thifensulfuron-methyl (ISO):

Distribution among environ-

mental compartments

Koc: 28,3, log Koc: 1,45

Remarks: Highly mobile in soils

Stability in soil :

## 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This mixture contains no substance considered to be persis-

tent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bio-

accumulating (vPvB).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

## **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

No other ecological effects to be specially mentioned.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

IATA : UN 3077

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl, Thifensulfuron-methyl)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl, Thifensulfuron-methyl)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl, Thifensulfuron-methyl)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

9

(Metsulfuron-methyl, Thifensulfuron-methyl)

**IATA** : Environmentally hazardous substance, solid, n.o.s.

(Metsulfuron-methyl, Thifensulfuron-methyl)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

14.4 Packing group

ADN

**IATA** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

**RID** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

**RID** 

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

# 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your vendor.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Not applicable

# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro- E1 ENVIRONMENTAL HAZARDS

pean Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

General Assessment Methodology (GAM)

Aquatic harmfulness : A1 Highly toxic for aquatic organisms, may have long-term

hazardous effects in aquatic environment.

Abatement effort : A

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H319 : Causes serious eye irritation. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CHIMERA® SX®**

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 50000050 Date of first issue: 31.10.2023

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 1 H410 Calculation method

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

## **Prepared by**

**FMC Corporation** 

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

NL/6N