

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Section 1: Identification

Product name : Shark® Herbicide

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : Level 5, 3 Te Kahu Way,
Mount Wellington,
Auckland 1060
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
0800 734 607 (Ixm)

Medical emergency:
0800 764 766 (NZ Poisons Information Centre)
0800 111174 (24 hour Medical Emergency)
0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Flammable liquids : Category 4

Serious eye damage/eye irritation : Category 2

Specific target organ toxicity - repeated exposure : Category 2

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

SAFETY DATA SHEET

Shark® Herbicide



Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

Hazardous to the environment : Hazardous to soil organisms

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements : H227 Combustible liquid.
H319 Causes serious eye irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
H423 Harmful to the soil environment.

Precautionary statements : P103 Read carefully and follow all instructions.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391 Collect spillage.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

SAFETY DATA SHEET

Shark® Herbicide



Version 1.0 Revision Date: 17.11.2023 SDS Number: 50002308 Date of last issue: -
Date of first issue: 17.11.2023

Chemical name	CAS-No.	Concentration (% w/w)
carfentrazone-ethyl (ISO)	128639-02-1	≥ 2.5 -< 10
Polyether-modified polysiloxane	134180-76-0	≥ 2.5 -< 10
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	≥ 1 -< 2.5

Section 4: First-aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.

Section 5: Fire-fighting measures

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapours.
Nitrogen oxides (NO_x)
Carbon oxides

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Chlorine compounds
Fluorine compounds

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : 3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

SAFETY DATA SHEET

Shark® Herbicide



Version 1.0 Revision Date: 17.11.2023 SDS Number: 50002308 Date of last issue: -
Date of first issue: 17.11.2023

place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Section 9: Physical and chemical properties

Physical state : liquid

SAFETY DATA SHEET

Shark® Herbicide



Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

Form	: liquid
Colour	: yellow-orange
Odour	: oily
Odour Threshold	: not determined
pH	: 4.86 In a 1% aqueous dispersion
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Flash point	: 63 °C
Self-ignition	: 356 °C
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapour pressure	: Not available for this mixture.
Relative vapour density	: not determined
Relative density	: 0.9308 (20 °C)
Density	: 0.931 g/cm ³ (20 °C)
Solubility(ies) Water solubility	: dispersible
Partition coefficient: n-octanol/water	: Not available for this mixture.
Decomposition temperature	: not determined
Viscosity Viscosity, dynamic	: not determined
Viscosity, kinematic	: 20.42 mm ² /s (40 °C)
Explosive properties	: Not explosive

SAFETY DATA SHEET

Shark® Herbicide



Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

Oxidizing properties : Non-oxidizing

Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Avoid strong acids, bases, and oxidizers

Hazardous decomposition products : Stable under recommended storage conditions.

Section 11: Toxicological information

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Components:

carfentrazone-ethyl (ISO):

Acute oral toxicity : LD50 (Rat, female): 5,143 mg/kg
Method: FIFRA 81.01
Symptoms: Tremors
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Tremors, chromodacryorrhea, nasal discharge
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Polyether-modified polysiloxane:

Acute oral toxicity : LD50 (Rat): 3,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 1,550 mg/kg
LD50 (Rat): > 2,000 mg/kg

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Acute oral toxicity : LD0 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 1,000 - 1,600 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

carfentrazone-ethyl (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : US EPA Test Guideline OPP 81-5
Result : No skin irritation

Polyether-modified polysiloxane:

Result : slight irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species : Rabbit
Result : Skin irritation

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Assessment : Mild eye irritation

Components:

carfentrazone-ethyl (ISO):

Species	: Rabbit
Result	: slight irritation
Assessment	: Not classified as irritant
Method	: EPA OPP 81-4
GLP	: yes

Polyether-modified polysiloxane:

Species	: Rabbit
Result	: Moderate eye irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	: Rabbit
Result	: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks : Not expected to cause skin sensitisation

Components:

carfentrazone-ethyl (ISO):

Test Type	: Local lymph node assay (LLNA)
Species	: Guinea pig
Method	: US EPA Test Guideline OPP 81-6
Result	: Does not cause skin sensitisation.

Polyether-modified polysiloxane:

Species	: Guinea pig
Result	: Not a skin sensitizer.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

Shark® Herbicide

Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

Chronic toxicity**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Components:**carfentrazone-ethyl (ISO):**

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative

Germ cell mutagenicity - Assessment : No genotoxic potential

Polyether-modified polysiloxane:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Result: negative

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

SAFETY DATA SHEET



Shark® Herbicide

Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Components:

carfentrazone-ethyl (ISO):

Species : Rat, male and female
Application Route : Oral
Exposure time : 104 weeks
NOAEL : 3 - 9 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified due to lack of data.

Product:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Components:

carfentrazone-ethyl (ISO):

Effects on fertility : Test Type: Multi-generation study
Species: Rat, male and female
Application Route: Ingestion
Fertility: NOEL: 4,000 ppm
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOEL: 100 mg/kg bw/day
Embryo-foetal toxicity: NOEL: 600 mg/kg bw/day
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit, female

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Application Route: Oral
General Toxicity Maternal: NOEL: 150 mg/kg bw/day
Embryo-foetal toxicity: NOEL: > 300 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 14, 70, 350 mg/kg bw d
General Toxicity - Parent: NOAEL: 350 mg/kg body weight
General Toxicity F1: NOAEL: 350 mg/kg bw/day
General Toxicity F2: NOAEL: 350 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 0.2, 2.0, 300 and 600 mg/kg
Duration of Single Treatment: 20 d
General Toxicity Maternal: LOAEL: 600 mg/kg body weight
Teratogenicity: LOAEL: 600 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

carfentrazone-ethyl (ISO):

Species : Mouse, male and female
NOAEL : 1000 ppm
LOAEL : 4000 ppm
Application Route : Oral
Exposure time : 90 days
Target Organs : Blood

Species : Dog, male and female
NOEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 90 days
Target Organs : Blood

Species : Dog, male and female
NOEL : 50 mg/kg
NOAEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 12 months
GLP : yes
Target Organs : Blood

Polyether-modified polysiloxane:

Species : Rat
NOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species : Rat, male and female
NOAEL : 40 mg/kg bw/day
LOAEL : 115 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 6 months
Dose : 40, 115, 340, 1030 mg/kg bw d
Remarks : Based on data from similar materials

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Aspiration toxicity

Not classified due to lack of data.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

Section 12: Ecological information

Ecotoxicity

Product:

Toxicity to algae/aquatic plants : ErC50 (algae): 0.45 mg/l

NOEC (algae): 0.1 mg/l

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

Components:

carfentrazone-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.55 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 9.8 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

SAFETY DATA SHEET

Shark® Herbicide



Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.012 mg/l
Exposure time: 72 h

NOEC (algae): 0.001 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.0057 mg/l
Exposure time: 14 d

EC50 (Selenastrum capricornutum (green algae)): 0.0133 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 0.00933 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 22 µg/l
Exposure time: 89 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia (water flea)): 35 mg/l
End point: reproduction
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300
Remarks: Information given is based on data obtained from similar product.

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 820 mg/kg

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on carbon mineralization.

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
End point: Acute oral toxicity
Remarks: Dietary

LD50 (Colinus virginianus (Bobwhite quail)): 2,250 mg/kg
End point: Acute oral toxicity

NOEL (Colinus virginianus (Bobwhite quail)): 1000 ppm
End point: Reproduction Test

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute contact toxicity

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

Polyether-modified polysiloxane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.1 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 28.2 mg/l
Exposure time: 72 h

EC50 (Scenedesmus subspicatus): 152.2 mg/l
Exposure time: 72 h

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 31.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 62 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l
Exposure time: 72 d

SAFETY DATA SHEET



Shark® Herbicide

Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

	Test Type: flow-through test Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1.18 mg/l Exposure time: 21 d Test Type: flow-through test Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50 (activated sludge): 550 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	: NOEC (Eisenia fetida (earthworms)): 250 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 Remarks: Based on data from similar materials
	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 Remarks: Based on data from similar materials
Plant toxicity	: EC50: 167 mg/kg Exposure time: 21 d Species: Sorghum bicolor (sorghum)
	80 mg/kg Exposure time: 14 d Species: Avena sativa (oats)
Toxicity to terrestrial organisms	: EC10 (Hypoaspis aculeifer): 82 mg/kg Exposure time: 21 d Remarks: Information given is based on data obtained from similar substances.

Persistence and degradability

Product:

Biodegradability	: Result: Not readily biodegradable. Remarks: Estimation based on data obtained on active ingredient. Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.
------------------	--

Components:

carfentrazone-ethyl (ISO):

Biodegradability	: Result: Not readily biodegradable.
------------------	--------------------------------------

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Biodegradability	: Inoculum: activated sludge, non-adapted Result: Not readily biodegradable. Biodegradation: 2.9 %
------------------	--

SAFETY DATA SHEET

Shark® Herbicide



Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

Exposure time: 28 d
Method: OECD Test Guideline 301E

Result: Inherently biodegradable.
Biodegradation: > 35 - 45 %
Exposure time: 10 d

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 176
Exposure time: 28 d
Method: OECD Test Guideline 305E
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.7 (20 °C)

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.595 (20 °C)

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: Under normal conditions the substance/mixture is mobile in soil.
Estimation based on data obtained on active ingredient.

Components:

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

Shark® Herbicide



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

Section 13: Disposal considerations

Disposal methods

- | | | |
|------------------------|---|---|
| Waste from residues | : | The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

Section 14: Transport information

International Regulations

UNRTDG

- | | | |
|---------------------------|---|--|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Carfentrazone-ethyl) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| Environmentally hazardous | : | yes |

IATA-DGR

- | | | |
|--|---|--|
| UN/ID No. | : | UN 3082 |
| Proper shipping name | : | Environmentally hazardous substance, liquid, n.o.s.
(Carfentrazone-ethyl) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 964 |
| Packing instruction (passenger aircraft) | : | 964 |
| Environmentally hazardous | : | yes |

IMDG-Code

- | | | |
|----------------------|---|--|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Carfentrazone-ethyl) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |
| Marine pollutant | : | yes |
| Remarks | : | Environmentally hazardous substances/Marine Pollutants in |

SAFETY DATA SHEET



Shark® Herbicide

Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: 3Z
Marine pollutant	: no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR007883

ACVM Registered Number: P7808

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

ETHYL (RS)-2-CHLORO-3-[2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL]PROPIONATE

Polymeric surfactant

SAFETY DATA SHEET



Shark® Herbicide

Version 1.0	Revision Date: 17.11.2023	SDS Number: 50002308	Date of last issue: - Date of first issue: 17.11.2023
----------------	------------------------------	-------------------------	--

Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics
Polyether-modified polysiloxane
2-ethylhexyl oleate

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

Section 16: Other information

Revision Date	: 17.11.2023
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

SAFETY DATA SHEET



Shark® Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.11.2023	50002308	Date of first issue: 17.11.2023

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N