

**SAFETY DATA SHEET**  
**STALLION® BRAND INSECTICIDE**

**SDS # :** 6675-A  
**Revision date:** 2020-03-23  
**Format:** NA  
**Version** 1.06



**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product Identifier**

**Product Name** STALLION® BRAND INSECTICIDE

**Other means of identification**

**Product Code(s)** 6675-A

**Synonyms** ZETA-CYPERMETHRIN: (S)-cyano(3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); mix of (S)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name);  
  
, CHLORPYRIFOS: O,O-Diethyl O-3,5,6-trichloropyridin-2-yl phosphorothioate

**Active Ingredient(s)** Chlorpyrifos, Zeta-cypermethrin

**Chemical Family** Organophosphate Pesticide, Pyrethroid Pesticide

**Alternate Commercial Name** F9047-2 Insecticide

**Recommended use of the chemical and restrictions on use**

**Recommended Use:** Insecticide

**Restrictions on Use:** Use as recommended by the label.

**Supplier Address**

FMC Corporation  
2929 Walnut Street  
Philadelphia, PA 19104  
(215) 299-6000 (General Information)  
SDS-Info@fmc.com (E-Mail General Information)

**Emergency telephone number**

Medical Emergencies :  
1 800 / 331-3148 (U.S.A. & Canada)  
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

**2. HAZARDS IDENTIFICATION**

**Classification**

**OSHA Regulatory Status**

**STALLION® BRAND INSECTICIDE**

SDS # : 6675-A  
Revision date: 2020-03-23  
Version 1.06

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 3

**GHS Label elements, including precautionary statements****EMERGENCY OVERVIEW****Danger****Hazard Statements**

H301 - Toxic if swallowed  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H331 - Toxic if inhaled  
H351 - Suspected of causing cancer  
H335 - May cause respiratory irritation  
H373 - May cause damage to organs through prolonged or repeated exposure  
H226 - Flammable liquid and vapor

**Precautionary Statements - Prevention**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P233 - Keep container tightly closed  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof electrical/ventilating/lighting equipment  
P242 - Use only non-sparking tools  
P243 - Take precautionary measures against static discharge  
P235 - Keep cool  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337 + P313 - If eye irritation persists: Get medical advice/ attention  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

## STALLION® BRAND INSECTICIDE

SDS #: 6675-A

Revision date: 2020-03-23

Version 1.06

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P330 - Rinse mouth

P370 + P378 - In case of fire: Use Foam, Carbon dioxide (CO<sub>2</sub>), Dry chemical, Soft stream or water fog for extinction

### Precautionary Statements - Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

### Other Information

Very toxic to aquatic life with long lasting effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical Family

Organophosphate Pesticide, Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Naphtha (petroleum), heavy aromatic	64742-94-5	40-50
Chlorpyrifos	2921-88-2	30.8
Zeta-cypermethrin (F2700)	52315-07-8	7.1
Naphthalene*	91-20-3	<5
Isobutyl alcohol	78-83-1	1-5

Synonyms are provided in Section 1.

## 4. FIRST AID MEASURES

### Eye Contact

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

### Skin Contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

### Inhalation

Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

### Ingestion

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

Central nervous system effects.

### Indication of immediate medical attention and special treatment needed, if necessary

Contains petroleum distillate Vomiting may cause aspiration pneumonia This product is a pyrethroid If large amounts have been ingested, the stomach and intestines should be evacuated Treatment is symptomatic and supportive This product contains a reversible cholinesterase inhibitor Atropine sulfate is antidotal Observe patient to ensure that these symptoms do not recur as atropinization wears off Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation

Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care

## 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Small Fire</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ).
<b>Large Fire</b>	Water spray. Foam.
<b>Unsuitable extinguishing media</b>	Avoid heavy hose streams.
<b>Specific Hazards Arising from the Chemical</b>	None known
<b>Hazardous Combustion Products</b>	Carbon oxides (COx), Hydrogen cyanide, Hydrogen chloride, Sulfur oxides, Phosphorus oxides, Chlorine.
<b>Explosion data</b>	
<b>Sensitivity to Mechanical Impact</b>	No information available.
<b>Sensitivity to Static Discharge</b>	No information available.
<b>Protective equipment and precautions for firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
<b>Other</b>	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<b>Environmental Precautions</b>	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
<b>Methods for Containment</b>	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
<b>Methods for cleaning up</b>	Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
<b>Storage</b>	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.
<b>Packaging material</b>	Must only be kept in original packaging.
<b>Incompatible products</b>	None known

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**STALLION® BRAND INSECTICIDE**

SDS #: 6675-A

Revision date: 2020-03-23

Version 1.06

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Chlorpyrifos (2921-88-2)	TWA: 0.1 mg/m <sup>3</sup>	-	TWA: 0.2 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup>	Mexico: TWA 0.1 mg/m <sup>3</sup>
Naphthalene* (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup>	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 15 ppm STEL: 75 mg/m <sup>3</sup>	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m <sup>3</sup> Mexico: STEL 15 ppm
Chemical name	British Columbia	Quebec	Ontario TWA/EV	Alberta
Chlorpyrifos (2921-88-2)	TWA: 0.1 mg/m <sup>3</sup> Skin	TWA: 0.2 mg/m <sup>3</sup> Skin	TWA: 0.1 mg/m <sup>3</sup> inhalable fraction and vapor  Skin	TWA: 0.1 mg/m <sup>3</sup> Skin
Naphthalene* (91-20-3)	TWA: 10 ppm Skin	TWA: 10 ppm TWA: 52 mg/m <sup>3</sup> STEL: 15 ppm STEL: 79 mg/m <sup>3</sup>	TWA: 10 ppm  Skin	TWA: 10 ppm TWA: 52 mg/m <sup>3</sup> STEL: 15 ppm STEL: 79 mg/m <sup>3</sup> Skin

**Appropriate engineering controls****Engineering measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Individual protection measures, such as personal protective equipment****Eye/Face Protection**

For dust, splash, mist or spray exposure, wear chemical protective goggles.

**Skin and Body Protection**

Coveralls worn over long-sleeved shirt and long pants with socks. Wear chemical-resistant footwear, gloves and headgear.

**Hand Protection**

Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks.

**Respiratory Protection**

For dust, splash, mist or spray exposures wear a filtering facepiece respirator (N95, R95, or P95) which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization).

**Hygiene measures**

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

**General information**

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

Appearance	Amber Liquid
Physical State	Liquid
Color	Amber
Odor	Petroleum solvent
Odor threshold	No information available
pH	4.3
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	58 °C / 136 °F
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	

Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	8.94 lb/gal
Specific gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	15.9 mm <sup>2</sup> /s @ 44.5°C (calculated)
Viscosity, dynamic	22.4 mPa s @ 23.5 °C; 17 mPa s @ 44.5 °C
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

## 10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks
Incompatible materials	None known.
Hazardous Decomposition Products	Carbon oxides (COx), Hydrogen cyanide, Hydrogen chloride, Sulfur oxides, Phosphorous oxides, Chlorine.

## 11. TOXICOLOGICAL INFORMATION

### Product Information

LD50 Oral	98.11 mg/kg (rat)
LD50 Dermal	> 5,000 mg/kg (rabbit)
LC50 Inhalation (dust)	> 0.52 mg/L (4-hr) (rat)
Serious eye damage/eye irritation	Severely irritating (rabbit).
Skin corrosion/irritation	Severely irritating (rabbit).
Sensitization	May cause sensitization by skin contact

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Naphtha (petroleum), heavy aromatic (64742-94-5)	300-2000 mg/kg	> 2 mL/kg ( Nyúl )	>5,2 mg/L
Chlorpyrifos (2921-88-2)	= 135 mg/kg ( Rat ) = 82 mg/kg ( Rat )	= 2 g/kg ( Rabbit ) = 202 mg/kg ( Rat ) > 5000 mg/kg ( Rabbit )	> 200 mg/m <sup>3</sup> ( Rat ) 4 h
Naphthalene* (91-20-3)	= 1110 mg/kg ( Rat ) = 490 mg/kg ( Rat )	= 1120 mg/kg ( Rabbit ) > 20 g/kg ( Rabbit )	> 340 mg/m <sup>3</sup> ( Rat ) 1 h
Isobutyl alcohol (78-83-1 )	2500 mg/kg ( Rat )	2500 mg/kg ( Rat )	

### Information on toxicological effects

Symptoms	Large doses of zeta-cypermethrin, ingested by laboratory animals, may produce signs of toxicity including tremors, incoordination, convulsions, staggered gait, and oral discharge.
----------	---

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Chronic toxicity</b>	Zeta-cypermethrin: Long-term exposure caused neurotoxicity (body tremors, decreased motor activity), decreased body weight and increased liver weight.
<b>Mutagenicity</b>	Chlorpyrifos, Zeta-cypermethrin: Not genotoxic in laboratory studies
<b>Carcinogenicity</b>	Chlorpyrifos: No evidence of carcinogenicity from animal studies. Cypermethrin caused an increase in benign lung tumors in mice, but not in rats. EPA has classified cypermethrin as a possible human carcinogen based on this information, but does not regulate based on its low cancer risk. There was no evidence of carcinogenic activity of naphthalene in male mice, but there was some evidence of carcinogenic activity in female mice and clear evidence of carcinogenic activity in male and female rats in 2-year inhalation studies conducted by the National Toxicology Program (NTP).
<b>Neurological effects</b>	Chlorpyrifos: Chronic exposure to animals has caused decreased cholinesterase activity (erythrocyte, plasma, and/or brain). Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following acute, subchronic or chronic exposure.
<b>Reproductive toxicity</b>	Chlorpyrifos, Zeta-cypermethrin: No toxicity to reproduction in animal studies.
<b>Developmental toxicity</b>	Chlorpyrifos, Zeta-cypermethrin: Not teratogenic in animal studies.
<b>STOT - single exposure</b>	May cause respiratory irritation. See listed target organs below.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure. See listed target organs below.
<b>Target organ effects</b> <b>Neurological effects</b>	Zeta-cypermethrin: Central Nervous System (CNS), Chlorpyrifos: Chronic exposure to animals has caused decreased cholinesterase activity (erythrocyte, plasma, and/or brain). Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following acute, subchronic or chronic exposure.
<b>Aspiration hazard</b>	Potential for aspiration if swallowed.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene* 91-20-3	A3	Group 2B	Reasonably Anticipated	X

**Legend:**

ACGIH (American Conference of Governmental Industrial Hygienists)  
A3 - *Animal Carcinogen*  
IARC (International Agency for Research on Cancer)  
Group 2B - *Possibly Carcinogenic to Humans*  
NTP (National Toxicology Program)  
Reasonably Anticipated - *Reasonably Anticipated to be a Human Carcinogen*  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
X - *Present*

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

<b>Chlorpyrifos (2921-88-2)</b>				
Active Ingredient(s)	Duration	Species	Value	Units
Chlorpyrifos	LD50 acute oral	Honey bees	0.36	µg/bee
	LD50 topical	Honey bees	0.070	µg/bee

<b>Zeta-cypermethrin (F2700) (52315-07-8)</b>				
Active Ingredient(s)	Duration	Species	Value	Units
Zeta-cypermethrin	48 h EC50	Crustacea	0.14	µg/L
	96 h LC50	Fish	0.69	µg/L
	72 h EC50	Algae	>1	mg/L

**STALLION® BRAND INSECTICIDE**
**SDS # : 6675-A**
**Revision date: 2020-03-23**
**Version 1.06**

	21 d NOEC	Crustacea	0.01	µg/L
	21 d NOEC	Fish	0.015	µg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Castor oil, ethoxylated 61791-12-6		96 h LC50: > 45 mg/L (Danio rerio) static	
Acetic Acid 64-19-7		96 h LC50: = 75 mg/L (Lepomis macrochirus) static 96 h LC50: = 79 mg/L (Pimephales promelas) static	24 h EC50: = 47 mg/L (Daphnia magna) 48 h EC50: = 65 mg/L (Daphnia magna) Static
Naphtha (petroleum), heavy aromatic 64742-94-5	72 h EC50: = 2,5 mg/L (Skeletonema costatum)	96 h LC50: = 1740 mg/L (Lepomis macrochirus) static 96 h LC50: = 19 mg/L (Pimephales promelas) static 96 h LC50: = 2,34 mg/L (Oncorhynchus mykiss) 96 h LC50: = 41 mg/L (Pimephales promelas) 96 h LC50: = 45 mg/L (Pimephales promelas) flow-through	48 h EC50: = 0,95 mg/L (Daphnia magna)
Phosphoric acid 7664-38-2		96 h LC50: 3 - 3.5 mg/L (Gambusia affinis)	12 h EC50: = 4.6 mg/L (Daphnia magna)
Naphthalene* 91-20-3	72 h EC50: = 0.4 mg/L (Skeletonema costatum)	96 h LC50: 0.91 - 2.82 mg/L (Oncorhynchus mykiss) static 96 h LC50: 5.74 - 6.44 mg/L (Pimephales promelas) flow-through 96 h LC50: = 1.6 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: = 1.99 mg/L (Pimephales promelas) static 96 h LC50: = 31.0265 mg/L (Lepomis macrochirus) static	48 h EC50: 1.09 - 3.4 mg/L (Daphnia magna) Static 48 h EC50: = 1.96 mg/L (Daphnia magna) Flow through 48 h LC50: = 2.16 mg/L (Daphnia magna)
1,2,4-Trimethylbenzene 95-63-6		96 h LC50: 7.19 - 8.28 mg/L (Pimephales promelas) flow-through	48 h EC50: = 6.14 mg/L (Daphnia magna)
Propylene Carbonate S 108-32-7	72 h EC50: > 500 mg/L (Desmodesmus subspicatus)	96 h LC50: = 5300 mg/L (Leuciscus idus) static 96 h LC50: > 1000 mg/L (Cyprinus carpio) semi-static	48 h EC50: > 500 mg/L (Daphnia magna)
Chlorpyrifos 2921-88-2		96 h LC50: 0.002 - 0.032 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 0.0047 - 0.0075 mg/L (Lepomis macrochirus) flow-through 96 h LC50: 0.11 - 0.13 mg/L (Pimephales promelas) flow-through 96 h LC50: < 0.001 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 0.0013 mg/L (Lepomis macrochirus) static 96 h LC50: = 0.0026 mg/L (Lepomis macrochirus) 96 h LC50: = 0.00717 mg/L (Poecilia reticulata) 96 h LC50: = 0.00717 mg/L (Poecilia reticulata) semi-static 96 h LC50: = 0.008 mg/L (Cyprinus carpio) static 96 h LC50: = 0.011 mg/L (Oncorhynchus mykiss)	48 h EC50: 0.00009 - 0.00012 mg/L (Daphnia magna) Flow through 48 h EC50: 0.00012 - 0.00023 mg/L (Daphnia magna) Static

**Persistence and degradability**

Chlorpyrifos: Does not readily hydrolyze. Zeta-cypermethrin: Non-persistent. Readily hydrolyzed. Not readily biodegradable.

**Bioaccumulation**

Chlorpyrifos: The substance has a potential for bioconcentration. Zeta-cypermethrin: The substance does not have a potential for bioconcentration.

**Mobility**

Chlorpyrifos, Zeta-cypermethrin: Immobile, Not expected to reach groundwater.

**13. DISPOSAL CONSIDERATIONS**
**Waste disposal methods**

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.



**Contaminated containers and packages**

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

## 14. TRANSPORT INFORMATION

**DOT**

UN/ID no UN3017  
Proper Shipping Name Organophosphorous pesticides, liquid, toxic, flammable  
Hazard class 6.1  
Subsidiary class 3  
Packing Group III  
Marine Pollutant Chlorpyrifos, Zeta-cypermethrin.  
Description UN3017, Organophosphorus pesticides, liquid, toxic, flammable, 6.1 (3), III, RQ (Chlorpyrifos)

**TDG**

UN/ID no UN3017  
Proper Shipping Name Organophosphorus pesticides, liquid, toxic, flammable  
Hazard class 6.1  
Subsidiary class 3  
Packing Group III  
Marine Pollutant Chlorpyrifos, Zeta-cypermethrin.  
Description UN3017, Organophosphorus pesticides, liquid, toxic, flammable (Chlorpyrifos, Isobutyl alcohol), 6.1 (3), PG III, Marine Pollutant, RQ

**ICAO/IATA**

UN/ID no UN3017  
Proper Shipping Name Organophosphorous pesticides, liquid, toxic, flammable  
Hazard class 6.1  
Subsidiary Hazard Class 3  
Packing Group III  
Description UN3017, Organophosphorus pesticides, liquid, toxic, flammable (Chlorpyrifos, Isobutyl alcohol), 6.1 (3), PG III, Marine Pollutant, RQ

**IMDG/IMO**

UN/ID no UN3017  
Proper Shipping Name Organophosphorous pesticides, liquid, toxic, flammable  
Hazard class 6.1  
Subsidiary Hazard Class 3  
Packing Group III  
Marine Pollutant Chlorpyrifos, Zeta-cypermethrin  
Description UN3017, Organophosphorus pesticides, liquid, toxic, flammable (Chlorpyrifos, Isobutyl alcohol), 6.1 (3), PG III, Marine Pollutant, RQ

## 15. REGULATORY INFORMATION

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene* - 91-20-3	91-20-3	<5	0.1

**SARA 311/312 Hazard Categories**

**STALLION® BRAND INSECTICIDE**

**SDS # :** 6675-A  
**Revision date:** 2020-03-23  
**Version** 1.06

<b>Acute health hazard</b>	Yes
<b>Chronic health hazard</b>	Yes
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

<b>Chemical name</b>	<b>CWA - Reportable Quantities</b>	<b>CWA - Toxic Pollutants</b>	<b>CWA - Priority Pollutants</b>	<b>CWA - Hazardous Substances</b>
Acetic Acid 64-19-7	5000 lb			X
Phosphoric acid 7664-38-2	5000 lb			X
Naphthalene* 91-20-3	100 lb	X	X	X
Chlorpyrifos 2921-88-2	1 lb			X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

<b>Chemical name</b>	<b>Hazardous Substances RQs</b>	<b>Extremely Hazardous Substances RQs</b>
Acetic Acid 64-19-7	5000 lb 2270 kg	
Phosphoric acid 7664-38-2	5000 lb 2270 kg	
Naphthalene* 91-20-3	100 lb 45.4 kg	
Chlorpyrifos 2921-88-2	1 lb 0.454 kg	

**FIFRA Information**

*This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:*

**WARNING**

*May be fatal if swallowed. Causes substantial but temporary eye injury. Causes skin irritation. Harmful if inhaled  
This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp and toxic to small mammals and birds.*

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

<b>Chemical name</b>	<b>California Prop. 65</b>
Chlorpyrifos - 2921-88-2	Developmental
Naphthalene* - 91-20-3	Carcinogen

**U.S. State Right-to-Know Regulations**

<b>Chemical name</b>	<b>New Jersey</b>	<b>Massachusetts</b>	<b>Pennsylvania</b>
Chlorpyrifos 2921-88-2	X	X	X

**STALLION® BRAND INSECTICIDE**

SDS # : 6675-A  
Revision date: 2020-03-23  
Version 1.06

Zeta-cypermethrin (F2700) 52315-07-8		X	
Naphthalene* 91-20-3	X	X	X

**International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Naphtha (petroleum), heavy aromatic 64742-94-5	X	X	X		X	X	X	X
Chlorpyrifos 2921-88-2		X	X	X	X	X	X	X
Zeta-cypermethrin (F2700) 52315-07-8			X		X	X	X	X
Naphthalene* 91-20-3	X	X	X	X	X	X	X	X

**CANADA**

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> 3	<b>Flammability</b> 2	<b>Instability</b> 0	<b>Special Hazards</b> -
<b>HMIS</b>	<b>Health Hazards</b> 3*	<b>Flammability</b> 2	<b>Physical hazard</b> 0	<b>Personal Protection</b> X

\*Indicates a chronic health hazard.

**NFPA/HMIS Ratings Legend**

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2020-03-23  
Reason for revision: SDS sections updated

**Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

**Prepared By:**

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2020 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**