

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

##### Other means of identification

Product code 50001148

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	Mixture of micro-nutrients
Recommended restrictions on use	Use as recommended by the label.

#### 1.3 Manufacturer or supplier's details

Manufacturer FMC Agro Ltd (UK)  
Rectors Lane  
Pentre CH5 2DH

##### Supplier Address

Contact person SDS-Info@fmc.com (E-Mail General Information)

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification (REGULATION (EC) No 1272/2008)**

Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.
--	--

#### 2.2 Label elements

##### **Labelling (REGULATION (EC) No 1272/2008)**

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether	134180-76-0	Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Irrit. 2; H319 Aquatic Chronic 2; H411	>= 2.5 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 10	>= 0.0025 - < 0.025

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

---

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : General industrial hygiene practice.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Advice on common storage : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version 1.3      Revision Date: 31.03.2021      SDS Number: 50001148      Date of last issue: -  
Date of first issue: 20.07.2018

	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/l
	Marine sediment	0.00499 mg/l

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Safety glasses

Skin and body protection : Protective suit

Respiratory protection : No personal respiratory protective equipment normally required.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : dark brown

Odour : characteristic

pH : 9 - 10

Oxidizing properties : Non-oxidizing

### 9.2 Other information

	No data available
--	-------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : Heat

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

Strong acids

### 10.6 Hazardous decomposition products

Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute inhalation toxicity	: Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

#### Components:

##### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Acute oral toxicity	: LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 1.08 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit): 1,550 mg/kg LD50 (Rat): > 2,000 mg/kg

##### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity	: LD50 (Rat, male and female): 490 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

#### **Skin corrosion/irritation**

Not classified based on available information.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

---

### Components:

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Result : slight irritation

### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Exposure time : 72 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Result : Moderate eye irritation

### **1,2-benzisothiazol-3(2H)-one:**

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Result : No eye irritation

Species : Rabbit  
Method : EPA OPP 81-4  
Result : Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Species : Guinea pig  
Result : negative

### **1,2-benzisothiazol-3(2H)-one:**

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

Species : Guinea pig  
Method : FIFRA 81.06  
Result : May cause sensitisation by skin contact.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1- [(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Result: negative

#### **1,2-benzisothiazol-3(2H)-one:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- As- : Weight of evidence does not support classification as a germ



# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version 1.3	Revision Date: 31.03.2021	SDS Number: 50001148	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

assessment cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### 1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg wet weight  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### 1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Species : Rat  
NOAEL : 200 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 407

#### 1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

Method	: OECD Test Guideline 407
Symptoms	: Irritation
Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.1 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Scenedesmus subspicatus): 28.2 mg/l  
plants Exposure time: 72 h

EC50 (Scenedesmus subspicatus): 152.2 mg/l  
Exposure time: 72 h

##### **1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7  
mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
aquatic invertebrates Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

---

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### 12.2 Persistence and degradability

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6.62  
Method: OECD Test Guideline 305  
Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)  
pH: 7  
  
log Pow: 0.99 (20 °C)  
pH: 5

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

---

### 12.4 Mobility in soil

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9.33, log Koc: 0.97  
Method: OECD Test Guideline 121

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

---

## SECTION 14: Transport information

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

#### The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AICS : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

emulsion of silicone  
Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H312	:	Harmful in contact with skin.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H400	:	Very toxic to aquatic life.
H411	:	Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830 of amending  
Regulation (EC) No 1907/2006



## XL FAIRWAY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	31.03.2021	50001148	Date of first issue: 20.07.2018

Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 3

H412

#### Classification procedure:

Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

GB / 6N