According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name AVAUNT(R) 150 EC

Other means of identification

Product code 50000122

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Insecticide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Manufacturer or supplier's details

**Supplier Address** CHEMINOVA A/S, a subsidiary of FMC Corporation

Thyborønvej 78 Harboøre, DK-7673

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com (E-Mail General Infor-

mation)

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Finland: 358-942419014 (CHEMTREC)

Medical emergency: Finland: 0800 147 111

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin irritation, Category 2 H315: Causes skin irritation.

Specific target organ toxicity - repeated

exposure, Category 2, Blood

H373: May cause damage to organs through pro-

longed or repeated exposure.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

Long-term (chronic) aquatic hazard, Cat-H411: Toxic to aquatic life with long lasting effects.

egory 2

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

><





Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

H315 Causes skin irritation.

H373 May cause damage to organs through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH401

To avoid risks to human health and the

environment, comply with the instructions for use.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER or

doctor/ physician if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

indoxacarb (ISO)

**Additional Labelling** 

EUH208 May produce an allergic reaction.

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
indoxacarb (ISO)	173584-44-6 607-700-00-0	Acute Tox. 3; H301 Acute Tox. 4; H332 Skin Sens. 1B; H317 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 10 - < 20

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water for at least 15

minutes.

Call a physician if irritation develops or persists.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses. Rinse with plenty of water. Seek medical advice.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

16.08.2021 50000122 Date of first issue: 16.08.2021 1.0

If swallowed Give small amounts of water to drink.

DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Risks Harmful if swallowed.

> May cause an allergic skin reaction. May cause damage to organs.

May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : Carbon oxides

ucts

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Use personal protective equipment. Wear self-contained

breathing apparatus for firefighting if necessary.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas.

Ensure adequate ventilation.

Use personal protective equipment.

Wear respiratory protection when its use is identified for cer-

tain contributing scenario.

Never return spills in original containers for re-use.

For disposal considerations see section 13.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Try to prevent the material from entering drains or water

courses.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect as much of the spill as possible with a suitable absor-

bent material.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Sweep up and shovel into suitable containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : No special precautions are needed in handling this material.

Keep container closed when not in use.

Use only with adequate ventilation/personal protection.

For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep tightly closed in a dry, cool and well-ventilated place.
 Observe label precautions. Keep container closed when not in use. Keep locked up or in an area accessible only to qualified

use. Keep locked up or in an area accessible only to qualified or authorised persons. Keep in properly labelled containers.

Recommended storage tem: :

perature

> 0 °C

Further information on stor-

age stability

Do not freeze. Protect from frost.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specifc regulatory authorities.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-methylpropan-1-	78-83-1	HTP-arvot 8h	50 ppm	FI OEL
ol			150 mg/m3	
Further information	The health ris	k of absorbed amou	nts of compounds which can	pass through
	the skin to the	the skin to the body cannot be evaluated from their atmospheric concentra-		
			have the notification 'skin'in t	
			prosive when in contact with	the skin, espe-
	cially strong a	cids and bases.		
		HTP-arvot 15 min	75 ppm	FI OEL
			230 mg/m3	
i	i	Ī		
2-ethylhexan-1-ol	104-76-7	TWA	1 ppm	2017/164/EU
			5,4 mg/m3	
Further information	Indicative			
		HTP-arvot 8h	1 ppm	FI OEL
			5,4 mg/m3	
methanol	67-56-1	TWA	200 ppm	2006/15/EC
			260 mg/m3	
Further information	Indicative, Ide		of significant uptake through	
		HTP-arvot 8h	200 ppm	FI OEL
			270 mg/m3	
Further information	The health risk of absorbed amounts of compounds which can pass through			
	the skin to the body cannot be evaluated from their atmospheric concentra-			
	tion. Therefore these compounds have the notification 'skin'in the list. Many			
	compounds can be irritating or coorosive when in contact with the skin, espe-			
	cially strong acids and bases.			
		HTP-arvot 15 min	250 ppm	FI OEL
			330 mg/m3	

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Fatty acids, C8-10, Me esters	Workers	Inhalation	Long-term systemic effects	73,06 mg/m3
	Workers	Dermal	Long-term systemic effects	103,6 mg/kg
Fatty acids, C16-18 and C18-unsatd., Me esters	Workers	Inhalation	Long-term systemic effects	6,96 mg/m3
	Workers	Dermal	Long-term systemic effects	10 mg/kg bw/day
2-methylpropan-1-ol	Workers	Inhalation	Long-term systemic effects	310 mg/m3
2-ethylhexan-1-ol	Workers	Inhalation	Long-term systemic	12,8 mg/m3

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

			effects	
	Workers	Dermal	Long-term systemic effects	23 mg/kg
methyl decanoate	Workers	Inhalation	Long-term systemic effects	61,4 mg/m3
	Workers	Dermal	Long-term systemic effects	121,8 mg/kg
methanol	Workers	Inhalation	Long-term systemic effects	260 mg/m3
	Workers	Inhalation	Acute systemic effects	260 mg/m3
	Workers	Inhalation	Long-term local ef- fects	260 mg/m3
	Workers	Inhalation	Acute local effects	260 mg/m3
	Workers	Dermal	Long-term systemic effects	40 mg/kg
	Workers	Dermal	Acute systemic effects	40 mg/kg

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Fatty acids, C8-10, Me esters	Fresh water	0,001 mg/l
	Marine water	0 mg/l
	Sewage treatment plant	3,92 mg/l
	Fresh water sediment	0,026 mg/kg
	Marine sediment	0,003 mg/kg
	Soil	0,009 mg/kg
	Oral	33 mg/kg
Fatty acids, C16-18 and C18- unsatd., Me esters	Fresh water	2,504 mg/l
, , , , , , , , , , , , , , , , , , , ,	Marine water	0,25 mg/l
	Intermittent use (freshwater)	25,04 mg/l
	Sewage treatment plant	520 mg/l
Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs., calcium salts	Fresh water	270 μg/l
	Intermittent use/release	2,7 mg/l
	Marine water	270 μg/l
	Intermittent use/release	2,7 mg/l
	Sewage treatment plant	5,5 mg/l
	Fresh water sediment	23,8 mg/kg dry weight (d.w.)
	Marine sediment	23,8 mg/kg dry weight (d.w.)
	Soil	35 mg/kg dry weight (d.w.)
2-methylpropan-1-ol	Fresh water	0,4 mg/l
	Intermittent use/release	11 mg/l
	Marine water	0,04 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,56 mg/kg dry weight (d.w.)
_	Marine sediment	0,156 mg/kg dry

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

1		weight (d.w.)
	Soil	0,076 mg/kg dry
	COII	weight (d.w.)
2-ethylhexan-1-ol	Fresh water	0,017 mg/l
	Intermittent use/release	0,17 mg/l
	Marine water	0,0017 mg/l
	Sewage treatment plant	10 mg/kg dry
		weight (d.w.)
	Fresh water sediment	0,284 mg/kg dry
		weight (d.w.)
methyl decanoate	Fresh water	0,0011 mg/l
	Marine water	110 ng/l
	Intermittent use/release	0,0011 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,0469 mg/kg dry
		weight (d.w.)
	Marine sediment	0,0047 mg/kg dry
		weight (d.w.)
	Soil	10 mg/kg dry
		weight (d.w.)
methanol	Fresh water	20,8 mg/l
	Intermittent use/release	1,54 mg/l
	Marine water	2,08 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	77 mg/kg
	Marine sediment	7,7 mg/kg

### 8.2 Exposure controls

Personal protective equipment

Eye protection : Wear safety glasses with side shields or goggles.

Hand protection

Remarks : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Skin and body protection : Wear appropriate chemical resistant clothing to prevent skin

contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be

required.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Protective measures : Wear suitable protective equipment.

Personal protective equipment comprising: suitable protective

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

gloves, safety goggles and protective clothing

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : amber

Odour : of burnt sugar

Odour Threshold : not determined

pH : 5,4 (25 °C)

Concentration: 10 g/l

Melting point/range : Not applicable

Boiling point/boiling range : Not available for this mixture.

Flash point : 69 °C

Evaporation rate : Not available for this mixture.

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Lower explosion limit / Lower

flammability limit

Not available for this mixture.

Vapour pressure : Not available for this mixture.

Relative vapour density : Not available for this mixture.

Relative density : 0,9494 (20 °C)

Solubility(ies)

Water solubility : emulsifiable

Partition coefficient: n-

octanol/water

: Not applicable

Decomposition temperature : Not available for this mixture.

Viscosity

Viscosity, dynamic : 5,6 mPa,s (25 °C)

Viscosity, kinematic : 4,68 mm2/s (20 °C)

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

9.2 Other information

Self-ignition : 255 °C

### **SECTION 10: Stability and reactivity**

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

Hazardous decomposition products formed under fire condi-

tions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

# 10.6 Hazardous decomposition products

No data available

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute oral toxicity : LD50 (Rat): 976,8 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Remarks: (Data on the product itself)

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

Information source: Internal study report

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

**Components:** 

indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg

Remarks: nervous system effects such as

Hypoactivity Tremors Incoordination Abnormal tearing

mortality

Motor Activity effects

Acute inhalation toxicity : LC50 (Rat): 4,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

**Components:** 

indoxacarb (ISO):

Species : Rabbit

Result : Mild skin irritant

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

**Components:** 

indoxacarb (ISO):

Species : Rabbit

Result : slight irritation

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

**Product:** 

Test Type : Maximisation Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Animal test did not cause sensitization by skin contact.

GLP : ves

Remarks : (Data on the product itself)

Information source: Internal study report

**Components:** 

indoxacarb (ISO):

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

indoxacarb (ISO):

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects., Animal testing did not show any mutagenic

effects.

Carcinogenicity

Not classified based on available information.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

**Components:** 

indoxacarb (ISO):

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

**Components:** 

indoxacarb (ISO):

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility., No toxicity

to reproduction

Animal testing did not show any effects on foetal develop-

ment.

STOT - single exposure

May cause damage to organs (Nervous system).

**Product:** 

Target Organs : Nervous system

Assessment : May cause damage to organs.

**Components:** 

indoxacarb (ISO):

Target Organs : Central nervous system, Blood

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 2.

STOT - repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure.

Components:

indoxacarb (ISO):

Target Organs : Central nervous system, Blood

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

**Product:** 

Species : Rat, female
Application Route : Oral - feed

Exposure time : 28 d

Method : OECD Test Guideline 408

GLP : yes

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

Target Organs : Blood

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Information source: Internal study report

(Data on the product itself)

Species : Rat, female
Application Route : Oral - feed
Exposure time : 90 d

Method : OECD Test Guideline 408

GLP : yes Target Organs : Blood

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Information source: Internal study report

(Data on the product itself)

#### **Aspiration toxicity**

Not classified based on available information.

#### **Product:**

The mixture does not have properties associated with aspiration hazard potential.

#### **Further information**

#### **Components:**

indoxacarb (ISO):

Remarks : No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7,0 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,67 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version **Revision Date:** SDS Number: Date of last issue: -

16.08.2021 50000122 Date of first issue: 16.08.2021 1.0

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 16

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: (Data on the product itself) Information source: Internal study report

**Components:** 

indoxacarb (ISO):

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,15 mg/l Exposure time: 90 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,9 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to terrestrial organ-

isms

LD50: .0039

Species: Apis mellifera (bees)

LD50: 152 mg/kg

Species: Colinus virginianus (Bobwhite quail)

12.2 Persistence and degradability

**Product:** 

Biodegradability Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

**Components:** 

indoxacarb (ISO):

Partition coefficient: n-

octanol/water

: log Pow: 0,57 (20 °C)

15 / 22

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

#### 12.4 Mobility in soil

#### **Product:**

Distribution among environmental compartments

Remarks: Under actual use conditions the product has a low

potential of mobility in soil.

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This mixture contains no substance considered to be persis-

tent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bio-

accumulating (vPvB)..

: This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### 12.6 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

No other ecological effects to be specially mentioned.

#### **Components:**

### indoxacarb (ISO):

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of wastes in an approved waste disposal facility. Waste must be classified and labelled prior to recycling or

disposal.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Dispose of contents/ container to an approved waste disposal

plant.

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

#### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Indoxacarb)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Indoxacarb)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Indoxacarb)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Indoxacarb)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.

(Indoxacarb)

### 14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

#### 14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

**ADR** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

**RID** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

indoxacarb (ISO)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

methanol (Number on list 69)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL

**HAZARDS** 

E1

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AICS : Not in compliance with the inventory

DSL : This product contains the following components that are not

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

on the Canadian DSL nor NDSL.

METHYL (S)-7-CHLORO-2,3,4A,5-TETRAHYDRO-2-

{(METHOXYCARBONYL)[4-

(TRIFLUOROMETHOXY)PHENYL]CARBAMOYL}INDENO[1,

2-E][1,3,4]OXADIAZINE-4A-CARBOXYLATE

Fatty acids, C8-10, Me esters

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium

salts

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H301 : Toxic if swallowed.

H317 : May cause an allergic skin reaction.

H332 : Harmful if inhaled.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure
STOT SE : Specific target organ toxicity - single exposure
2006/15/EC : Europe. Indicative occupational exposure limit values
2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

FI OEL : Finland, HTP Values - Concentrations Known to be Harmful

2006/15/EC / TWA : Limit Value - eight hours 2017/164/EU / TWA : Limit Value - eight hours FI OEL / HTP-arvot 8h : Long term exposure limit

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

FI OEL / HTP-arvot 15 min : Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### Classification of the mixture: Classification procedure:

Acute Tox. 4	H302	Based on product data or assessment
6.3 2	H315	Based on product data or assessment
STOT RE 2	H373	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



# **AVAUNT(R) 150 EC**

Version Revision Date: SDS Number: Date of last issue: -

1.0 16.08.2021 50000122 Date of first issue: 16.08.2021

disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

FI/6N