according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Other means of identification

Product code 50002118

Unique Formula Identifier

(UFI)

7VS3-13C5-9N4E-893U

This substance/ mixture contains nanoforms

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Game repellent

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.03.2023

 1.1
 08.11.2023
 50002118
 Date of first issue: 07.03.2023

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Quartz (SiO2)	14808-60-7	STOT RE 1; H372	>= 20 - < 30
	238-878-4	(Lungs)	
ethanol	64-17-5	Flam. Liq. 2; H225	>= 1 - < 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

	200-578-6 603-002-00-5	Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)		
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10 specific concentration limit Skin Sens. 1; H317 >= 0,05 % Acute toxicity estimate Acute oral toxicity: 500,0 mg/kg 490 mg/kg	>= 0,0025 - < 0,025	
Substances with a workplace exposure limit :				
kaolin	1332-58-7 310-194-1		>= 30 - < 50	

For explanation of abbreviations see section 16.

This substance/ mixture contains nanoforms

Components:

29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper:

Particle characteristics

Particle Size Distribution : D10 = $0.023 \mu m \pm 0.018 \mu m$

D50 = 0,035 μ m \pm 0,025 μ m D90 = 0,050 μ m \pm 0,030 μ m Measurement technique: TEM

Assessment : This substance/ mixture contains nanoforms

Total Content of Nanomaterials: 80 - 100 %

Shape : Shape: cubes

Fraction (Weight): 5 - 100 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.03.2023

 1.1
 08.11.2023
 50002118
 Date of first issue: 07.03.2023

Measurement technique: TEM

Shape: spheres

Fraction (Weight): 0 - 50 % Measurement technique: TEM

Shape: sticks

Fraction (Weight): 0 - 70 % Measurement technique: TEM

Crystallinity : Crystallinity: crystalline

Measurement technique: X-ray Diffraction (XRD)

Surface treatment

/Coatings

Surface treatment /Coatings: no

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Do not leave the victim unattended.

Show this safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Rinse mouth with water.

Do not induce vomiting without medical advice.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

ble.

Advice on common storage : No materials to be especially mentioned.

Recommended storage tem-

perature

5 - 30 °C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : The product may be used as game repellent only.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	GV (Respirable dust)	2 mg/m3	DK OEL
		TWA (Respirable dust)	0,1 mg/m3	2004/37/EC
	Further inform	Further information: Carcinogens or mutagens		
		S (Respirable dust)	4 mg/m3	DK OEL
Quartz (SiO2)	14808-60-7	GV (total)	0,3 mg/m3 (Silica)	DK OEL
		GV (respirable)	0,1 mg/m3 (Silica)	DK OEL
	Further information: Means that the substance is included in the list of substances considered carcinogenic.			
		S (total powder and dust)	0,6 mg/m3 (Silica)	DK OEL
		S (inhalable fraction)	0,2 mg/m3 (Silica)	DK OEL
		TWA (Respirable dust)	0,1 mg/m3	2004/37/EC
	Further information: Carcinogens or mutagens			
ethanol	64-17-5	GV	1.000 ppm 1.900 mg/m3	DK OEL
	Further inforn	Further information: Guiding list of organic solvents.		
		S	2.000 ppm 3.800 mg/m3	DK OEL
	Further information: Guiding list of organic solvents.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Long-term systemic effects	950 mg/m3
	Workers	Dermal	Long-term systemic effects	343 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	114 mg/m3
	Consumers	Dermal	Long-term systemic effects	206 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	87 mg/kg bw/day
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

Workers	Dermal	Long-term systemic effects	0,966 mg/kg
Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Sewage treatment plant	580 mg/l
	Fresh water sediment	3,6 mg/kg
	Marine sediment	2,9 mg/kg
	Soil	0,63 mg/kg
	Oral	380 mg/kg
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Form : paste, viscous

Colour : blue

Odour : alcohol-like

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Lower explosion limit / Lower :

flammability limit

Not available for this mixture.

Flash point : > 55°C if any

Decomposition temperature : not determined

pH : 9,5 (20 °C)

Concentration: 1 %

Viscosity

Viscosity, dynamic : 10.350 mPa.s

Method: OECD Test Guideline 114

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : dispersible

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.03.2023

 1.1
 08.11.2023
 50002118
 Date of first issue: 07.03.2023

Partition coefficient: n-

octanol/water

: Not available for this mixture.

Vapour pressure : Not available for this mixture.

Density : 1,677 g/cm3 (20 °C)

Relative vapour density : Not available for this mixture.

Particle characteristics

Assessment : This substance/ mixture contains nanoforms

Particle size : Further particle properties for nanomaterials see section 3

9.2 Other information

Explosives : Not explosive

Flammability (liquids) : Not classified as a flammability hazard, Method: EEC A.10

Self-ignition : > 400 °C

Method: EEC A.15

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

Components:

Quartz (SiO2):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,01 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10.470 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 117 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Symptoms: irritating, Central nervous system depression

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500,0 mg/kg

Method: Converted acute toxicity point estimate

LD50 (Rat, male and female): 490 mg/kg Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LD50: 5,07 mg/l

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : Slight irritation and redness may be possible.

Minimal effects that do not meet the threshold for classifica-

tion.

Components:

Quartz (SiO2):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

ethanol:

Result : Mild skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Slight irritation and redness may be possible.

Minimal effects that do not meet the threshold for classifica-

tion.

Components:

Quartz (SiO2):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

ethanol:

Result : Moderate eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Species : Rabbit

Method : EPA OPP 81-4

Result : Irreversible effects on the eye

kaolin:

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Quartz (SiO2):

Test Type : Local lymph node assay (LLNA)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

ethanol:

Result : Does not cause skin sensitisation.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitisation by skin contact.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Quartz (SiO2):

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Cell type: Liver cells

Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters

Method: OPPTS 870.3800

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.03.2023

 1.1
 08.11.2023
 50002118
 Date of first issue: 07.03.2023

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Not classified based on available information.

Components:

ethanol:

Assessment : May cause drowsiness or dizziness.

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Assessment : This product contains crystalline silica (quartz) in a non-

respirable form. Inhalation of crystalline silica is unlikely to

occur from exposure to this product.

Assessment : Due to the particular use of quartz sand in a paste, the active

ingredient (quartz) is classified as a low-risk substance.

Components:

Quartz (SiO2):

Exposure routes : Inhalation Target Organs : Lungs

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

Repeated dose toxicity

Components:

Quartz (SiO2):

Species : Rat

LOAEC : 0,0025 mg/l
Application Route : Inhalation
Exposure time : 90 day

Method : OECD Test Guideline 413

Target Organs : Lungs

Remarks : Based on data from similar materials

ethanol:

Species : Rat

LOAEL : 3.160 mg/kg

Application Route : Oral
Exposure time : 90
Target Organs : Kidney

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 500

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Components:

Quartz (SiO2):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10.000 mg/l

Exposure time: 72 h

ethanol:

Toxicity to fish : LC50 (Fish): 11.200 mg/l

Exposure time: 24 h

Toxicity to fish (Chronic tox-

icity)

NOEC: 250 mg/l Exposure time: 5 d

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7

mg/l

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,9 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.

Components:

Quartz (SiO2):

Biodegradability : Result: Not biodegradable

ethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301C

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Bioaccumulation is unlikely.

Components:

Quartz (SiO2):

Bioaccumulation : Remarks: Does not bioaccumulate.

ethanol:

Partition coefficient: n-

octanol/water

log Pow: -0,35 (20 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 56 d

Bioconcentration factor (BCF): 6,62 Method: OECD Test Guideline 305

Remarks: This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

Partition coefficient: n-

octanol/water

log Pow: 0,7 (20 °C)

pH: 7

log Pow: 0,99 (20 °C)

pH: 5

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: No data is available on the product itself. The product is not expected to be mobile in soils.

Components:

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments

tments: Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.03.2023

 1.1
 08.11.2023
 50002118
 Date of first issue: 07.03.2023

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

IMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your ven-

dor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

BENTONE EW

ADDITOL XW 330 (ALLNEX)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023
1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H336 : May cause drowsiness or dizziness.

H372 : Causes damage to organs through prolonged or repeated

exposure if inhaled.

H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

DK OEL : Denmark. Occupational Exposure Limits

2004/37/EC / TWA : Long term exposure limit
DK OEL / S : Exposure period of 15 minutes
DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



QUARTZ SAND 25.1 %W/W PA (XNJ25 251 g/kg)

Version Revision Date: SDS Number: Date of last issue: 07.03.2023 1.1 08.11.2023 50002118 Date of first issue: 07.03.2023

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DK / 6N