

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

SECTION 1. IDENTIFICATION

Product identifier

Product name COMMAND 3 ME HERBICIDE

Other means of identification

Product code 50000339

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1

Specific target organ toxicity : Category 3 (Respiratory system)
- single exposure

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version 1.4 Revision Date: 02/23/2023 SDS Number: 50000339 Date of last issue: 06/22/2022
Date of first issue: 02/28/2019

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
clomazone (ISO)	clomazone (ISO)	81777-89-1	$\geq 10 - < 30$ *
Corn oil	Corn oil	8001-30-7	$\geq 5 - < 10$ *
sodium nitrate	sodium nitrate	7631-99-4	$\geq 5 - < 10$ *
calcium chloride	calcium chloride	10043-52-4	$\geq 1 - < 5$ *

* Actual concentration or concentration range is withheld as a trade secret

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice. |
| In case of skin contact | : If on skin, rinse well with water. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : May cause an allergic skin reaction.
May cause respiratory irritation. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| Notes to physician | : Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Halogenated compounds
Nitrogen oxides (NO _x)
Carbon oxides
Hazardous combustion products

Halogenated compounds
Nitrogen oxides (NO _x)
Carbon oxides
Hazardous combustion products |
| Specific extinguishing method | : Remove undamaged containers from fire area if it is safe to do |

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

ods	so. Use a water spray to cool fully closed containers.
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	: Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Evacuate personnel to safe areas. Use personal protective equipment. If it can be safely done, stop the leak. Do not touch or walk through the spilled material. Ensure adequate ventilation.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Never return spills in original containers for re-use. Collect as much of the spill as possible with a suitable absorbent material. Pick up and transfer to properly labeled containers.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version 1.4 Revision Date: 02/23/2023 SDS Number: 50000339 Date of last issue: 06/22/2022
Date of first issue: 02/28/2019

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Corn oil	8001-30-7	TWAEV (Mist)	10 mg/m ³	CA QC OEL
calcium chloride	10043-52-4	TWA	5 mg/m ³	CA ON OEL

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

No personal respiratory protective equipment normally required.

Hand protection
Material

: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures

: Wear suitable protective equipment.
Plan first aid action before beginning work with this product.

Hygiene measures

: General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET

COMMAND 3 ME HERBICIDE



Version 1.4	Revision Date: 02/23/2023	SDS Number: 50000339	Date of last issue: 06/22/2022 Date of first issue: 02/28/2019
----------------	------------------------------	-------------------------	---

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: brown
Odor	: aromatic, slight
Odor Threshold	: No data available
pH	: 6.5 (20 °C)
Melting point/freezing point	: No data available
Melting point/range	No data available
Boiling point/boiling range	: No data available
Flash point	: > 94 °C
	Method: closed cup No data available
Evaporation rate	: No data available
Self-ignition	: No data available
	No data available
Upper explosion limit / Upper flammability limit	: No data available
	No data available
Lower explosion limit / Lower flammability limit	: No data available
	No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 9.59 lb/gal
Solubility(ies)	

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version 1.4	Revision Date: 02/23/2023	SDS Number: 50000339	Date of last issue: 06/22/2022 Date of first issue: 02/28/2019
----------------	------------------------------	-------------------------	---

Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available No data available
Decomposition temperature	:	No data available No data available
Viscosity		
Viscosity, dynamic	:	417 - 430 mPa.s (23 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Non-oxidizing
Molecular weight	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
---------------------	---	---

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

Acute inhalation toxicity : LC50 (Rat): > 3.86 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is minimally toxic after short term inhalation.
Remarks: Highest attainable concentration.
no mortality

Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Result : slight or no skin irritation.
Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Slight or no eye irritation
Assessment : Not classified as irritant
Remarks : May cause skin and eye irritation in susceptible persons.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : May cause sensitization by skin contact.
Result : Slightly sensitising
Remarks : Causes sensitization.

Remarks : Causes sensitization.

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

Components:

clomazone (ISO):

Genotoxicity in vitro	:	Test Type: Ames test Test system: Salmonella typhimurium Result: negative
		Test Type: gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	:	Test Type: Cytogenetic assay Species: Rat Result: negative

sodium nitrate:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Test Type: unscheduled DNA synthesis assay Species: Mouse Application Route: Oral Result: negative

calcium chloride:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 471 Result: negative
-----------------------	---	--

Carcinogenicity

Not classified based on available information.

Components:

clomazone (ISO):

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

clomazone (ISO):

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Result: negative
----------------------	---	---

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Symptoms: Maternal effects.
Result: negative

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Symptoms: Maternal effects.
Result: negative

sodium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: negative

calcium chloride:

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Remarks: No significant adverse effects were reported

STOT-single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

clomazone (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 days
Symptoms : increased liver weight

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

Aspiration toxicity

Not classified based on available information.

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 4,830.2 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Birds): > 2,000 mg/kg
Exposure time: 7 d

LD50 (Apis mellifera (bees)): > 277.8 µg/bee
Exposure time: 48 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6.3 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 14.4 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 5.2 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12.7 mg/l
Exposure time: 48 h
Test Type: static test

SAFETY DATA SHEET

COMMAND 3 ME HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

		LC50 (Americamysis bahia (mysid shrimp)): 0.57 mg/l Exposure time: 96 h Test Type: flow-through test
		LC50 (Crustaceans): 0.53 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l Exposure time: 72 h
		ErC50 (Selenastrum capricornutum (green algae)): 4.1 mg/l Exposure time: 72 h
		ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.136 mg/l Exposure time: 120 h
		NOEC (Navicula pelliculosa (Freshwater diatom)): 0.05 mg/l End point: Growth rate Exposure time: 120 h
		EC50 (Lemna gibba (duckweed)): 13.9 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 2.3 mg/l Exposure time: 21 d Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 2.2 mg/l Exposure time: 21 d
		NOEC (Americamysis bahia (mysid shrimp)): 0.032 mg/l Exposure time: 28 d Test Type: flow-through test
		NOEC (Daphnia magna (Water flea)): 1.25 mg/l Exposure time: 21 d Test Type: static test
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): 156 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg
		LC50 (Anas platyrhynchos (Mallard duck)): > 5620 ppm Remarks: Dietary
		LC50 (Apis mellifera (bees)): > 85.29
		LC50 (Apis mellifera (bees)): > 100 Remarks: Contact
		LD50 (Coturnix japonica (Japanese quail)): > 2000

SAFETY DATA SHEET

COMMAND 3 ME HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

NOEC (Colinus virginianus): 94 mg/kg
End point: Reproduction Test

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Corn oil:

Toxicity to fish : Remarks: No data available

sodium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 8,600 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 157 mg/l
Exposure time: 32 d

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

calcium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4,630 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,400 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 2,900 mg/l
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 1,000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 320 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a

SAFETY DATA SHEET

COMMAND 3 ME HERBICIDE



Version 1.4	Revision Date: 02/23/2023	SDS Number: 50000339	Date of last issue: 06/22/2022 Date of first issue: 02/28/2019
----------------	------------------------------	-------------------------	---

few weeks to a few months in aerobic soil and water.

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2.5

Mobility in soil

Components:

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2.47
Remarks: Mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

COMMAND 3 ME HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Clomazone)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
------	---

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version 1.4	Revision Date: 02/23/2023	SDS Number: 50000339	Date of last issue: 06/22/2022 Date of first issue: 02/28/2019
----------------	------------------------------	-------------------------	---

TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. 2-(2-CHLOROBENZYL)-4,4-DIMETHYLISOXAZOLIDIN-3-ONE
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

SAFETY DATA SHEET



COMMAND 3 ME HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2022
1.4	02/23/2023	50000339	Date of first issue: 02/28/2019

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet