according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE **EXTRUDED**)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Other means of identification

Product code 50000963

Unique Formula Identifier

(UFI)

9QK0-F34N-HN4U-702A

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Herbicide Use of the Sub-

stance/Mixture

Recommended restrictions :

For professional users only. on use

1.3 Manufacturer or supplier's details

Supplier Address FMC Agricultural Solutions A/S

Thyborønvej 78

DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

Use as recommended by the label.

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2021

 1.1
 19.09.2024
 50000963
 Date of first issue: 20.12.2021

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through pro-

longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in

accordance with local regulations.

Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

Additional Labelling

EUH208 Contains tribenuron-methyl (ISO). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)		
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 70 - < 90		
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100			
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2,5 - < 10		
Lignosulfonic acid, ethoxylated, sodium salts	68611-14-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 3 - < 5		
Substances with a workplace exposure limit :					
kaolin	1332-58-7 310-194-1		>= 1 - < 10		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : If eye irritation persists, consult a specialist.

Keep eye wide open while rinsing.

Protect unharmed eye. Remove contact lenses.

Flush eyes with water as a precaution.

If swallowed : Take victim immediately to hospital.

If symptoms persist, call a physician.

Never give anything by mouth to an unconscious person.

Do not give milk or alcoholic beverages.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause damage to organs through prolonged or repeated

exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Sulphur oxides Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak.

Ensure adequate ventilation.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Dispose of rinse water in accordance with local and national

regulations.

Provide sufficient air exchange and/or exhaust in work rooms. Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Do not breathe vapours/dust.

Avoid formation of respirable particles.

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed. Avoid dust formation.

Hygiene measures : Wash hands before breaks and at the end of workday. When

using do not smoke. When using do not eat or drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

 Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent

leakage. Keep container tightly closed in a dry and well-

ventilated place.

Further information on stor-

age conditions

: Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilat-

ed and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not

be present. A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
kaolin	1332-58-7	GV (Respirable dust)	2 mg/m3	DK OEL	
		S (Respirable dust)	4 mg/m3	DK OEL	
		TWA (Respirable dust)	0,1 mg/m3	2004/37/EC	
	Further information: Carcinogens or mutagens				

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Eye wash bottle with pure water

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Dust impervious protective suit

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid Form granules Colour light brown mild, sweet Odour Odour Threshold not determined Melting point/freezing point not determined Boiling point/boiling range Decomposition Flammability Not highly flammable

Upper explosion limit / Upper

flammability limit

Lower explosion limit / Lower

flammability limit

Flash point : not determined

Decomposition temperature : Not available for this mixture.

pH : 6,0 - 7,0

Concentration: 1 % (1% solution in water)

not determined

not determined

Viscosity

Viscosity, dynamic : No data available Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : dispersible Solubility in other solvents : No data available

Partition coefficient: n- : Not available for this mixture.

octanol/water

Vapour pressure : Not available for this mixture.

Relative density : not determined

Density : No data available

Bulk density : 530 - 630 kg/m3

Relative vapour density : not determined

Particle characteristics

Particle size : No data available
Particle Size Distribution : No data available
Shape : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The product is not oxidizing.

Self-ignition : not determined Evaporation rate : not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2021

 1.1
 19.09.2024
 50000963
 Date of first issue: 20.12.2021

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Protect from frost, heat and sunlight.

Heating of the mixture may evolve harmful and irritant va-

pours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 6,0 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

Remarks: (Data on the product itself)
Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Acute oral toxicity : LD50: > 5.000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,14 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Lignosulfonic acid, ethoxylated, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50: 5,07 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Remarks : May cause mild irritation.

Based on available data, the classification criteria are not met.

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Remarks : No data available

Lignosulfonic acid, ethoxylated, sodium salts:

Result : Skin irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405 Remarks : May cause mild irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

Based on available data, the classification criteria are not met.

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Result : Eye irritation

Lignosulfonic acid, ethoxylated, sodium salts:

Result : Moderate eye irritation

kaolin:

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type : Modified Buehler Test

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Test Type : Maximisation Test

Species : Guinea pig

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 406
Result : Causes skin sensitization.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

Germ cell mutagenicity- As-

sessment

Contains no ingredient listed as a mutagen

Components:

tribenuron-methyl (ISO):

Germ cell mutagenicity- As-

sessment

Did not show mutagenic effects in animal experiments.

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assess-

ment

: Contains no ingredient listed as a carcinogen

Components:

tribenuron-methyl (ISO):

Remarks : No significant adverse effects were reported

Carcinogenicity - Assess-

ment

Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - As-

sessment

Contains no ingredient listed as toxic to reproduction

Components:

tribenuron-methyl (ISO):

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

kaolin:

Effects on fertility : Remarks: No data available

13 / 26

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Lignosulfonic acid, ethoxylated, sodium salts:

Assessment : May cause respiratory irritation.

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

tribenuron-methyl (ISO):

Target Organs : Thyroid, Nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

tribenuron-methyl (ISO):

Species : Rabbit LOAEL : 80 mg/kg

Target Organs : Thyroid, Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Increased mortality or reduced survival

kaolin:

Remarks : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 156 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 156 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (microalgae)): 0,067

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

plants mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Method: OECD Test Guideline 201

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

EbC50 (Pseudokirchneriella subcapitata (microalgae)): 0,022

mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

vietnoa: OECD Test Guideline 2

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

EC50 (Lemna gibba (duckweed)): 0,033 mg/l

End point: Frond Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

EC50 (Lemna gibba (duckweed)): 0,031 mg/l

End point: Biomass Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): > 320 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0,068 mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l

Exposure time: 7 d

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2021

 1.1
 19.09.2024
 50000963
 Date of first issue: 20.12.2021

NOEC (Lemna gibba (duckweed)): 0,001 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to fish (Chronic tox-

icity)

NOEC: 114 mg/l

Exposure time: 21 d

Species: Cyprinodon variegatus (sheepshead minnow)

Method: OECD Test Guideline 211

NOEC: 560 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 41 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

Toxicity to soil dwelling or-

ganisms

NOEC: 3,2 mg/kg Exposure time: 56 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 2.250 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LD50: > 5.620 ppm

Species: Colinus virginianus (Bobwhite quail)

Remarks: Dietary

LD50: > 5.620 ppm

Species: Anas platyrhynchos (Mallard duck)

Remarks: Dietary

LD50: > $98.4 \mu g/bee$ Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: > 9.1 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2021

 1.1
 19.09.2024
 50000963
 Date of first issue: 20.12.2021

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: > 10 - 100 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

ic toxicity)

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

tribenuron-methyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: The product/substance is not persistent in the envi-

ronment.

Primary degradation half-lives vary with circumstances, from a

few days to a few weeks in aerobic water and soil.

Metabolites are considered as persistent.

According to the results of tests of biodegradability this prod-

uct is not readily biodegradable.

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Lignosulfonic acid, ethoxylated, sodium salts:

Biodegradability : Result: Not readily biodegradable.

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

tribenuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): < 1

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -0,38

kaolin:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: No data is available on the product itself.

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a poten-

tial for leaching to groundwater.

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2021

 1.1
 19.09.2024
 50000963
 Date of first issue: 20.12.2021

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Tribenuron-methyl)

14.3 Transport hazard class(es)

Class Subsidiary risks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2021

 1.1
 19.09.2024
 50000963
 Date of first issue: 20.12.2021

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

Remarks : Environmentally hazardous substances/Marine Pollutants in

single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section

2.10.2.7 of IMDG code.

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2021

 1.1
 19.09.2024
 50000963
 Date of first issue: 20.12.2021

Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) on substances that deplete the ozone

layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2021

 1.1
 19.09.2024
 50000963
 Date of first issue: 20.12.2021

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

E1

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of : titanium dioxide BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL 2-[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL(METHYL)CARBAMOYLSULFAMOYL]BENZOATE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

DK OEL : Denmark. Occupational Exposure Limits

2004/37/EC / TWA : Long term exposure limit

DK OEL / S : Exposure period of 15 minutes

DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIBENURON METHYL 75WG (PASTE EXTRUDED)

Version Revision Date: SDS Number: Date of last issue: 20.12.2021 1.1 19.09.2024 50000963 Date of first issue: 20.12.2021

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : see user defined free text

Classification of the mixture: Classification procedure:

STOT RE 2 H373 Calculation method

Aquatic Acute 1 H400 Based on product data or assessment

Aquatic Chronic 1 H410 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DK / 6N