SAFETY DATA SHEET FURADAN® 95 DB BASE

SDS #: 1334-A

Revision date: 2016-05-26

Format: NA Version 1.04



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name FURADAN® 95 DB BASE

Other means of identification

Product Code(s) 1334-A

Synonyms CARBOFURAN (FMC 10242): 2,3-dihydro-2,2-dimethylbenzofuran-7-yl methylcarbamate

(IUPAC name); 2,3-dihydro-2,2-dimethyl-7-benzofuranyl methylcarbamate (CAS name)

Active Ingredient(s) Carbofuran

Chemical Family Carbamate Pesticide

Alternate Commercial Name Carbofuran

Recommended use of the chemical and restrictions on use

Recommended Use: Pesticide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 2
Acute toxicity - Inhalation (Dusts/Mists)	Category 1
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

SDS #: 1334-A

Revision date: 2016-05-26

Version 1.04

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H300 - Fatal if swallowed

H330 - Fatal if inhaled

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

Physical Hazards

May form combustible dust concentrations in air.



Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P284 - Wear respiratory protection

Precautionary Statements - Response

P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Carbamate Pesticide.

Chemical name	CAS-No	Weight %
Carbofuran	1563-66-2	95

Synonyms are provided in Section 1.

SDS #: 1334-A

Revision date: 2016-05-26

Version 1.04

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a

poison control center or doctor for further treatment advice.

IngestionCall a poison control center or doctor immediately for treatment advice. Drink 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or

give anything by mouth to an unconscious person.

give anything by model to all unconscious person

Most important symptoms and effects, both acute and delayed

Symptoms of exposure may include headache, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration, blurred vision, tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma.

Indication of immediate medical attention and special treatment needed, if necessary

This product contains a reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation. If cyanosis is absent: Adults - start treatment by giving 2 mg atropine intravenously or intramuscularly, if necessary, and repeat with 0.4 - 2.0 mg atropine at 15 minute intervals until atropinization occurs (tachycardia, flushed skin, dry mouth, mydriasis); Children under 12 - initial dose = 0.05 mg/kg body weight and repeat dose = 0.02 - 0.05 mg/kg body weight. Use of oximes such as 2-PAM is controversial. Observe patient to ensure that these symptoms do not recur as atropinization wears off. If in eyes, instill one drop of homatropine. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Specific Hazards Arising from the

Chemical

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors. Powdered material may form explosive dust-air mixtures

Carbon oxides (COx), Nitrogen oxides (NOx), Methyl isocyanate, Sulfur dioxide.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Not sensitive.

Static electricity might be sufficient to ignite dust clouds. Possibility of ignition will depend on the minimum ignition energy (MIE) and the type of operations undertaken with the

material.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face

protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods for Containment

Use a wet sweeping compound or water to prevent dust formation. Dust deposits should

not be allowed to accumulate on surfaces, as these may form an explosive mixture if they

SDS #: 1334-A

Revision date: 2016-05-26 Version 1.04

are released into the atmosphere in sufficient concentration.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Clean and neutralize spill area, tools and equipment for a minimum contact of one hour with vinegar-alcohol solution, then by bleach soap and water. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products

No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carbofuran	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³	Mexico: TWA 0.1 mg/m ³
(1563-66-2)				
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Carbofuran	TWA: 0.1 mg/m ³			
(1563-66-2)			inhalable fraction and	
			vapor	

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection For dust, splash, mist or spray exposures wear a full-face air-supplying respirator which is

approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification

organization)

٠

Hygiene measuresClean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

SDS #: 1334-A

Revision date: 2016-05-26

Version 1.04

Information on basic physical and chemical properties

AppearancePowderPhysical StateDry powderColorBeigeOdorPhenolic

Odor threshold No information available

pH 8.4 (1% solution)
Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point Not applicable

Evaporation RateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Density13.7 lb/cu ftSpecific gravity0.22-0.36Water solubility351 ug/mL

Solubility in other solvents No information available No information available **Partition coefficient Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Incompatible materials No information available.

Hazardous Decomposition Products Carbon oxides (COx), Nitrogen oxides (NOx), Methyl isocyanate, Sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral Carbofuran: 5.3 mg/kg (rat)

LD50 Dermal Carbofuran: > 2000 2,000 mg/kg (rabbit)

LC50 Inhalation Carbofuran: 0.10 mg/L 1 hr (rat)

Serious eye damage/eye irritationMay cause slight irritation.Skin corrosion/irritationMinimally irritating.SensitizationNon-sensitizing

Information on toxicological effects

Symptoms This substance is a reversible cholinesterase-inhibiting pesticide, which elicits symptoms in

humans typical of cholinesterase inhibition including headache, light-headedness,

weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive

SDS #: 1334-A

Revision date: 2016-05-26

Version 1.04

respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive

cholinesterase inhibition may result in death.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Effects are expected to be similar to those that are seen with acute toxicity.

Mutagenicity Carbofuran: Not genotoxic in laboratory studies.

Carcinogenicity Carbofuran: No evidence of carcinogenicity from animal studies.

Neurological effects Carbofuran: Chronic exposure of laboratory animals has caused decreased cholinesterase

activity (erythrocyte, plasma, and/or brain).

Reproductive toxicity Carbofuran: No toxicity to reproduction in animal studies.

Developmental toxicityCarbofuran: Not teratogenic in animal studies.

STOT - single exposure Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Nervous System, Acetylcholinesterase Inhibition

Neurological effects Carbofuran: Chronic exposure of laboratory animals has caused decreased cholinesterase

activity (erythrocyte, plasma, and/or brain).

Aspiration hazard No information available.

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Carbofuran (1563-66-2)				
Active Ingredient(s)	Duration	Species	Value	Units
Carbofuran	48 h EC50	Crustacea	0.75	mg/L
	72 h EC50	Algae	19	mg/L
	96 h LC50	Fish	0.18	mg/L
	21 d NOEC	Crustacea	0.23	μg/L
	96 h NOEC	Algae	3.2	mg/L
	21 d NOEC	Fish	5.22	μg/L

Persistence and degradability Carbofuran: Non-persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation Carbofuran: The substance does not have a potential for bioconcentration.

Mobility Carbofuran: Moderately mobile; expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

SDS #: 1334-A

Revision date: 2016-05-26

Version 1.04

DOT

UN/ID no UN2757

Proper Shipping Name Carbamate pesticides, solid, toxic

Hazard class 6.7
Packing Group

Reportable Quantity (RQ) Carbofuran is in an "RQ" quantity when this material meets or exceeds 11.54 pounds per

package.

Marine Pollutant Carbofuran.

Description UN2757, Carbamate pesticides, solid, toxic (Carbofuran), 6.1, PG II, Marine Pollutant, RQ

The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not

applicable when shipped only by road or rail in Canada.

UN/ID no UN2757

Proper Shipping Name Carbamate pesticide, solid, toxic

Hazard class 6.1 Packing Group II

Marine Pollutant Carbofuran.

Description UN2757, Carbamate pesticide, solid, toxic (Carbofuran), 6.1, PG II, Marine Pollutant, RQ

ICAO/IATA

UN/ID no UN2757

Proper Shipping Name Carbamate pesticide, solid, toxic

Hazard class 6.1 Packing Group

Description UN2757, Carbamate pesticide, solid, toxic (Carbofuran), 6.1, PG II, RQ

IMDG/IMO

UN/ID no UN2757

Proper Shipping Name Carbamate pesticide, solid, toxic

Hazard class 6.1
Packing Group II
EmS No. F-A, S-A
Marine Pollutant Carbofuran

Description UN2757, Carbamate pesticide, solid, toxic mixture (Carbofuran), 6.1, PG II, Marine

Pollutant, RQ

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Carbofuran - 1563-66-2	1563-66-2	95	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

<u>aa</u>				
Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous
	Quantities		Pollutants	Substances

SDS #: 1334-A

Revision date: 2016-05-26

Version 1.04

Carbofuran	10 lb		Х
1563-66-2			

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Carbofuran	10 lb	10 lb
1563-66-2	4.54 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

May be fatal if swallowed or inhaled. Harmful if absorbed through skin.

This product is toxic to fish, birds and other wildlife.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Carbofuran	X	X	X
1563-66-2			

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Carbofuran 1563-66-2	X	X	X	X	X	X	Х	X

Mexico - Grade Severe risk, Grade 4

Chemical name	Carcinogen Status	Mexico
Carbofuran		Mexico: TWA 0.1 mg/m ³

WHMIS Hazard Class

D1A - Very toxic materials D2A - Very toxic materials





SDS #: 1334-A

Revision date: 2016-05-26

Version 1.04

NFPA	Health Hazards 4	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 4*	Flammability 1	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

Revision date: 2016-05-26

Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet