

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name GAMMA-CYHALOTHRIN 60 G/L CS

Other means of identification

Product code 50001284

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	Insecticide
Recommended restrictions on use	Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harbøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Sub-category 1B H317: May cause an allergic skin reaction.

Specific target organ toxicity - repeated exposure, Category 2 H373: May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0	Revision Date: 13.04.2023	SDS Number: 50001284	Date of last issue: - Date of first issue: 13.04.2023
----------------	------------------------------	-------------------------	--

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :
H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

GAMMA-CYHALOTHRIN
1,2-Benzisothiazolin-3-one

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0 Revision Date: 13.04.2023 SDS Number: 50001284 Date of last issue: -
Date of first issue: 13.04.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
GAMMA-CYHALOTHRIN	76703-62-3	Acute Tox. 3; H301 Acute Tox. 1; H330 Acute Tox. 4; H312 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000.000 M-Factor (Chronic aquatic toxicity): 10.000 Acute toxicity esti- mate Acute oral toxicity: 50,01 mg/kg Acute inhalation tox- icity (dust/mist): 0,028 mg/l Acute dermal toxicity: 1.650 mg/kg	>= 2,5 - < 10
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspec- ified	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304 EUH066	>= 1 - < 10
1,2-Benzisothiazolin-3-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0 Revision Date: 13.04.2023 SDS Number: 50001284 Date of last issue: -
Date of first issue: 13.04.2023

	220-120-9 613-088-00-6	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10 specific concentration limit Skin Sens. 1; H317 >= 0,05 % Acute toxicity esti- mate Acute oral toxicity: 500,0 mg/kg 490 mg/kg	0,05
--	---------------------------	---	------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
Consult a physician after significant exposure.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Gamma-cyhalothrin can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia).

Risks : May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
If any sign of poisoning occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to a pyrethroid insecticide. Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present.
As soon as a feeling of tingling is noted in any skin area it is recommended to immediately apply lidocaine or a vitamin E cream. For this purpose, lidocaine or vitamin E cream should be available at the workplace.
A specific antidote against this substance is not known. Gastric lavage and administration of activated charcoal can be considered. Normally recovery is spontaneous.
If allowed to penetrate the skin, gamma-cyhalothrin may cause an irritation similar to sunburn. The substance will be drawn into a non-polar environment such as a fat based oil or cream. Vitamin E cream has been reported to be beneficial. Water is highly polar and will not decrease, but may prolong the irritation. Hot water may increase the pain.
For eye contamination, instillation of local anaesthetic can be considered.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Hazardous combustion products : Nitrogen oxides (NO_x)
Fluorinated compounds
Halogenated compounds
Carbon oxides
Hydrogen cyanide
Chlorinated compounds
Fire may produce irritating, corrosive and/or toxic gases.

5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labelled containers.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage : The product is stable under normal conditions of warehouse

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0 Revision Date: 13.04.2023 SDS Number: 50001284 Date of last issue: -
Date of first issue: 13.04.2023

age conditions

storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Storage of mixtures of the product with other products can increase toxicity because of extraction of the active ingredient from the capsules.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-Benzisothiazolin-3-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-Benzisothiazolin-3-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0	Revision Date: 13.04.2023	SDS Number: 50001284	Date of last issue: - Date of first issue: 13.04.2023
----------------	------------------------------	-------------------------	--

Material	: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: opaque, off-white
Odour	: oily
Odour Threshold	: not determined
Melting point/freezing point	: < 0 °C
Boiling point/boiling range	: Decomposition
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: > 100 °C Method: Seta closed cup
Auto-ignition temperature	: No data available
Decomposition temperature	: not determined

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0	Revision Date: 13.04.2023	SDS Number: 50001284	Date of last issue: - Date of first issue: 13.04.2023
----------------	------------------------------	-------------------------	--

pH	:	5,71 (23 °C) Concentration: 10 g/l
Viscosity	:	
Viscosity, dynamic	:	It is a non-newtonian fluid; viscosity decreases with increasing shear rate. > 10.000 mPa,s Shear rate 0.01 s ⁻¹ 45 - 130 mPa,s Shear rate 100 s ⁻¹
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Relative density	:	not determined
Density	:	1,019 g/cm ³ (20 °C)
Relative vapour density	:	not determined
Particle characteristics	:	
Particle size	:	Not applicable
Particle Size Distribution	:	Not applicable
Shape	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Flammability (liquids)	:	Not applicable
Self-ignition	:	> 400 °C
Evaporation rate	:	not determined
Molecular weight	:	Not applicable

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Gamma-cyhalothrin decomposes on heating. Direct local heating such as electric heating or by steam must be avoided.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.
Heating of the product will produce harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 Oral (Rat, female): 3.257 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The component/mixture is minimally toxic after single ingestion.
Remarks: Based on data from a similar product.

LD50 Oral (Rat, male): 4.444 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The component/mixture is minimally toxic after single ingestion.
Remarks: Based on data from a similar product.

Acute inhalation toxicity : LC50 (Rat): > 2,31 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from a similar product.

Acute dermal toxicity : LD50 Dermal (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from a similar product.

Components:

GAMMA-CYHALOTHRIN:

Acute oral toxicity : LD50 (Rat, female): 55 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, male): > 50 mg/kg
Method: OECD Test Guideline 401

Acute toxicity estimate: 50,01 mg/kg
Method: ATE value derived from LD50/LC50 value

Acute inhalation toxicity : LC50 (Rat, female): 0,028 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute toxicity estimate: 0,028 mg/l
Test atmosphere: dust/mist
Method: ATE value derived from LD50/LC50 value

Acute dermal toxicity : LD50 (Rat, female): 1.650 mg/kg
Method: OECD Test Guideline 402

Acute toxicity estimate: 1.650 mg/kg
Method: ATE value derived from LD50/LC50 value

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

1,2-Benzisothiazolin-3-one:

Acute oral toxicity : Acute toxicity estimate: 500,0 mg/kg
Method: Converted acute toxicity point estimate

LD50 (Rat, male and female): 490 mg/kg
Method: OECD Test Guideline 401

Acute toxicity estimate: 490 mg/kg
Method: ATE value derived from LD50/LC50 value

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Remarks : May cause mild irritation.
Minimal effects that do not meet the threshold for classification.

Components:

GAMMA-CYHALOTHRIN:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight or no skin irritation.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rabbit
Assessment : Repeated exposure may cause skin dryness or cracking.
Result : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.
Based on data from similar materials

1,2-Benzisothiazolin-3-one:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Remarks	: May cause mild irritation. Minimal effects that do not meet the threshold for classification.

Components:

GAMMA-CYHALOTHRIN:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Result	: Slight or no eye irritation
Remarks	: Product dust may be irritating to eyes, skin and respiratory system.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rabbit
Assessment	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

1,2-Benzisothiazolin-3-one:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Result	: No eye irritation
Species	: Rabbit
Method	: EPA OPP 81-4
Result	: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Exposure routes	: Dermal
Species	: Guinea pig

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Method	:	OECD Test Guideline 406
Result	:	The product is a skin sensitiser, sub-category 1B.
Remarks	:	Based on data from a similar product.

Components:

GAMMA-CYHALOTHRIN:

Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

1,2-Benzisothiazolin-3-one:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

GAMMA-CYHALOTHRIN:

Germ cell mutagenicity- Assessment	:	Animal testing did not show any mutagenic effects.
------------------------------------	---	--

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	---

Genotoxicity in vivo	:	Test Type: Bone marrow chromosome aberration Species: Rat Application Route: inhalation (vapour) Result: negative
----------------------	---	--

1,2-Benzisothiazolin-3-one:

Genotoxicity in vitro	:	Test Type: gene mutation test
-----------------------	---	-------------------------------

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

GAMMA-CYHALOTHRIN:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects., Based on data from similar materials

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
Application Route : inhalation (vapour)
Exposure time : 12 month(s)
NOAEC : 1,8 mg/l
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0	Revision Date: 13.04.2023	SDS Number: 50001284	Date of last issue: - Date of first issue: 13.04.2023
----------------	------------------------------	-------------------------	--

Reproductive toxicity

Not classified based on available information.

Components:

GAMMA-CYHALOTHRIN:

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

1,2-Benzisothiazolin-3-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

Components:

GAMMA-CYHALOTHRIN:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Components:

GAMMA-CYHALOTHRIN:

Target Organs : Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

1,2-Benzisothiazolin-3-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Repeated dose toxicity

Components:

GAMMA-CYHALOTHRIN:

LOAEL	: 6 mg/kg
Method	: OECD Test Guideline 408
Target Organs	: Nervous system

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rat, male and female
NOAEC	: 0,9 - 1,8 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 12 months

1,2-Benzisothiazolin-3-one:

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Components:

GAMMA-CYHALOTHRIN:

The substance does not have properties associated with aspiration hazard potential.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0	Revision Date: 13.04.2023	SDS Number: 50001284	Date of last issue: - Date of first issue: 13.04.2023
----------------	------------------------------	-------------------------	--

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Neurological effects

Components:

GAMMA-CYHALOTHRIN:

Remarks : Symptoms include tremors, incoordination, hyperactivity and paralysis

Further information

Product:

Remarks : On contact, the active ingredient can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia), which is harmless at low exposure, but can be quite painful, especially in the eye. The effect may result from splash, aerosol or transfer from contaminated gloves. The effect is transient, lasting up to 24 hours, but may in exceptional cases last longer. It may be considered as a warning that overexposure has occurred and that work practice should be reviewed.

Components:

GAMMA-CYHALOTHRIN:

Remarks : On contact, the active ingredient can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia), which is harmless at low exposure, but can be quite painful, especially in the eye. The effect may result from splash, aerosol or transfer from contaminated gloves. The effect is transient, lasting up to 24 hours, but may in exceptional cases last longer. It may be considered as a warning that overexposure has occurred and that work practice should be reviewed.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomit-

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

ing may cause chemical pneumonitis or pulmonary edema.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 21 -38 µg/l
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna Straus): 83.6 µg/l
aquatic invertebrates Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

GAMMA-CYHALOTHRIN:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,07 µg/l
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 0,1 µg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (algae): > 2,85 mg/l
plants Exposure time: 72 h

NOEC (algae): 0,134 mg/l
Exposure time: 72 h

IC50 (Selenastrum capricornutum (green algae)): > 2,85 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic tox- : 1.000.000
icity)

Toxicity to fish (Chronic tox- : NOEC: 0,035 µg/l
icity) Exposure time: 21 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : NOEC: 0,0022 µg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 10.000
toxicity)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Toxicity to soil dwelling organisms : LC50:
> 1300 mg/kg dry weight (d.w.)
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

NOEC: 0,25 mg/kg,
> 1300 mg/kg dry weight (d.w.)
Exposure time: 56 d
End point: reproduction
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.000 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LD50: 0.005 µg/bee
Exposure time: 24 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)

LD50: 4.2 µg/bee
Exposure time: 24 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: 0,89 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

1,2-Benzisothiazolin-3-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

GAMMA-CYHALOTHRIN:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 21 %
Exposure time: 28 d

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58,6 %

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

1,2-Benzisothiazolin-3-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

GAMMA-CYHALOTHRIN:

Bioaccumulation : Remarks: Can accumulate in aquatic organisms.

Partition coefficient: n-
octanol/water : log Pow: 5,2 (25 °C)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-
octanol/water : log Pow: 3,72
Method: QSAR

1,2-Benzisothiazolin-3-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: This substance is not considered to be persistent,
bioaccumulating and toxic (PBT).

Partition coefficient: n-
octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Components:

GAMMA-CYHALOTHRIN:

Distribution among environmental compartments : Koc: 59677 ml/g, log Koc: 4,77
Kd: 239 - 826 ml/g
Remarks: Slightly mobile in soils

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

1,2-Benzisothiazolin-3-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gamma-cyhalothrin)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gamma-cyhalothrin)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gamma-cyhalothrin)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gamma-cyhalothrin)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Gamma-cyhalothrin)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75, 3
--	---	---

Citric acid, monohydrate
1,2-Benzisothiazolin-3-one

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
---	---	----------------

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
---	---	----------------

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
---	---	----------------

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
--	---	----------------

REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
---	---	----------------

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and
----	--

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version 2.0	Revision Date: 13.04.2023	SDS Number: 50001284	Date of last issue: - Date of first issue: 13.04.2023
----------------	------------------------------	-------------------------	--

environmental hazards as the
products referred to in points (a)
to (d)

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

: Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. (S)- α -CYANO-3-PHENOXYBENZYL (1R,3R)-3-[(Z)-2-CHLORO-3,3,3-TRIFLUOROPROP-1-ENYL]-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H372	: Causes damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
EUH066	: Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure-Activity Relationship

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



GAMMA-CYHALOTHRIN 60 G/L CS

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	13.04.2023	50001284	Date of first issue: 13.04.2023

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1B	H317
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DK / 6N