

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name Exirel® Insecticide

Other means of identification

Product code 50000098

Product Registration Number PCP #30895

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version 1.2 Revision Date: 03/06/2025 SDS Number: 50000098 Date of last issue: 03/01/2018
Date of first issue: 03/01/2018

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :



Signal Word : WARNING

Hazard Statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cyantraniliprole	Cyantraniliprole	736994-63-1	10.2
Fatty acids, soya, Me esters	Fatty acids, soya, Me esters	68919-53-9	>= 30 - < 60

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version 1.2 Revision Date: 03/06/2025 SDS Number: 50000098 Date of last issue: 03/01/2018
Date of first issue: 03/01/2018

propane-1,2-diol	propane-1,2-diol	57-55-6	$\geq 1 - < 5$
calcium dodecylbenzenesulphonate	calcium dodecylbenzenesulphonate	26264-06-2	$\geq 1 - < 5$

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take off all contaminated clothing immediately.
If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
May cause an allergic skin reaction.
Harmful if inhaled.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

- | | | |
|--|---|--|
| Suitable extinguishing media | : | Dry chemical, CO2, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | Do not spread spilled material with high-pressure water streams.
High volume water jet |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Fire may produce irritating, corrosive and/or toxic gases.
Bromine compounds
Nitrogen oxides (NOx)
Carbon oxides
Hydrogen cyanide
Sulfur oxides
Chlorine compounds |
| Specific extinguishing methods | : | Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers. |
| Further information | : | Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Evacuate personnel to safe areas.
Use personal protective equipment.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene. |
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Protect from frost and extreme heat.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : > 0 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version 1.2 Revision Date: 03/06/2025 SDS Number: 50000098 Date of last issue: 03/01/2018
Date of first issue: 03/01/2018

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL
		TWA (aerosol)	10 mg/m ³	CA ON OEL

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Color	:	off-white
Odor	:	mild, phenol-like
Odor Threshold	:	not determined
pH	:	5.6 Concentration: 10 g/l 1 % (as a dispersion)
Melting point/ range	:	No data available
Boiling point/boiling range	:	97 °C
Flash point	:	> 97 °C Method: closed cup No flash up to boiling point.
Evaporation rate	:	No data available
Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	358 °C
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	No data available
Relative density	:	0.982 Method: Regulation (EC) No. 440/2008, Annex, A.3
Density	:	No data available
Solubility(ies) Water solubility	:	dispersible

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Autoignition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	649.5 mPa.s (24.7 °C) Method: CIPAC MT 192 25 rpm
		454.3 mPa.s (24.7 °C) Method: CIPAC MT 192 50 rpm
		329.9 mPa.s (24.7 °C) Method: CIPAC MT 192 100 rpm
Explosive properties	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.
Surface tension	:	25.9 mN/m, 22 °C, Regulation (EC) No. 440/2008, Annex, A.5
Molecular weight	:	Not applicable
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol. Heat, flames and sparks. Heating of the product will produce harmful and irritant vapours.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	Nitrogen oxides (NOx) Carbon oxides

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:

Cyantraniliprole:

Acute oral toxicity : LD50 (Mouse, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: no mortality

Fatty acids, soya, Me esters:

Acute oral toxicity : LD50 (Rat): 5,000 - 15,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,000 - 20,000 mg/kg

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapor
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Product:

Species	: Rabbit
Assessment	: Irritating to skin.
Method	: OECD Test Guideline 404
Result	: Skin irritation
GLP	: yes

Components:

Cyantraniliprole:

Species : Rabbit

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Fatty acids, soya, Me esters:

Result : slight irritation

propane-1,2-diol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : Eye irritation
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405
GLP : yes

Components:

Cyantraniliprole:

Species : Rabbit
Result : slight irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes

Fatty acids, soya, Me esters:

Result : Irritation to eyes, reversing within 7 days

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

calcium dodecylbenzenesulphonate:

Species : Rabbit

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.
GLP	:	yes

Test Type	:	Local lymph node assay (LLNA)
Species	:	mice
Method	:	OECD Test Guideline 429
Result	:	The product is a skin sensitizer, sub-category 1B.
GLP	:	yes

Components:

Cyantraniliprole:

Test Type	:	Local lymph node test
Routes of exposure	:	Dermal
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.
GLP	:	yes

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
GLP	:	yes

Test Type	:	Buehler Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
GLP	:	yes

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Test Type : Magnussen-Kligman test
Routes of exposure : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Causes skin sensitization.
GLP : yes
Remarks : see user defined free text

Fatty acids, soya, Me esters:

Result : Does not cause skin sensitization.

propane-1,2-diol:

Test Type : Maximization Test
Species : Guinea pig
Result : negative

calcium dodecylbenzenesulphonate:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: reverse mutation assay
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Species : Rat, male and female
Application Route : Ingestion
Exposure time : 2 Years
NOAEL : 200 - 2,000 ppm
Method : OECD Test Guideline 453
Result : negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Species	: Mouse, male and female
Application Route	: Ingestion
Exposure time	: 18 month(s)
NOAEL	: 7,000 ppm
Method	: OECD Test Guideline 451
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Fatty acids, soya, Me esters:

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

propane-1,2-diol:

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Effects on fetal development	: Test Type: Pre-natal
	Species: Rat
	Application Route: Oral
	General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day
	Embryo-fetal toxicity.: NOAEL: 1,000 mg/kg bw/day
	Method: OECD Test Guideline 414
	Result: negative

	Test Type: Pre-natal
	Species: Rabbit
	Application Route: Oral
	General Toxicity Maternal: NOAEL: 25 mg/kg bw/day
	Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Symptoms: Maternal effects.
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat
NOAEL : > 1,000 mg/kg
Application Route : Oral
Exposure time : 28 Days
Method : OECD Test Guideline 407
Symptoms : increased liver weight
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female
NOAEL : 6.9 - 168 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 1091.8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 3.08 - 3.48 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3150
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 8.3 - 106.6 mg/kg bw/day

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Application Route : Ingestion
Exposure time : 2 yr
Method : OPPTS 870.4300
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 768.8 - 903.8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 18 Months
Method : OPPTS 870.4200
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 5.67 - 6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 1 yr
Method : OPPTS 870.4100
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 1000 mg/kg
Application Route : Dermal
Exposure time : 28 Days
Method : OECD Test Guideline 410
GLP : yes
Symptoms : Irritation
Remarks : Effects are of limited toxicological significance.

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Exposure time	:	15 Days
Remarks	:	Based on data from similar materials
Species	:	Rat, male and female
NOAEL	:	100 mg/kg bw/day
LOAEL	:	200 mg/kg bw/day
Application Route	:	Oral - gavage
Exposure time	:	28 - 54 Days
Method	:	OECD Test Guideline 422
Remarks	:	Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.232 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.39 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: (Data on the product itself)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Information source: Internal study report

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00969 mg/l
Exposure time: 21 d

Toxicity to terrestrial organisms : LD50 (Bumblebees (Bombus terrestris L.)): > 0.47 µg a.i./bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (Bumblebees (Bombus terrestris L.)): > 100 µg a.i./bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l
Exposure time: 96 h
Method: US EPA Test Guideline OPP 72-1
GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0204 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0.278 mg/l
Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0.060 mg/l
Exposure time: 7 d

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 mg/l
Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l
Exposure time: 21 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 1.01 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Exposure time: 90 d
Test Type: Early Life-Stage
Method: US EPA Test Guideline OPP 72-4
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00656 mg/l
End point: Growth
Exposure time: 21 d
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

LOEC (Daphnia magna (Water flea)): 0.00969 mg/l
End point: Growth
Exposure time: 21 d
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l
Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0.72 mg/l
End point: reproduction
Exposure time: 35 d
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4
GLP: yes

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 0.0934 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

LD50 (Apis mellifera (bees)): > 0.1055 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

LD50 (*Colinus virginianus*): > 2,250 mg/kg
End point: Acute oral toxicity
Method: US EPA Test Guideline OPPTS 850.2100
GLP: yes

NOEC (*Anas platyrhynchos* (Mallard duck)): 1,000 ppm
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

Fatty acids, soya, Me esters:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

LC50 (*Leuciscus idus* (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: ISO 7346/2

Toxicity to daphnia and other : EC50 (Crustaceans): 800 - 5,243 mg/l
aquatic invertebrates Exposure time: 48 h

propane-1,2-diol:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
aquatic invertebrates Exposure time: 96 h

Toxicity to algae/aquatic : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 34,100
plants mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC: 13,020 mg/l
aquatic invertebrates (Chronic toxicity) Exposure time: 7 d

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 20,000 mg/l
Exposure time: 18 h

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (*Pimephales promelas* (fathead minnow)): 4.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- EC50 (Pseudokirchneriella subcapitata (green algae)): 65.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.65 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials
- NOEC (Daphnia magna (Water flea)): 1.18 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
- Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,356 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223

Persistence and degradability

Components:

Cyantraniliprole:

- Biodegradability : Remarks: Not readily biodegradable.
- Stability in water : Degradation half life (DT50): 9.09 - 37.7 d
Remarks: Fresh water
- Degradation half life (DT50): 76.6 - 119 d
Remarks: Soil
- Degradation half life (DT50): 22.8 - 25.1 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Remarks: total system

Fatty acids, soya, Me esters:

Biodegradability : Result: Readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

Bioaccumulative potential

Components:

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1.97 (22 °C)
pH: 4

log Pow: 2.07 (22 °C)
pH: 7

log Pow: 1.74 (22 °C)
pH: 9

Fatty acids, soya, Me esters:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Mobility in soil

Components:

Cyantraniliprole:

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2.38
Kd: 3.73 ml/g
Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : This product is toxic to non-target plants.

Environmental hazards
Do not apply directly to water.
Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.
Toxic to bees.
Do not apply this product if bees are visiting the treatment area.
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : methanol
Distillates (petroleum), hydro- treated light; Kerosine — unspecified
ethylbenzene

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

PMRA/PCPA Information

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

WARNING

Harmful if absorbed through the skin., Avoid contact with skin, eyes and clothing., Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Exirel® Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 03/01/2018
1.2	03/06/2025	50000098	Date of first issue: 03/01/2018

Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet