CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CORAGEN®

Other means of identification : CHLORANTRANILIPROLE 200 g/L SC

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Taiwan Co. Ltd.

Address : 3F, No. 179, Fuhuiyuan Blvd.,

Xitun Dist., Taichung City, 40758

Taiwan

Telephone : +886 4 2254 2785

Telefax : +886 4 2254 2831

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:

00801-14-8954 (CHEMTREC)

Medical emergency:

00886 2 28757525 (in case of chemical spill, fire or poisoning

accident)

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Hazard pictograms :

¥2>

Signal Word : WARNING

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	18.4

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

First aid measures for different exposure routes

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disap-

pear.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash contaminated clothing before re-use.

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical

Carbon dioxide (CO2)

Water spray Foam

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Carbon oxides Bromine compounds Chlorine compounds

Hydrogen cyanide Hydrogen chloride

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

CORAGEN®



SDS Number: Date of last issue: -Version Revision Date:

2025/06/05 50000015 1.0 Date of first issue: 2025/06/05

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Handling

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Storage

Conditions for safe storage Store in a place accessible by authorized persons only.

Store in original container.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse

storage.

Store in closed, labelled containers. The storage room should

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Biological occupational exposure limits

Contains no substances with biological exposure indices.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Long sleeved clothing.

Footwear protecting against chemicals

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.

This product should be used only by all personnel thoroughly

trained to handle it. Do not inhale aerosol.

Wash hands before breaks and immediately after handling

the product.

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

2025/06/05 50000015 Date of first issue: 2025/06/05 1.0

> When using do not smoke. When using do not eat or drink.

Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

Contaminated work clothing should not be allowed out of the

workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

Color white

Odor alcohol-like

Odor Threshold not determined

рΗ

Concentration: 1 %

Method: CIPAC MT 75.3

: -6 °C Melting point/ range

Boiling point/boiling range : not determined

Flash point : > 100 °C

No flash up to boiling point.

Evaporation rate Not available for this mixture.

Self-ignition not auto-flammable

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapor pressure Not available for this mixture.

Relative vapor density Not available for this mixture.

Density 1.094 g/cm3 (20 °C)

Solubility(ies)

Water solubility No data available

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Partition coefficient: n-

octanol/water

: Not available for this mixture.

Autoignition temperature : No data available

Viscosity

Viscosity, dynamic : 583 mPa.s

30 rpm

Viscosity, kinematic : 367 - 734 mm2/s

30 rpm

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid formation of aerosol.

Protect from frost, heat and sunlight.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure : None known.

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

no mortality

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: Information source: Internal study report

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Components:

Chlorantraniliprole:

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Information source: Internal study report

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

Components:

Chlorantraniliprole:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Remarks : Information source: Internal study report

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Local lymph node assay (LLNA)

Species : mice

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 429

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

Components:

Chlorantraniliprole:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : ves

Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)

CORAGEN®



SDS Number: Version Revision Date: Date of last issue: -

2025/06/05 50000015 1.0 Date of first issue: 2025/06/05

Species mice

Method **OECD Test Guideline 429**

Result : Does not cause skin sensitization.

Chronic toxicity

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Components:

Chlorantraniliprole:

Genotoxicity in vitro Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Species Rat, male and female

Application Route Oral Exposure time 2 Years

805 - 1,076 mg/kg bw/day NOAEL Method **OECD Test Guideline 453**

Result negative

Species Mouse, male and female

Oral Application Route

Exposure time 18 month(s)

NOAEL 158 - 1,155 mg/kg bw/day **OECD Test Guideline 453** Method

Result negative

10/20

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Species : Dog Exposure time : 1 Years

NOAEL : 1,164 mg/kg bw/day

Result : negative

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 Days

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 Days

Method : OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 9.9 mg/l

Exposure time: 96 h

LC50 (Danio rerio (zebra fish)): >1.6 mg a.i./L

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 8.2 μg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: NOEC (Pseudokirchneriella subcapitata (green algae)): 20

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20

mg/l

Exposure time: 72 h Test Type: static test

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Method: OECD Test Guideline 201

Toxicity to soil dwelling or-

ganisms

NOEC (Eisenia andrei (red worm)): 1,000 mg/kg

Exposure time: 28 d

Method: OECD Test Guideline 222

LC50 (Eisenia andrei (red worm)): > 1,000 mg/kg

Exposure time: 28 d

Method: OECD Test Guideline 222

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera L.): >= 109.91 µg a.i./bee

Exposure time: 48 h

End point: Acute oral toxicity Method: OECD Test Guideline 213

NOEL (Apis mellifera L.): >= 109.91 µg a.i./bee

Exposure time: 48 h

End point: Acute oral toxicity Method: OECD Test Guideline 213

LD50 (Apis mellifera L.): >= 100 µg a.i./bee

Exposure time: 48 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

NOEL (Apis mellifera L.): >= 100 μg a.i./bee

Exposure time: 48 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

NOEC (Colinus virginianus (Bobwhite quail)): 1,726 mg/kg

Exposure time: 5 d

Method: US EPA Test Guideline OPP 71-2

LC50 (Colinus virginianus (Bobwhite quail)): > 1,726 mg/kg

Exposure time: 5 d

Method: US EPA Test Guideline OPP 71-2

Components:

Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0116 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/

Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): > 2 mg/l

End point: Biomass Exposure time: 14 d Test Type: static test

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Skeletonema costatum (Diatom)): > 14.6 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Navicula pelliculosa (Diatom)): > 15.1 mg/l

End point: Growth rate Exposure time: 120 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28

mg/l

Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 210

GLP: yes

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

GLP: yes

NOEC (Hypoaspis aculeifer): 100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Method: OECD Test Guideline 207

EC50 (Hypoaspis aculeifer): >100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 4.0 μg/bee

Exposure time: 72 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.005 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in water

LD50 (Apis mellifera (bees)): > 104.1 μg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.0274 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in water

LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

Degradation half life (DT50): > 31 d pH: 5

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 14 Method: OECD Test Guideline 305

GLP: yes

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.77 (20 °C)

pH: 4

log Pow: 2.86 (20 °C)

pH: 7

log Pow: 2.80 (20 °C)

pH: 9

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environ-

mental compartments

Koc: 362 ml/g, log Koc: 2.55 Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Components:

Chlorantraniliprole:

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Chlorantraniliprole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

CORAGEN®



SDS Number: Date of last issue: -Version Revision Date:

2025/06/05 50000015 1.0 Date of first issue: 2025/06/05

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulations on Occupational Safety and Health Faciliapplicable

Standards for the Storage, Cleanup, Handling and applicable

Disposal of Industrial Waste

Regulations on Labelling and Hazard Communication Not classified as dangerous or

of Hazardous Chemicals harmful substances

Rules on Road Traffic Safety applicable

Standards of Permissible Exposure Limits in Work-Contains no substances with occu-

place pational exposure limit values.

Rules on the Prevention of Poisoning from Organic Not applicable

Solvents.

Standard for the Control of Designated Hazardous and Not applicable

Dangerous Chemicals

Establishment Standards and Safety Control Regula-Quantity subject to control

tions for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized

Gases Places

Toxic and Concerned Chemical Substances Control

Act

Toxic chemical substances Not applicable Concerned chemical substances Not applicable Not applicable

Regulations for Governing Designating and Handling

of Priority Management Chemicals

The ingredients of this product are reported in the following inventories:

TCSI On the inventory, or in compliance with the inventory

TSCA Product contains substance(s) not listed on TSCA inventory.

AIIC Not in compliance with the inventory

ENCS Not in compliance with the inventory

ISHL Not in compliance with the inventory

KECI Not in compliance with the inventory

PICCS Not in compliance with the inventory

Not in compliance with the inventory **IECSC**

NZIoC Not in compliance with the inventory

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

Responsible Department : FMC Corporation

Contact person : Bee Huang

Revision Date : 2025/06/05

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/06/05 50000015 Date of first issue: 2025/06/05

implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

TW / EN