# **SAFETY DATA SHEET**

## **KOSMAN**

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0164-A

Revision date: 2018-07-19

Format: EU Version 1.02

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0164-A

Product Name KOSMAN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A soluble fertilizer for use in agriculture and horticulture

**Restrictions on use**Use as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited

Rectors Lane Pentre Flintshire CH5 2DH United Kingdom

Tel: + 44 (0) 1244 537370 E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

**Contact point** Tel: +44(0)1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)

# Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 (H318)
Specific target organ toxicity — repeated exposure	Category 2 (H373)
Chronic aquatic toxicity	Category 2 (H411)
Oxidising Solids	Category 3 (H272)

## 2.2. Label elements

**Hazard pictograms** 

**SDS #**: NP-0164-A **Revision date**: 2018-07-19

Version 1.02



#### Signal Word Danger

#### **Hazard Statements**

H272 - May intensify fire; oxidiser

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P220 - Keep/Store away from clothing/ combustible materials

P260 - Do not breathe dust

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container as hazardous waste.

## 2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

The product is a mixture, not a substance.

#### 3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight Classification according to Regulation (EC) No. 1272/2008 [CLP]		REACH registration number	
POTASSIUM NITRATE			>60	Ox. Sol. 3 (H272)	No data available	
MANGANESE SULPHATE MONOHYDRATE	232-089-9	10034-96-5	30-60	Eye Dam. 1: H318; STOT RE 2: H373; Aquatic Chronic 2: H411	01-2119456624-35- XXXX	

# **Additional Information**

For the full text of the H-, R- and EUH- phrases mentioned in this Section, see Section 16.

# **Section 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**Eye Contact** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Transfer to

hospital for specialist examination.

**Skin Contact** Wash off immediately with soap and plenty of water. If symptoms persist, call a doctor.

**Inhalation** Remove person from exposure ensuring one's own safety while doing so. If symptoms

persist, call a doctor.

**Ingestion** Rinse mouth. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate

medical attention.

**SDS #**: NP-0164-A **Revision date**: 2018-07-19

Version 1.02

## 4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises.

# **Section 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

#### Unsuitable extinguishing media

No information available

#### 5.2. Special hazards arising from the substance or mixture

Oxidising. Toxic fumes may be released in fire situations.

Hazardous Combustion Products

Sulphur oxides, Nitrogen oxides (NOx).

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

# Section 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

For personal protection see section 8. Avoid dust formation. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Keep people away from and upwind of spill/leak. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

## For emergency responders

Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

## 6.3. Methods and material for containment and cleaning up

**Methods for Containment** 

Cover powder spill with plastic sheet or tarp to minimise spreading.

**Revision date: 2018-07-19** 

Version 1.02

Methods for cleaning up

Transfer to a closable, labeled salvage container for disposal by an appropriate method.

Refer to section 13 of SDS for suitable method of disposal.

#### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

#### Handling

Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs. Keep container tightly closed. Avoid contact with water or humidity.

#### 7.3. Specific end use(s)

#### Specific Use(s)

No data available.

## **Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
POTASSIUM NITRATE	5 mg/m³ (8hr TWA)	-	=	=	=
7757-79-1	(respirable dust)				
MANGANESE SULPHATE	TWA 0.5 mg/m <sup>3</sup>	-	=	=	-
MONOHYDRATE	_				
10034-96-5					
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
MANGANESE SULPHATE	-	-	=	TWA 0.02 mg/m <sup>3</sup>	-
MONOHYDRATE					
10034-96-5		1			

**Derived No Effect Level (DNEL)**No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Provide emergency on-site eyewash.

Hand Protection Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of

materials such as nitrile or neoprene.

Skin and Body Protection Wear protective gloves/clothing.

**Revision date: 2018-07-19** 

Version 1.02

**Respiratory Protection** Respiratory protective device with particle filter.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical State Dry powder

Appearance No information available Odour Mild chemical odor

Colour Light brown

Odour threshold
pH
No information available
Evaporation Rate
No information available
Flammability (solid, gas)
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density
Specific gravity
Water solubility

No information available
No information available
No information available
No information available
Soluble in water

Vater solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Viscosity, kinematic
Viscosity, dynamic
Explosive properties

Soluble in water
No information available
No information available
No information available
No information available
Strong evidings (by EC eritor

Oxidising properties Strong oxidiser (by EC criteria)

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

# Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

None under normal use conditions

#### 10.2. Chemical stability

Stable under recommended storage conditions.

**Explosion data** 

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

## 10.3. Possibility of hazardous reactions

#### Hazardous polymerisation

Hazardous polymerization does not occur.

#### Hazardous reactions

#### NP-0164-A KOSMAN

SDS #: NP-0164-A

**Revision date: 2018-07-19** 

Version 1.02

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Heat, flames and sparks.

#### 10.5. Incompatible materials

Strong reducing agents, Strong acids, Strong bases.

#### 10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions. See Section 5.2 for more information.

# **Section 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

#### **Acute toxicity**

## **Product Information**

.

LD50 Oral > 3000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
POTASSIUM NITRATE	3750 mg/kg (Rat)		
	1901 mg/kg (Rabbit)		
MANGANESE SULPHATE MONOHYDRATE	2400 mg/kg (Rat)		>4.98 mg/L (4 hr) (Rat)

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
Mutagenicity
Carcinogenicity

No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Symptoms** Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

**Aspiration hazard** No information available.

# **Section 12: ECOLOGICAL INFORMATION**

#### NP-0164-A KOSMAN

SDS #: NP-0164-A

Revision date: 2018-07-19 Version 1.02

12.1. Toxicity

Ecotoxicity ALGAE (Desmodesmus subspicatus) 72H ErC50 >100 mg/L (calculated)

DAPHNIDS (Daphnia magna) 48H LC50 94.3 mg/L (calculated)

RAINBOW TROUT (Oncorhynchus mykiss) 96H LC50 30.5 mg/L (calculated)

.

-	Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other		
				aquatic invertebrates		
	POTASSIUM NITRATE	-	96hr LC50: 180 mg/L	48hr EC50: 490 mg/L		
I	MANGANESE SULPHATE MONOHYDRATE	ALGAE (Desmodesmus subspicatus: 72H ErC50 = 61.0	RAINBOW TROUT (Oncorhynchus mykiss): 96H LC50 = 9.75 mg/L	DAPHNID (Daphnia magna): 48H LC50 = 30.1 mg/L		
I		mg/L				

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

## Mobility in soil

No information available.

#### Mobility

Soluble in water.

## 12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Toxic to aquatic organisms.

# **Section 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Contaminated Packaging Clean container with water. Dispose of rinse water in accordance with local and national

guidelines. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

EWC Waste Disposal No 02 01 08

**OTHER INFORMATION** NOTE: The user's attention is drawn to the possible existence of specific European,

national or local regulations regarding disposal.

# **Section 14: TRANSPORT INFORMATION**

#### NP-0164-A KOSMAN

**SDS #**: NP-0164-A

**Revision date: 2018-07-19** 

Version 1.02

IMDG/IMO

**14.1 UN/ID no** UN1486

14.2 Proper Shipping Name POTASSIUM NITRATE

(POTASSIUM NITRATE; MANGANESE SULPHATE MONOHYDRATE)

14.3 Hazard class5.114.4 Packing GroupIII14.5 Marine PollutantYesEnvironmental HazardYes

**14.6 Special Provisions** No special precautions.

Tunnel code: E Transport category: 3

14.7 Transport in bulk according to The product is not transported in bulk tankers.

Annex II of MARPOL and the IBC

Code

RID

**14.1 UN/ID no** UN1486

14.2 Proper Shipping Name POTASSIUM NITRATE

(POTASSIUM NITRATE; MANGANESE SULPHATE MONOHYDRATE)

14.3 Hazard class5.114.4 Packing GroupIII14.5 Environmental HazardYes

**14.6 Special Provisions** No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

**14.1 UN/ID no** UN1486

14.2 Proper Shipping Name POTASSIUM NITRATE

(POTASSIUM NITRATE; MANGANESE SULPHATE MONOHYDRATE)

14.3 Hazard class5.114.4 Packing GroupIII14.5 Environmental HazardYes

**14.6 Special Provisions** No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

**14.1 UN/ID** no UN1486

14.2 Proper Shipping Name POTASSIUM NITRATE

(POTASSIUM NITRATE; MANGANESE SULPHATE MONOHYDRATE)

14.3 Hazard class 5.1
14.4 Packing Group III
14.5 Environmental Hazard Yes

**14.6 Special Provisions** No special precautions.

Tunnel code: E
Transport category: 3

## **Section 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Seveso category in Annex I to Dir. 2012/18/EU: dangerous for the environment.

The substance is covered by EU chemical legislation.

**European Union** 

Authorisations and/or restrictions on use:

**Revision date: 2018-07-19** 

Version 1.02

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### **Persistent Organic Pollutants**

Not Applicable

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

## International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
POTASSIUM NITRATE 7757-79-1	Х	Х	Х	Х	Х	Х	Х	Х
MANGANESE SULPHATE MONOHYDRATE 10034-96-5				Х	Х		Х	Х

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## **Section 16: OTHER INFORMATION**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of R-phrases referred to under sections 2 and 3

Not applicable

#### Full text of H-Statements referred to under sections 2 and 3

H272 - May intensify fire; oxidiser

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Legend

European Agreement concerning the International Carriage of Dangerous Goods by Road ADR:

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

Derived No Effect Level (DNEL) **DNEL:** 

EINECS (European Inventory of Existing Chemical Substances) **EINECS:** 

Globally Harmonised System (GHS) GHS:

International Air Transport Association (IATA) IATA: International Civil Aviation Organization ICAO:

International Maritime Dangerous Goods (IMDG) IMDG:

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT:

Regulations Concerning the International Transport of Dangerous Goods by Rail RID:

Short term exposure limit STEL:

SVHC: Substances of Very High Concern for Authorisation: SVHC

time weighted average TWA:

very Persistent and very Bioaccumulative vPvB:

2018-07-19 Revision date:

Reason for revision: Format Change.

**Revision date:** 2018-07-19

Version 1.02

# **Disclaimer**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**